

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 0: Equipment – General requirements**

**Atmosphères explosives –
Partie 0: Matériel – Exigences générales**

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

A bout the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 0: Equipment – General requirements**

**Atmosphères explosives –
Partie 0: Matériel – Exigences générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.260.20

ISBN 978-2-8322-5065-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.
--

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60079-0 Edition 7.0 2017-12

EXPLOSIVE ATMOSPHERES –

Part 0: Equipment – General requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
31/1455/DISH	31/1464/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Interpretation sheet of Subclause 16.6 of IEC 60079-0:2017

The TC31/CAG requested (Resolution 2 of 2018-04-19) that WG22 prepare an interpretation sheet based on IECEx Decision Sheet DS2018/002 addressing the assignment of entry point and branching point temperatures of electrical rotating machines.

Details of interpretation:

IEC 60079-0:2017 (Ed. 7), *Explosive atmospheres – Part 0: Equipment – General requirements*

Interpretation of Subclause 16.6: Temperature at branching point and entry point:

Question: Subclause 16.6 of IEC 60079-0:2017 states “When the temperature under rated conditions is higher than 70 °C at the entry point or 80 °C at the branching point of the conductors, information shall be marked on the equipment exterior to provide guidance to the user on the proper selection of cable and cable gland or conductors in conduit.”

It is not normal practice for electrical rotating machines to be tested with the cable entry devices and cables that might be used in an actual installation, but with the cables available at the manufacturer's test area. In many cases, there will be no formal entry device as the cables will enter via the space reserved for fixing of a gland plate.

How shall the relevant entry point and branching point temperatures be determined?

Interpretation: *The use of the maximum internal air space temperature to represent the maximum service temperature of terminal box gaskets and seals, the cable branching point temperature, and the entry point temperature reflects the normal practice of testing electrical rotating machines without prior knowledge of the actual glands and cables to be used for installation. The production of heat from the electrical rotating machine connections is generally insignificant with respect to the production of heat from the machine windings and core.*

Further amplification:

- 1) The entry point of the cable where the temperature is measured should be sealed so far as possible to ensure that there is minimum air-circulation which can reduce the measured temperature.
- 2) This is not intended to apply to any gasket between the terminal box and the frame of the electrical rotating machine, where higher temperatures may be recorded, but only to the gasket between the terminal box and its lid.

Although written in the context of electrical rotating machines, there may be other types of equipment where an equivalent approach is applicable

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60079-0 Edition 7.0 2017-12

EXPLOSIVE ATMOSPHERES –

Part 0: Equipment – General requirements

INTERPRETATION SHEET 2

This interpretation sheet has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
31/1469/DISH	31/1486/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Question:

How shall marking be shown for equipment covered by both the electrical and non-electrical standards (IEC 60079 and ISO 80079 series)?

Answer:

Equipment which includes both an electrical part and a non-electrical part shall have combined marking. For example:

Ex db h IIA T4 Gb

Ex h tb IIIC T135 °C Db

It will be clearer for the user that the combined risk of the electrical part and the non-electrical part, covered by a single certificate, has been assessed for the complete equipment, stating one EPL, one equipment Group and one temperature class for Gas and the same for Dust (but showing a maximum surface temperature instead of a temperature class). It is also noted that Ex Components are not marked with either a temperature class (Group II) or a maximum surface temperature (Group III).

For equipment where separate certificates have been prepared, with one for the electrical parts, and one for the non-electrical parts, it is appropriate to have separate electrical and non-electrical marking strings, each with its own associated certificate number.

NOTE Additional guidance on the marking of assemblies is given in IEC TS 60079-46.

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

CONTENTS

FOREWORD	8
1 Scope	15
2 Normative references	16
3 Terms and definitions	18
4 Equipment grouping	36
4.1 General	36
4.2 Group I	36
4.3 Group II	36
4.4 Group III	36
4.5 Equipment for a particular explosive gas atmosphere	37
5 Temperatures	37
5.1 Environmental influences	37
5.1.1 Ambient temperature	37
5.1.2 External source of heating or cooling	37
5.2 Service temperature	37
5.3 Maximum surface temperature	38
5.3.1 Determination of maximum surface temperature	38
5.3.2 Limitation of maximum surface temperature	38
5.3.3 Small component temperature for Group I or Group II electrical equipment	39
5.3.4 Component temperature of smooth surfaces for Group I or Group II electrical equipment	40
6 Requirements for all equipment	41
6.1 General	41
6.2 Mechanical strength of equipment	41
6.3 Opening times	41
6.4 Circulating currents in enclosures (e.g. of large electric machines)	42
6.5 Gasket retention	42
6.6 Electromagnetic and ultrasonic energy radiating equipment	42
6.6.1 General	42
6.6.2 Radio frequency sources	42
6.6.3 Ultrasonic sources	43
6.6.4 Lasers, luminaires, and other non-divergent continuous wave optical sources	44
7 Non-metallic enclosures and non-metallic parts of enclosures	44
7.1 General	44
7.1.1 Applicability	44
7.1.2 Specification of materials	44
7.2 Thermal endurance	45
7.2.1 Tests for thermal endurance	45
7.2.2 Material selection	46
7.2.3 Alternative qualification of elastomeric sealing O-rings	46
7.3 Resistance to ultraviolet light	46
7.4 Electrostatic charges on external non-metallic materials	47
7.4.1 Applicability	47
7.4.2 Avoidance of a build-up of electrostatic charge for Group I or Group II	47

7.4.3	Avoidance of a build-up of electrostatic charge for Group III	49
7.5	Attached external conductive parts	50
8	Metallic enclosures and metallic parts of enclosures	51
8.1	Material composition	51
8.2	Group I	51
8.3	Group II	51
8.4	Group III	52
8.5	Copper Alloys	52
9	Fasteners	52
9.1	General	52
9.2	Special fasteners	53
9.3	Holes for special fasteners	53
9.3.1	Thread engagement	53
9.3.2	Tolerance and clearance	53
9.4	Hexagon socket set screws	54
10	Interlocking devices	54
11	Bushings	54
12	(Reserved for future use)	54
13	Ex Components	54
13.1	General	54
13.2	Mounting	55
13.3	Internal mounting	55
13.4	External mounting	55
13.5	Ex Component certificate	55
14	Connection facilities	55
14.1	General	55
14.2	Type of protection	56
14.3	Creepage and clearance	56
15	Connection facilities for earthing or bonding conductors	56
15.1	Equipment requiring earthing or bonding	56
15.1.1	Internal earthing	56
15.1.2	External bonding	56
15.2	Equipment not requiring earthing	56
15.3	Size of protective earthing conductor connection	56
15.4	Size of equipotential bonding conductor connection	57
15.5	Protection against corrosion	57
15.6	Secureness of electrical connections	57
15.7	Internal earth continuity plate	57
16	Entries into enclosures	57
16.1	General	57
16.2	Identification of entries	57
16.3	Cable glands	58
16.4	Blanking elements	58
16.5	Thread adapters	58
16.6	Temperature at branching point and entry point	59
16.7	Electrostatic charges of cable sheaths	59
17	Supplementary requirements for electric machines	60
17.1	General	60

17.2	Ventilation.....	60
17.2.1	Ventilation openings	60
17.2.2	Materials for external fans	60
17.2.3	Cooling fans of rotating electric machines.....	60
17.2.4	Auxiliary motor cooling fans.....	61
17.2.5	Room ventilating fans	61
17.3	Bearings	62
18	Supplementary requirements for switchgear	62
18.1	Flammable dielectric	62
18.2	Disconnectors	62
18.3	Group I – Provisions for locking	63
18.4	Doors and covers.....	63
19	Reserved for future use	63
20	Supplementary requirements for external plugs, socket outlets and connectors for field wiring connection	63
20.1	General.....	63
20.2	Explosive gas atmospheres	64
20.3	Explosive dust atmospheres	64
20.4	Energized plugs	64
21	Supplementary requirements for luminaires	64
21.1	General.....	64
21.2	Covers for luminaires of EPL Mb, EPL Gb, or EPL Db.....	64
21.3	Covers for luminaires of EPL Gc or EPL Dc	65
21.4	Sodium lamps	65
22	Supplementary requirements for caplights and handlights	65
22.1	Group I caplights	65
22.2	Group II and Group III caplights and handlights	65
23	Equipment incorporating cells and batteries.....	66
23.1	General.....	66
23.2	Interconnection of cells to form batteries	66
23.3	Cell types.....	66
23.4	Cells in a battery.....	69
23.5	Ratings of batteries.....	69
23.6	Interchangeability	69
23.7	Charging of primary batteries	69
23.8	Leakage.....	69
23.9	Connections.....	69
23.10	Orientation.....	69
23.11	Replacement of cells or batteries	69
23.12	Replaceable battery pack.....	70
24	Documentation	70
25	Compliance of prototype or sample with documents.....	70
26	Type tests	70
26.1	General.....	70
26.2	Test configuration	70
26.3	Tests in explosive test mixtures	70
26.4	Tests of enclosures.....	71
26.4.1	Order of tests	71

26.4.2	Resistance to impact	73
26.4.3	Drop test	74
26.4.4	Acceptance criteria	75
26.4.5	Degree of protection (IP) by enclosures	75
26.5	Thermal tests	76
26.5.1	Temperature measurement	76
26.5.2	Thermal shock test	78
26.5.3	Small component ignition test (Group I and Group II)	78
26.6	Torque test for bushings	79
26.6.1	Test procedure	79
26.6.2	Acceptance criteria	80
26.7	Non-metallic enclosures or non-metallic parts of enclosures	80
26.7.1	General	80
26.7.2	Test temperatures	80
26.8	Thermal endurance to heat	80
26.9	Thermal endurance to cold	81
26.10	Resistance to UV light	81
26.10.1	General	81
26.10.2	Light exposure	82
26.10.3	Acceptance criteria	82
26.11	Resistance to chemical agents for Group I equipment	82
26.12	Earth continuity	83
26.13	Surface resistance test of parts of enclosures of non-metallic materials	84
26.14	Measurement of capacitance	85
26.14.1	General	85
26.14.2	Test procedure	85
26.15	Verification of ratings of ventilating fans	86
26.16	Alternative qualification of elastomeric sealing O-rings	86
26.17	Transferred charge test	86
26.17.1	Test equipment	86
26.17.2	Test sample	87
26.17.3	Test procedure	87
27	Routine tests	88
28	Manufacturer's responsibility	88
28.1	Conformity with the documentation	88
28.2	Certificate	89
28.3	Responsibility for marking	89
29	Marking	89
29.1	Applicability	89
29.2	Location	89
29.3	General	89
29.4	Ex marking for explosive gas atmospheres	90
29.5	Ex marking for explosive dust atmospheres	92
29.6	Combined types (or levels) of protection	95
29.7	Multiple types of protection	95
29.8	Ga equipment using two independent Gb types (or levels) of protection	95
29.9	Boundary wall	95
29.10	Ex Components	95
29.11	Small Ex Equipment and small Ex Components	96

29.12	Extremely small Ex Equipment and extremely small Ex Components	96
29.13	Warning markings	96
29.14	Cells and batteries	97
29.15	Electric machines operated with a converter	97
29.16	Examples of marking.....	98
30	Instructions.....	101
30.1	General.....	101
30.2	Cells and batteries	102
30.3	Electric machines.....	103
30.4	Ventilating fans	103
30.5	Cable glands.....	104
Annex A	(normative) Supplementary requirements for cable glands	105
A.1	General.....	105
A.2	Constructional requirements	105
A.2.1	Cable sealing.....	105
A.2.2	Filling compounds.....	106
A.2.3	Clamping	106
A.2.4	Lead-in of cable	106
A.2.5	Release by a tool.....	107
A.2.6	Fixing	107
A.2.7	Degree of protection	107
A.3	Type tests.....	107
A.3.1	Tests of clamping of non-armoured and braided cables	107
A.3.2	Tests of clamping of armoured cables.....	110
A.3.3	Type test for resistance to impact	111
A.3.4	Test for degree of protection (IP) of cable glands	112
A.4	Marking.....	113
A.4.1	Marking of cable glands.....	113
A.4.2	Identification of cable-sealing rings.....	113
A.5	Instructions	113
Annex B	(normative) Requirements for Ex Components	115
Annex C	(informative) Example of rig for resistance to impact test	118
Annex D	(informative) Electric machines connected to converters.....	119
Annex E	(informative) Temperature evaluation of electric machines.....	120
Annex F	(informative) Guidance flowchart for tests of non-metallic enclosures or non-metallic parts of enclosures (26.4)	123
Annex G	(informative) Guidance flowchart for tests of cable glands	124
Annex H	(informative) Shaft voltages resulting in motor bearing or shaft brush sparking Discharge energy calculation	125
H.1	General.....	125
H.2	Assessment of the risk of ignition using ignition energy calculation	125
H.3	Shaft voltage determination for a rotating machine.....	126
H.4	Capacitance “C” calculation for a rotating machine	126
H.5	Energy “E” calculation for a rotating machine	129
H.6	Assessment using reference curves	129
Bibliography		131

Figure 1 – Typical battery examples.....	20
--	----

Figure 2 – Typical battery compartment	21
Figure 3 – Typical replaceable battery pack	22
Figure 4 – Tolerances and clearance for threaded fasteners	53
Figure 5 – Contact surface under head of fastener with a reduced shank	54
Figure 6 – Cable gland	59
Figure 7 – Conduit entry	59
Figure 8 – Assembly of test sample for earth-continuity test	84
Figure 9 – Test piece with painted electrodes	85
Figure 10 – Compression set of an O-ring	86
Figure A.1 – Illustration of the terms used for cable glands	106
Figure A.2 – Rounded edge of the point of entry of the flexible cable	107
Figure A.3 – Example of rig for resistance to impact test	112
Figure C.1 – Example of rig for resistance to impact test	118
Figure F.1 – Non-metallic enclosures or non-metallic parts of enclosures	123
Figure H.1 – Capacitance stored in bearing clearance of sleeve bearing Between journal and outer bearing housing	128
Figure H.2 – Air-gap between stator and rotor	128
Figure H.3 – Typical surfaces that form capacitors from the motor shaft to ground	129
Figure H.4 – Capacitive ignition curves	130
Table 1 – Ambient temperatures in service and additional marking	37
Table 2 – Classification of maximum surface temperatures for Group II electrical equipment	38
Table 3 – Assessment of temperature classification according to component size	40
Table 4 – Assessment of temperature classification Component surface area $\geq 20 \text{ mm}^2$	40
Table 5 – Threshold power	43
Table 6 – Threshold energy	43
Table 7 – Limitation of surface areas	48
Table 8 – Maximum diameter or width	49
Table 9 – Limitation of thickness of non-metallic layer	49
Table 10 – Maximum acceptable transferred charge	49
Table 11 – Maximum capacitance of unearthed conductive parts	51
Table 12 – Minimum cross-sectional area of PE conductors	57
Table 13 – Primary cells	66
Table 14 – Secondary cells	68
Table 15 – Tests for resistance to impact	74
Table 16 – Torque to be applied to the stem of bushing used for connection facilities	79
Table 17 – Thermal endurance test	80
Table 18 – Text of warning markings	97
Table 19 – Example of type-test converter parameters	103
Table B.1 – Applicability of clauses to Ex Components	115
Table H.1 – Maximum permitted energy	126

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –**Part 0: Equipment – General requirements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-0 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This seventh edition cancels and replaces the sixth edition, published in 2011. This edition constitutes a technical revision.

The significance of the changes between IEC Standard, IEC 60079-0, Edition 6 (2011) and IEC 60079-0, Edition 7 (2017) are as listed below:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Throughout document, “electrical equipment” replaced by “equipment” where appropriate.	Multiple	X		
Scope	1	X		
List of “Type of “Protection” and “Product” standards combined into one list.				
Definitions used in multiple sub-parts added. Definitions harmonized across sub-parts and added to 60079-0 where appropriate. Battery definitions updated	3	X		
Clarification of the way that information on process temperature influences can be expressed.	5.1.2	X		
Clarification regarding the determination of service temperatures when dust layers are present	5.2	X		
Clarification on the need to provide service temperature information for Ex Components in the Schedule of Limitations	5.2	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	5.3.2.3.1	A1		
Clarified that for EPL Db, a maximum specified dust layer of greater than 200 mm is not permitted as thicker layers have no additional effect on maximum surface temperature.	b)	X		
Added for EPL Db, a dust layer in a specified orientation, marked as T_L	c)		X	
Clarified that for EPL Dc, no dust layer tests are required.	5.3.2.3.3	X		
Clarified that the “temperature” is the temperature of the air surrounding the component	5.3.3	X		
Subdivided section dealing with higher permitted surface temperatures for “smooth” surfaces. Corrected area from 1 000 mm ² to 10 000 mm ² .	5.3.4	X		
Clarified that the “Ex” requirements of IEC 60079 supplement those of the relevant industrial standards.	6.1	X		
Added requirement that where an adhesive is used to secure a gasket, it shall be used within its COT and shall comply with the requirements for cements.	6.5			C1
Requirements relocated to IEC 60079-28	former 6.6.2	A2		
Ultrasonic requirements updated based on latest research work	6.6.3		X	
Added reference to IEC 60079-28	6.6.4	A2		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.2	X		
“RTI-mechanical” has been clarified to include “RTI-mechanical strength” and “RTI-mechanical impact”	7.1.2.2	X		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.3	X		
Relocated information on “cements” from Clause 12.	7.1.2.4	X		
“RTI-mechanical” has been clarified to include “RTI-mechanical strength” and “RTI-mechanical impact”. Requirements for cements aligned with the requirements for elastomers.	7.2.2	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Relocation of 10 K margin for EPL Gc or Dc from IEC 60079-15, IEC 60079-18 & IEC 60079-31	7.2.2	A3		
Added clarification with respect to gaskets and seals where only the outer edge is potentially exposed to light.	7.3	X		
Clarification added that one or more of the described techniques may be used	7.4.2	X		
Added additional relaxation for the case where a surface is in contact with an earthed surface on only two of four sides.	7.4.2 b)		X	
Added reference to IEC 60243-1 and IEC 60243-2 for test method to require a 4 kV DC test..	7.4.2.c)			C2
Additional guidance added with respect to the possible Specific Conditions of Use	7.4.2 e)	X		
New option added for portable, mains-powered equipment with earth-connected guard	7.4.2 f)		X	
Added option for determination of maximum transferred charge.	7.4.2 g) Table 10		X	
Added missing limits (same as 7.4.2)	7.4.3 a)	X		
Clarified that it is a dc test that is conducted	7.4.3 b)	X		
Clarified that this requirement is not applied to personal or portable equipment	7.5	X		
Clarified Group I limits	8.2	X		
Clarified Group II, EPL Ga limits	8.3	X		
Added limitation for external surfaces of >65% copper	8.5			C3
Added clarification as to what is considered a tool	9.1	X		
Clarified that the tolerance class of the set screw is not critical, only that it not protrude from the threaded hole after tightening.	9.4	X		
Information on cements transferred to Clause 7	12	X		
Required that Ex Component Certificates require a Schedule of Limitations in all cases	13.5		X	
Revised to clarified that all connection facilities may not be a "Compartment".	14	X		
Sub-clause split to separate the requirements for protective earthing and equipotential bonding into separate sections	15.3 15.4	X		
Section split to separate secureness of electrical connections from the internal earth continuity plate.	15.6 15.7	X		
Non-threaded Group I cable glands are no longer required to be Ex Components.	16.3		X	
Non-threaded Group I blanking elements are no longer required to be Ex Components.	16.4		X	
Scope of Clause 17 clarified to define applicability	17	X		
Additional guidance notes added to address bearings	17.3	X		
Clarified applicability to disconnectors, interlocks, and maintenance switches.	18.2	X		
Fuse requirements deleted as they are addressed in the individual sub-parts	19	X		
Added requirements for EPL Gc and Dc	20.1			C4

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
The test circuit requirements for a flameproof connection have been removed as they are more completely specified in IEC 60079-1.	20.2	X		
The impact test requirements for luminaires are relocated to Table 15	21.1 Table 15	X		
Clarified interlock switch operation for flameproof luminaires	21.2	X		
Clarified that some Types of Protection permit connection of cells in parallel	23.2	X		
New cell types and data added based on latest available data	Table 13		X	
New cell types and data added based on latest available data	Table 14			C5
Clarification of what documentation is to be prepared regarding the explosion safety aspects of the equipment	24	X		
Clarification that the type tests are to take into consideration the installation instructions	26.2	X		
Clarification that the "glass" requirements also apply to "ceramic" parts	26.4.1.1	X		
Added a permission to interchange the order of tests at the "lower test temperature" and the "upper test temperature".	26.4.1.2.2 26.4.1.2.3	X		
Clarified the construction of the impact test fixture	26.4.2	X		
Clarified the impact tests for glass parts	26.4.2	X		
Added clarification to deal with the new IPX9 ratings	26.4.5.1		X	
Clarified the test voltage for maximum surface temperature	26.5.1.3	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	26.5.1.3	A1		
Relocation of EPL Db specified dust layer requirements from IEC 60079-31	26.5.1.3	A4		
Added for EPL Db, a dust layer in a specified orientation, marked as Z	26.5.1.3		B1	
Clarified that for EPL Dc, the testing is conducted without a dust layer.	26.5.1.3	X		
Relocation of thermal endurance to heat 10K relaxation for Gc equipment from IEC 60079-15, IEC 60079-18, & IEC 60079-31	Table 17	X		
Clarification of a consistent way to address elastomeric materials exposed to ultraviolet light	26.10	X		
Replacement of "oil No. 2" with the revised designation of "oil IRM 902".	26.11	X		
Option added for testing at lower voltages when low resistance materials are encountered	26.13		X	
Transferred charge test added based on IEC TS 60079-32-2	26.17		X	
The reference to a specific instruction document instead of an "X" condition relocated to e) instead of a note giving a permission	29.3 e)	X		
Updated to reflect the additional levels of protection already shown in the sub-parts: "da", "dc", "eb", "ec", "oc", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "qb", "sa", "sb", and "sc".	29.4 b)	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Text added to address marking of "Ex associated equipment"	29.4		X	
Updated to reflect the additional levels of protection already shown in the sub-parts: "ic", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "sa", "sb", and "sc".	29.5 b)	X		
Clarified marking of EPL Da, EPL Db with no dust layer, EPL Db with a specified dust layer, and EPL Dc.	29.5 d)	X		
Introduced marking for EPL Db with a dust layer in a specified orientation	29.5 d)		X	
Text added to address marking of "Ex associated equipment"	29.5		X	
Text added to address marking of equipment intended to be installed in a boundary wall.	29.9		X	
The marking of Ex Component enclosure was aligned with the marking requirements of IEC 60079-1 and IEC 60079-7	29.10	X		
The alternate marking of EPL has been deleted.	former 29.13			C6
Marking for electric machines operated with a converter clarified	29.15	X		
Instruction material guidance clarified	30.1	X		
Additional instruction material for electric machines added	30.3			C7
Additional instruction material for cable glands added	30.5 A.5			C8
Allow ISO 10807 hose assemblies to be used with cable glands.	A.1		X	
Clarify testing with stainless steel mandrels	A.3	X		
Reduction of the time / slippage permitted	A.3.1.1		X	
Clarify impact testing of cable glands	A.3.3 Figure A.3	X		
Clarified the order of tests	A.3.4	X		
Clarified remarks	Annex B	X		
Aligned Figure with text	Figure C.1	X		
Clarified operation of electric machines from converters	Annex D (informative)	X		
Clarified temperature testing of electric machines	Annex E (informative)	X		
Flowchart for Cable Gland testing	Annex G (informative)	X		
Guidance of electric machine shaft voltages	Annex H (informative)	X		

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance may be found by referring to the Redline Version of the standard.

Explanations:**A) Definitions****Minor and editorial changes**

clarification
 decrease of technical requirements
 minor technical change
 editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

Extension

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

Major technical changes

addition of technical requirements
 increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

B) Information about the background of changes

- A1 The dust layer requirements for EPL Da are unchanged from what previously existed in IEC 60079-18, Ed 4 and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A2 IEC 60079-28 now includes all requirements for optical radiation for all EPLs.
- A3 The COT requirements for EPL Gc or Dc are unchanged from what previously existed in IEC 60079-15, Ed 4, IEC 60079-18, Ed 4, and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A4 The dust layer requirements for EPL Db with a specified dust layer depth are unchanged from what previously existed in IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- B1 Dust layer requirements for EPL Db with a dust layer in a specified orientation have been added.
- C1 It is recognized that the new requirements were, in many cases, already applied. The change is to ensure that they are uniformly and consistently applied.
- C2 Require that the test be conducted at 4 kV DC.
- C3 The limitation applies to external surfaces of other than cable glands, blanking elements, thread adapters and bushings.
- C4 The added requirements for tool securing and marking are consistent with the approach in IEC 60079-15
- C5 Voltage values were changed following additional research due to the complicated assessment and sometimes unspecified construction of Li/Ion-cells. It was found that some voltage values previously stated were too low.

- C6 The now required EPL marking may be other than that permitted by the Level of Protection to account for limiting restrictions of material or plastic material surface area.
- C7 Additional instruction material for electric machines required to facilitate selection, installation, and maintenance.
- C8 Additional instruction material for cable glands required to facilitate selection and installation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
31/1345/FDIS	31/1356/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the interpretation sheet 1 of April 2019 and interpretation sheet 2 of June 2019 have been included in this copy.

The contents of the corrigendum of January 2020 have been included in this copy.

EXPLOSIVE ATMOSPHERES –

Part 0: Equipment – General requirements

1 Scope

This part of IEC 60079 specifies the general requirements for construction, testing and marking of Ex Equipment and Ex Components intended for use in explosive atmospheres.

The standard atmospheric conditions (relating to the explosion characteristics of the atmosphere) under which it may be assumed that Ex Equipment can be operated are:

- temperature -20 °C to $+60\text{ °C}$;
- pressure 80 kPa (0,8 bar) to 110 kPa (1,1 bar); and
- air with normal oxygen content, typically 21 % v/v.

This part of IEC 60079 and other standards supplementing this standard specify additional test requirements for Ex Equipment operating outside the standard temperature range, but further additional consideration and additional testing may be required for Ex Equipment operating outside the standard atmospheric pressure range and standard oxygen content. Such additional testing may be particularly relevant with respect to Types of Protection that depend on quenching of a flame such as 'flameproof enclosures "d"' (IEC 60079-1) or limitation of energy, 'intrinsic safety "i"' (IEC 60079-11).

NOTE 1 Although the standard atmospheric conditions above give a temperature range for the atmosphere of -20 °C to $+60\text{ °C}$, the normal ambient temperature range for the Ex Equipment is -20 °C to $+40\text{ °C}$, unless otherwise specified and marked. See 5.1.1. It is considered that -20 °C to $+40\text{ °C}$ is appropriate for many items of Ex Equipment and that to manufacture all Ex Equipment to be suitable for a standard atmosphere upper ambient temperature of $+60\text{ °C}$ would place unnecessary design constraints.

NOTE 2 Requirements given in this standard result from an ignition hazard assessment made on equipment. The ignition sources taken into account are those found associated with this type of equipment, such as hot surfaces, electromagnetic radiation, mechanically generated sparks, mechanical impacts resulting in thermite reactions, electrical arcing and static electric discharge in normal industrial environments.

NOTE 3 Where an explosive gas atmosphere and a combustible dust atmosphere are, or can be, present at the same time, the simultaneous presence of both often warrants additional protective measures. Additional guidance on the use of Ex Equipment in hybrid mixtures (mixture of a flammable gas or vapour with a combustible dust or combustible flyings) is given in IEC 60079-14.

IEC 60079 does not specify requirements for safety, other than those directly related to the explosion risk.

Ignition sources like adiabatic compression, shock waves, exothermic chemical reaction, self-ignition of dust, naked flames and hot gases/liquids, are not addressed by this standard.

NOTE 4 Although outside the scope of this standard, such equipment would typically be subjected to a hazard analysis that identifies and lists all of the potential sources of ignition by the equipment and the measures to be applied to prevent them becoming effective. See ISO/IEC 80079-36.

This document is supplemented or modified by the following parts and technical specifications:

- IEC 60079-1: Gas – Flameproof enclosures "d";
- IEC 60079-2: Gas and dust – Pressurized enclosure "p";
- IEC 60079-5: Gas – Powder filling "q";
- IEC 60079-6: Gas – Liquid immersion "o";
- IEC 60079-7: Gas – Increased safety "e";

- IEC 60079-11: Gas and dust – Intrinsic safety "i";
- IEC 60079-13: Gas and dust – Equipment protection by pressurized room "p" & artificially ventilated room "v";
- IEC 60079-15: Gas – Type of protection "n";
- IEC 60079-18: Gas and dust – Encapsulation "m";
- IEC 60079-25: Gas and dust – Intrinsically safe electrical systems
- IEC 60079-26: Gas – Equipment with equipment protection level (EPL) Ga
- IEC 60079-28: Gas and dust – Protection of equipment and transmission systems using optical radiation
- IEC 60079-29-1: Gas detectors – Performance requirements of detectors for flammable gases
- IEC 60079-29-4: Gas detectors – Performance requirements of open path detectors for flammable gases
- IEC/IEEE 60079-30-1: Gas and dust – Electrical resistance trace heating – General and testing requirements.
- IEC 60079-31: Dust – Protection by enclosure "t"
- IEC 60079-33: Gas and dust – Special protection "s"
- IEC 60079-35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion
- IEC TS 60079-39: Gas – Intrinsically safe systems with electronically controlled spark duration limitation
- IEC TS 60079-40: Gas – Requirements for process sealing between flammable process fluids and electrical systems
- ISO 80079-36: Gas and dust – Non-electrical equipment for explosive atmospheres – Basic method and requirements

This document, along with the additional parts of IEC 60079 mentioned above, is not applicable to the construction of

- electromedical apparatus,
- shot-firing exploders,
- test devices for exploders, and
- shot-firing circuits.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-20-1, *Explosive atmospheres – Part 20-1: Material characteristics for gas and vapour classification – Test methods and data*

IEC 60079-26, *Explosive atmospheres – Part 26: Equipment with Equipment Protection Level (EPL) Ga*

IEC 60079-35-1, *Explosive atmospheres – Part 35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60192, *Low-pressure sodium vapour lamps – Performance specifications*

IEC 60216-1, *Electrical insulating materials – Thermal endurance properties – Part 1: Ageing procedures and evaluation of test results*

IEC 60216-2, *Electrical insulating materials – Thermal endurance properties – Part 2: Determination of thermal endurance properties of electrical insulating materials – Choice of test criteria*

IEC 60243-1, *Electric strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60423, *Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60662, *High-pressure sodium vapour lamps – Performance specifications*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 62626-1, *Low-voltage switchgear and controlgear enclosed equipment – Part 1: Enclosed switch-disconnectors outside the scope of IEC 60947-3 to provide isolation during repair and maintenance work*

ISO 48, *Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179 (all parts), *Plastics – Determination of Charpy impact properties*

ISO 262, *ISO general-purpose metric screw threads – Selected sizes for screws, bolts and nuts*

ISO 273, *Fasteners – Clearance holes for bolts and screws*

ISO 527-2, *Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics*

ISO 965-1, *ISO general-purpose metric screw threads – Tolerances – Part 1: Principles and basic data*

ISO 965-3, *ISO general-purpose metric screw threads – Tolerances – Part 3: Deviations for constructional screw threads*

ISO 3601-1, *Fluid power systems – O-rings – Part 1: Inside diameters, cross-sections, tolerances and designation codes*

ISO 3601-2, *Fluid power systems – O-rings – Part 2: Housing dimensions for general applications*

ISO 4014, *Hexagon head bolts – Product grades A and B*

ISO 4017, *Hexagon head screws – Product grades A and B*

ISO 4026, *Hexagon socket set screws with flat point*

ISO 4027, *Hexagon socket set screws with cone point*

ISO 4028, *Hexagon socket set screws with dog point*

ISO 4029, *Hexagon socket set screws with cup point*

ISO 4032, *Hexagon nuts, style 1 – Product grades A and B*

ISO 4762, *Hexagon socket head cap screws*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 7380, *Hexagon socket button head screws*

ISO 14583, *Hexalobular socket pan head screws*

ANSI/UL 746B, *Polymeric Materials – Long-Term Property Evaluations*

ANSI/UL 746C, *Polymeric Materials – Used in Electrical Equipment Evaluations*

ASTM D5964, *Standard practice for rubber IRM 901, IRM 902, and IRM 903 replacement oils for ASTM No. 1, ASTM No. 2, and ASTM No. 3*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE Additional definitions applicable to explosive atmospheres can be found in IEC 60050-426.

3.1

ambient temperature

temperature of the air or other media, in the immediate vicinity of the equipment or component

Note 1 to entry: This does not refer to the temperature of any process media, unless the equipment or component is totally immersed in the process media. See 5.1.1.

Note 2 to entry: If Ex Equipment or an Ex Component is located inside or adjacent to another piece of equipment, the “ambient temperature” is the temperature of the air or other media surrounding the Ex Equipment or Ex Component and may be higher than the ambient air surrounding the complete equipment due to the additional heat dissipated within the complete equipment.

Note 3 to entry: The ambient temperature referred to in the IEC 60079 series is only related to the explosion safety of the Ex Equipment or Ex Component.

3.2

area, hazardous

area in which an explosive atmosphere is present, or may be expected to be present, in quantities such as to require special precautions for the construction, installation and use of equipment

3.3

area, non-hazardous

area in which an explosive atmosphere is not expected to be present in quantities such as to require special precautions for the construction, installation and use of equipment

3.4

associated apparatus

electrical apparatus which contains both intrinsically safe and non-intrinsically safe circuits and is constructed so that the non-intrinsically safe circuits cannot adversely affect the intrinsically safe circuits

Note 1 to entry: Associated apparatus is either:

- a) additionally protected by a Type of Protection suitable for use in the appropriate explosive atmosphere, or
- b) not protected by a Type of Protection suitable for use in the appropriate explosive atmosphere and therefore is not to be used within an explosive atmosphere

3.5

Ex associated equipment

auxiliary equipment used in conjunction with explosion-protected equipment to maintain specific aspects of the Type of Protection of the explosion-protected equipment

Note 1 to entry: Examples include special time/current relays for increased safety motors, pressurization control systems, power limits for encapsulated Ex Equipment, and the like.

Note 2 to entry: Ex associated equipment is either:

- a) additionally protected by a Type of Protection suitable for use in the appropriate explosive atmosphere; or
- b) not protected by a Type of Protection suitable for use in the appropriate explosive atmosphere and therefore is not to be used within an explosive atmosphere,

Note 3 to entry: A similar concept is applied to intrinsic safety where it is referred to as “associated apparatus”. See 3.4. A single piece of equipment may include both Ex associated equipment and associated apparatus.

3.6

auto-ignition temperature

AIT

lowest temperature (of a surface) at which, under specified conditions (according to IEC 60079-20-1), an ignition of a flammable gas or vapour in mixture with air or air/inert gas occurs

3.7


cells and batteries

3.7.1

battery

one or more cells fitted with devices necessary for use, for example, terminals, marking and protective devices

Note 1 to entry: See Figure 1 for examples of typical battery constructions.



IEC

Figure 1 – Typical battery examples

3.7.2

capacity

electric charge which a battery or cell can deliver under specified discharge conditions

Note 1 to entry: The SI unit for electric charge, or quantity of electricity, is the coulomb ($1 \text{ C} = 1 \text{ A} \times \text{s}$) but in practice, capacity is usually expressed in ampere hours (Ah).

3.7.3

cell

basic functional unit, consisting of an assembly of electrodes, electrolyte, case, terminals and usually separators, that is a source of electric energy obtained by direct conversion of chemical energy

Note 1 to entry: See primary cell and secondary cell.

3.7.4

charging

operation during which a secondary cell or battery is supplied with electric energy from an external circuit which results in chemical changes within the cell and thus the storage of energy as chemical energy

3.7.5

deep discharge

event which reduces a cell voltage below that recommended by the cell or battery manufacturer

3.7.6

maximum open-circuit voltage

<cell or battery>

voltage of a new primary battery or of a fully charged secondary battery when the discharge current is zero

Note 1 to entry: See Table 13 and Table 14 which show the maximum open-circuit voltage for acceptable cells.

3.7.7

nominal voltage

<cell or battery>

suitable approximate value of the voltage used to designate or identify a cell or battery or an electrochemical system

3.7.8**vented cell or battery**

secondary cell, or battery, having a cover provided with an opening through which gaseous products may escape

3.7.9**primary cell or battery**

cell or battery which is not designed to be electrically recharged

3.7.10**reverse charging**

act of forcing current through either a primary cell or secondary cell in the same direction as the normal flow, generally due to the reverse polarity in an expired cell of a series connected battery

3.7.11**sealed cell**

secondary cell which remains closed and does not release either gas or liquid when operated within the limits specified by the cell manufacturer

Note 1 to entry: A sealed cell is often equipped with a safety device to protect against a dangerously high internal pressure and is designed to operate during its life in its original sealed state.

3.7.12**valve-regulated cell or battery**

cell or battery which is closed under normal conditions but which has an arrangement which allows the escape of gas if the internal pressure exceeds a pre-determined value

Note 1 to entry: The cell cannot normally receive an addition to the electrolyte.

3.7.13**secondary cell or battery**

cell which is designed to be electrically recharged

Note 1 to entry: The recharge is accomplished by way of a reversible chemical reaction.

3.7.14**battery compartment**

compartment of the equipment that accommodates one or more cells and batteries


Note 1 to entry: The battery compartment is an integral part of the equipment.

Note 2 to entry: A battery compartment may be a battery container

3.7.15**battery container**

enclosure to contain one or more cells or batteries

Note 1 to entry: See Figure 2 for examples of typical battery constructions.



IEC

Figure 2 – Typical battery compartment

3.7.16

battery case

cell case

cell or battery enclosure that is an integral part of the construction of the cell or battery


Note 1 to entry: The case can be sealed, valve-regulated, or vented.

3.7.17

replaceable battery pack

assembly consisting of one or more interconnected cells, along with any integrated protective components, which form a complete replaceable battery

Note 1 to entry: See Figure 3 for examples of typical replaceable battery pack construction.



IEC

Figure 3 – Typical replaceable battery pack

3.8

breathing device

device which permits an exchange between the atmosphere within an enclosure and the surrounding atmosphere and which maintains the integrity of the Type of Protection

3.9

bushing

device carrying one or more conductors, insulated or bare, through an internal or external wall of an enclosure

3.10

cable gland

device permitting the introduction of one or more electric or fibre optic cables into an electrical Ex Equipment enclosure so as to maintain the relevant Type of Protection and provide a degree of strain relief

Note 1 to entry: See Figure A.1 for illustration of the terms used for cable glands.

3.10.1

clamping device

<cable gland>

element of a cable gland for preventing tension or torsion in the cable from being transmitted to the connections

3.10.2**compression element**

<cable gland>

element of a cable gland compressing or displacing the sealing ring

3.10.3**sealing ring**

<cable gland>

element used in a cable gland to ensure the sealing between the cable gland and the cable

3.10.4**Ex Equipment cable gland**

<cable gland>

cable gland tested separately from the equipment enclosure but having an Ex Equipment certificate and which is intended to be fitted to an Ex Equipment enclosure

Note 1 to entry: This does not preclude an Ex Component certificate for cable glands.

3.10.5**cable transit device**

<cable gland>

an entry device, intended for one or more electric or fibre optic cables, with a seal made up of one or more separate elastomeric modules or parts of modules (modular internal seal), which are compressed together when the device is assembled and mounted as intended

Note 1 to entry: Cable transit devices serve as Ex Equipment Blanking Elements when the elastomeric modules provided allow for this function.

3.11**casting**

<non-metallic compound>

process of pouring a liquid compound at normal ambient pressure into a cast

3.12**certificate**

document that conveys the assurance of the conformity of a product, process, system, person, or organization with specified requirements

Note 1 to entry: The certificate is either the supplier's declaration of conformity or the purchaser's recognition of conformity or certification (as a result of action by a third party) as defined in ISO/IEC 17000.

3.12.1**Ex Component Certificate**

certificate prepared for an Ex Component (see 3.36)

3.12.2**Ex Equipment Certificate**

certificate prepared for Ex Equipment

3.13**coating**

material applied to a surface

3.14**conformal coating**

electrical insulating material applied as a coating to loaded printed circuit boards to produce a thin layer conforming to the surface in order to provide a protective barrier against deleterious effects from environmental conditions

3.15

compound

<for encapsulation>

any thermosetting, thermoplastic, epoxy resin or elastomeric materials with or without fillers and/or additives, in their solid state

3.16

conduit entry

means of introducing a conduit into Ex Equipment so as to maintain the relevant Type of Protection

3.17

connection facilities

terminals, screws or other parts, used for the electrical connection of conductors

3.18

connections, factory

terminations intended for connection during a manufacturing process under controlled conditions

3.19

connections, field-wiring

terminations intended for connection by the installer in the field

3.20

continuous operating temperature

COT

temperature range which ensures the stability and integrity of the material for the expected life of the equipment, or part, in its intended application

3.21

converter

<for use with electric machines>

unit for electronic power conversion, changing one or more electrical characteristics and comprising one or more electronic switching devices and associated components, such as transformers, filters, commutation aids, controls, protections, and auxiliaries, if any

Note 1 to entry: A converter is also known by other terms. For example, a frequency converter, a converter drive, an inverter drive, a variable speed drive, an adjustable speed drive (ASD), or a variable frequency drive (VFD).

3.21.1

converter, soft-start

<for use with electric machines>

converter which limits the input current to the electric machine during the starting process

Note 1 to entry: It is intended that the soft-start converter is used only during the starting process and is then isolated from the power system or bypassed when the electric machine is running.

3.22

degree of protection of enclosure

IP

numerical classification according to IEC 60529 or IEC 60034-5 (as applicable) preceded by the symbol IP applied to the enclosure of equipment to provide:

- protection of persons against contact with, or approach to, live parts and against contact with moving parts (other than smooth rotating shafts and the like) inside the enclosure,
- protection of the equipment against ingress of solid foreign objects, and
- where indicated by the classification, protection of the equipment against harmful ingress of water

Note 1 to entry: The detailed test requirements for rotating electric machines are in IEC 60034-5.

Note 2 to entry: The enclosure which provides the degree of protection IP is not necessarily the same as the equipment enclosure providing the Type of Protection listed in Clause 1.

Note 3 to entry: An enclosure which provides the degree of protection required by one of the types of protection listed in Clause 1 will have been subjected to other tests prior to the tests for degree of protection. See 26.4.

3.23

draining device

device which permits liquids to flow out from an enclosure and which maintains the integrity of the Type of Protection

3.24

dust

generic term including both combustible dust and combustible flyings

3.24.1

combustible dust

finely divided solid particles, 500 µm or less in nominal size, which may form explosive mixtures with air at standard atmospheric pressure and temperatures

Note 1 to entry: This includes dust and grit as defined in ISO 4225.

Note 2 to entry: The term solid particles is intended to address particles in the solid phase and not the gaseous or liquid phase, but does not preclude a hollow particle.

3.24.1.1

conductive dust

combustible dust with electrical resistivity equal to or less than 1 kΩ·m

Note 1 to entry: ISO/IEC 80079-20-2 contains the test method for determining the electrical resistivity of dusts.

3.24.1.2

non-conductive dust

combustible dust with electrical resistivity greater than 1 kΩ·m

Note 1 to entry: ISO/IEC 80079-20-2 contains the test method for determining the electrical resistivity of dusts.

3.24.2

combustible flyings

solid particles, including fibres, where one dimension is greater than 500 µm in nominal size, which may form an explosive mixture with air at standard atmospheric pressure and temperature

Note 1 to entry: One dimension has a high ratio when compared to the other two dimensions

Note 2 to entry: Examples of flyings include carbon fibre, rayon, cotton (including cotton linters and cotton waste) sisal, jute, hemp, cocoa fibre, oakum and baled waste kapok.

3.25

dust-tight enclosure

enclosure capable of excluding the ingress of observable dust particle deposits

3.26

dust-protected enclosure

enclosure in which the ingress of dust is not totally excluded, but is unlikely to enter in sufficient quantity to interfere with the safe operation of the equipment and does not accumulate in a position within the enclosure where it is liable to cause an ignition hazard

3.27

duty cycle

repetitive variation of load in which the cycle time is too short for thermal equilibrium to be attained in the first cycle

[SOURCE: IEC 60050-411:1996, 411-51-7]

3.28

elastomer

a macromolecular material which returns rapidly to approximately its initial dimensions and shape after substantial deformation by a weak stress and release of the stress

Note 1 to entry: The definition applies to room temperature test conditions.

[SOURCE: IEC 60050-212:2010, 212-14-05]

3.29

encapsulation

process of applying a compound to enclose an electrical device(s) by suitable means

3.30

enclosure

all the walls, doors, covers, cable glands, rods, spindles, shafts, etc. which contribute to the Type of Protection or the degree of protection IP of the equipment

3.31

equipment

general term including apparatus, fittings, devices, components, and the like used as a part of, or in connection with, an installation

3.31.1

equipment, electrical

items applied as a whole or in part for the utilization of electrical energy

Note 1 to entry: These include, amongst others, items for the generation, transmission, distribution, storage, measurement, regulation, conversion and consumption of electrical energy and items for telecommunications.

3.31.2

equipment, fixed

equipment fastened to a support, or otherwise secured in a specific location when energized

3.31.3

equipment, personal

equipment intended to be worn by and in contact with a person's body during operation

3.31.4

equipment, portable

equipment intended to be carried by a person during operation

Note 1 to entry: Portable equipment carried by a person during operation is sometimes referred to as hand-held equipment.

3.31.5

equipment, transportable

equipment not intended to be carried by a person during operation nor intended for fixed installation

3.32 equipment grouping

classification system of equipment related to the explosive atmosphere for which they are intended to be used

Note 1 to entry: IEC 60079-0 identifies three equipment groups:

Group I, equipment for mines susceptible to fire damp;

Group II, which is divided into sub-groups, equipment for all places with an explosive gas atmosphere other than mines susceptible to fire damp

Group III, which is divided into sub-groups, equipment for all places with an explosive dust atmosphere other than mines susceptible to fire damp

3.33 Equipment Protection level

EPL

Level of Protection assigned to equipment based on its likelihood of becoming a source of ignition and distinguishing the differences between explosive gas atmospheres, explosive dust atmospheres, and the explosive atmospheres in mines susceptible to firedamp

3.33.1

EPL Ma

equipment for installation in a mine susceptible to firedamp, having a "very high" Level of Protection, which has sufficient security that it is unlikely to become an ignition source in normal operation, during expected malfunctions or during rare malfunctions, even when left energized in the presence of an outbreak of gas

3.33.2

EPL Mb

equipment for installation in a mine susceptible to firedamp, having a "high" Level of Protection, which has sufficient security that it is unlikely to become a source of ignition in normal operation or during expected malfunctions in the time span between there being an outbreak of gas and the equipment being de-energized

3.33.3

EPL Ga

equipment for explosive gas atmospheres, having a "very high" Level of Protection, which is not a source of ignition in normal operation, during expected malfunctions or during rare malfunctions

3.33.4

EPL Gb

equipment for explosive gas atmospheres, having a "high" Level of Protection, which is not a source of ignition in normal operation or during expected malfunctions

3.33.5

EPL Gc

equipment for explosive gas atmospheres, having an "enhanced" Level of Protection, which is not a source of ignition in normal operation and which may have some additional protection to ensure that it remains inactive as an ignition source in the case of regular expected occurrences (for example failure of a lamp)

3.33.6

EPL Da

equipment for explosive dust atmospheres, having a "very high" Level of Protection, which is not a source of ignition in normal operation, during expected malfunctions, or during rare malfunctions

3.33.7

EPL Db

equipment for explosive dust atmospheres, having a "high" Level of Protection, which is not a source of ignition in normal operation or during expected malfunctions

3.33.8

EPL Dc

equipment for explosive dust atmospheres, having an "enhanced" level of protection, which is not a source of ignition in normal operation and which may have some additional protection to ensure that it remains inactive as an ignition source in the case of regular expected occurrences (for example failure of a lamp)

3.34

Ex Equipment blanking element

blanking element tested separately from the Ex Equipment enclosure but having an Ex Equipment certificate and which is intended to be fitted to an Ex Equipment enclosure

Note 1 to entry: This does not preclude an Ex Component certificate for blanking elements.

3.35

Ex Equipment thread adapter

thread adapter tested separately from the Ex Equipment enclosure but having an Ex Equipment certificate and which is intended to be fitted to an Ex Equipment enclosure

Note 1 to entry: This does not preclude an Ex Component certificate for thread adapters.

3.36

Ex Component

equipment intended to be part of Ex Equipment, marked with the symbol "U", which is not intended to be used alone, and requires additional consideration when incorporated into Ex Equipment

3.37

Ex Equipment

explosion-protected equipment

Note 1 to entry: Such equipment often includes Ex Components, but additional evaluation is always required as part of their incorporation into equipment.

3.38

explosive atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas, vapour, or dust which, after ignition, permits self-sustaining propagation

3.39

explosive dust atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of dust, which, after ignition, permits self-sustaining propagation

3.40

explosive gas atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas or vapour, which, after ignition, permits self-sustaining flame propagation

3.41

explosive test mixture

specified explosive mixture used for the testing of equipment for explosive gas atmospheres

3.42**fault, countable**

fault which occurs in parts of electrical equipment conforming to the constructional requirements of the standard for the Type of Protection being considered

3.43**fault, non-countable**

fault which occurs in parts of electrical apparatus not conforming to the constructional requirements of the standard for the Type of Protection being considered

3.44**firedamp**

flammable mixture of gases naturally occurring in a mine

Note 1 to entry: Firedamp consists mainly of methane, but always contains small quantities of other gases, such as nitrogen, carbon dioxide, and hydrogen, and sometimes ethane and carbon monoxide. The terms firedamp and methane are used frequently in mining practice as synonyms.

3.45**free space**

intentionally created space surrounding components or space inside components

3.46**fuse**

a device that by the fusing of one or more of its specially designed and proportioned components intended to melt under the action of current exceeding some definite value for a definite period of time, opens the circuit in which it is inserted by breaking the current when this exceeds a given value for a sufficient time

3.47**galvanic isolation**

arrangement within equipment which permits the transfer of signals or power between two circuits without any direct electrical connection between the two

Note 1 to entry: Galvanic isolation frequently utilizes either magnetic (transformer or relay) or opto-coupled elements.

3.48**gasket**

compressible element provided in a joint of an enclosure to provide a degree of protection against the ingress of solid foreign objects or against the ingress of water

3.49**gas**

gaseous state of a substance that cannot reach equilibrium with its liquid or solid state in the temperature and pressure range of interest

Note 1 to entry: This is a simplification of the scientific definition, and merely requires that the substance is above its boiling point or sublimation point at the ambient temperature and pressure.

3.50**hybrid mixture**

mixture of a flammable gas or vapour with a dust

Note 1 to entry: According to ISO/IEC 80079-20-2, the term “dust” is defined as including both combustible dust and combustible flyings

3.51

infallible separation

separation between electrically conductive parts, not considered as subject to short circuits, when in conformity with the “infallible” constructional requirements of the standard for the Type of Protection being considered

3.52

joint

place where the corresponding surfaces of two parts of an enclosure, or the conjunction of two enclosures, come together

3.53

Level of Protection

subdivision of a Type of Protection, correlating with the Equipment Protection Level, that differentiates the likelihood of the equipment becoming a source of ignition

Note 1 to entry: For example, Type of Protection intrinsic safety “i” is subdivided into Levels of Protection “ia”, “ib”, and “ic”; which correlate with Equipment Protection Levels Ga, Gb, and Gc (for explosive gas atmospheres).

3.54

limiting temperature

maximum permissible temperature for equipment or parts of equipment equal to the lower of the two temperatures determined by:

- a) the maximum surface temperature;
- b) the thermal stability of the materials used

3.55

lower flammable limit

LFL

concentration of flammable gas or vapour in air below which an explosive gas atmosphere does not form (see IEC 60079-20-1)

Note 1 to entry: For the purposes of Ex Equipment, this was previously referred to as the lower explosive limit (LEL).

Note 2 to entry: The concentration may be expressed as either a volume fraction or a mass per unit volume.

3.56

malfunction

situation where equipment or components do not perform their intended function with respect to explosion protection

Note 1 to entry: For the purposes of this standard this can happen due to a variety of reasons, including:

- failure of one (or more) of the component parts of the equipment or components;
- external disturbances (e.g. shocks, vibration, electromagnetic fields);
- design error or deficiency (e.g. software errors);
- disturbance of the power supply or other services;
- loss of control by the operator (especially for portable equipment).

Note 2 to entry: Some earlier editions of the Type of Protection standards referred to a “malfunction” as a “fault”.

3.56.1

malfunction, expected

disturbances or equipment malfunctions which normally occur in practice

3.56.2

malfunction, rare

type of malfunction, which may happen, but only in rare instances

Note 1 to entry: Two independent expected malfunctions which, separately, would not create a source of ignition, but which, in combination, do create a source of ignition, are regarded as a single rare malfunction

3.57

maximum surface temperature

highest temperature which is attained in service under the most adverse conditions (but within the specified tolerances) by any part or surface of Ex Equipment

3.58

minimum ignition temperature of an explosive gas atmosphere

lowest temperature of a heated surface which, under specified conditions according to IEC 60079-20-1, will ignite a flammable substance in the form of a gas or vapour mixture with air

Note 1 to entry: This term and "Auto-Ignition Temperature" are often used interchangeably

3.59

minimum ignition temperature of a dust layer

lowest temperature of a hot surface at which ignition occurs in a dust layer under specified test conditions

Note 1 to entry: The ignition temperature of a dust layer may be determined by the test method given in ISO/IEC 80079-20-2.

3.60

minimum ignition temperature of a dust cloud

lowest temperature of a hot surface on which the most ignitable mixture of the dust with air is ignited under specified test conditions

Note 1 to entry: The ignition temperature of a dust cloud may be determined by the test method given in ISO/IEC 80079-20-2.

3.61

mist

liquid released through a small opening, at temperatures below its flash point, resulting in extremely small droplets forming a cloud

3.62

normal operation

operation of equipment conforming electrically and mechanically with its design specification and used within the limits specified by the manufacturer

Note 1 to entry: The limits specified by the manufacturer may include persistent operational conditions, e.g. operation on a duty cycle.

Note 2 to entry: Variation of the supply voltage within stated limits and any other operational tolerance is part of normal operation.

Note 3 to entry: For electric machines, normal operation is specified based on the duty type (S1...S10 per IEC 60034-1).

3.63

overvoltage category

numeral defining a transient overvoltage condition

Note 1 to entry: Overvoltage categories I, II, III and IV are used, see IEC 60664-1.

3.64

plastic

a material which contains as an essential ingredient a high polymer and which at some stage in its processing into finished products can be shaped by flow

Note 1 to entry: Elastomers, which are also shaped by flow, are not considered as plastics.

[SOURCE: IEC 60050-212:2010, 212-04-02]

3.65

pollution degree

numeral characterizing the expected pollution of the micro-environment

Note 1 to entry: Pollution degrees 1, 2, 3 and 4 are used, see IEC 60664-1.

3.66

propagating brush discharge

highly energetic electrostatic discharge from an insulating sheet, layer, or coating on a grounded conductive surface or from a material of high resistivity and high breakdown voltage with the two surfaces highly charged to opposite polarity

3.67

protective device

device provided to interrupt an electric circuit in case a parameter exceeds a predetermined value

Note 1 to entry: Parameters often include current, temperature, pressure flow etc.

3.68

pyrophoric substance

substance that ignites spontaneously on exposure to air (for example phosphorus) or water (for example potassium or sodium)

Note 1 to entry: Pyrophoric substances are outside the scope of IEC 60079-0

3.69

radio frequency

electromagnetic waves from 9 kHz to 60 GHz

3.69.1

continuous transmission

transmission where the duration of the pulse is greater than half of the thermal initiation time

3.69.2

pulsed transmission

transmission where the duration of the pulse is shorter than half of the thermal initiation time, but the time between two consecutive pulses is longer than three times the thermal initiation time

3.69.3

thermal initiation time

time (over which the threshold power is averaged) during which energy deposited by the spark accumulates in a small volume of gas around it without significant thermal dissipation

Note 1 to entry: For times shorter than the thermal initiation time the total energy deposited by the spark will determine whether or not ignition occurs. For increasingly longer times, the power or rate at which energy is deposited becomes the determining factor for ignition.

3.69.4

threshold energy

Z_{th}

for a pulsed radio-frequency discharge, the maximum energy of the single pulse which can be extracted from the receiving body

**3.69.5
threshold power**

P_{th}
effective output power of the transmitter multiplied by the antenna gain

Note 1 to entry: The gain is produced by an antenna concentrating radiation in a particular direction and is always related to a specified reference antenna

Note 2 to entry: The threshold power is considered to be equal to the Effective Isotropic Radiated Power (EIRP) per ITU-R BS.561-2.

**3.69.6
antenna gain**

gain produced by an antenna concentrating radiation in a particular direction

Note 1 to entry: The gain of antennas is frequently less than unity.

**3.70
rated value**

value, assigned generally by the manufacturer, for a specified operating condition of a component, device or apparatus

**3.71
rated insulation voltage**

RMS withstand voltage value assigned by the manufacturer to the equipment or to a part of it, characterizing the specified (long-term) withstand capability of its insulation

Note 1 to entry: The rated insulation voltage is not necessarily equal to the rated voltage of equipment which is primarily related to functional performance.

**3.72
rating**

set of rated values and operating conditions

**3.73
recurring peak voltage**

maximum peak value of periodic excursions of the voltage waveform resulting from distortions of an AC voltage or from AC components superimposed on a DC voltage

Note 1 to entry: Random overvoltages, for example due to occasional switching, are not considered as recurring peak voltages.

**3.74
related drawing**

drawing or document not listed in the certificate but linked to the schedule drawing, and used for example, for detailed manufacture of component parts

**3.75
safety device**

device intended for use inside or outside explosive atmospheres but required for or contributing to the safe functioning of equipment and protective systems with respect to the risks of explosion

**3.76
schedule drawing**

drawing or document listed in the certificate or test report

**3.77
separation element**

mechanical element, inside the equipment, which separates different parts of the equipment with different EPLs

Note 1 to entry: A separation element consists of a mechanical partition wall, which may be combined with a flameproof joint or natural ventilation.

3.78

serviceable condition

condition which permits a replacement or reclaimed component part to be used without prejudice to the performance or explosion protection aspects of the equipment, with due regard to the schedule drawings, as applicable, in which such a component part is used

3.79

service temperature

maximum or minimum temperature reached at specific points of the equipment when the equipment is operating at rated conditions, including ambient temperature and any external sources of heating or cooling(see 5.2)

Note 1 to entry: Equipment may reach different service temperatures in different parts.

3.80

solid insulation

electrical insulation material which is extruded or moulded, but not poured

Note 1 to entry: Insulators fabricated from two or more pieces of electrical insulating material, which are solidly bonded together may be considered as solid. The term solid insulation describes the final form and not necessarily the form in which they are initially applied. For windings of electrical machines, the process of using varnish as a means of consolidating and insulating the winding is considered to result in solid insulation, irrespective of how the varnish is applied.

3.81

spacings, electrical

separation distances between conductive parts at different electrical potentials

3.81.1

clearance

shortest distance in air between two conductive parts

3.81.2

creepage distance

shortest distance along the surface of a solid insulating material, in contact with air, between two conductive parts

3.81.3

distance through casting compound

shortest distance through a casting compound between two conductive parts

3.81.4

distance through solid insulation

shortest distance through solid insulation between two conductive parts

3.81.5

distance under coating

shortest distance between conductive parts along the surface of an insulating medium covered with insulating coating

3.82

special fastener

specific form of fastening device in accordance with IEC 60079-0

3.83

symbol “U”

suffix to the certificate number used to denote an Ex Component

Note 1 to entry: The symbol “U” is used to identify that the equipment is incomplete and is not suitable for installation without further evaluation.

3.84

symbol “X”

suffix to the certificate number used to denote Specific Conditions of Use for Ex Equipment

Note 1 to entry: The symbol “X” is used to provide a means of identifying that essential information for the installation, use, and maintenance of the equipment is contained within the certificate.

3.85

temperature class

classification system of Ex Equipment, based on its maximum surface temperature, related to the specific explosive gas atmosphere for which it is intended to be used

3.86

termination compartment

compartment containing connection facilities

3.87

test, routine

test to which each individual device is subjected during or after manufacture to ascertain whether it complies with certain criteria

3.88

test, type

test of one or more devices made to a certain design to show that the design meets certain specifications

3.89

Type of Protection

specific measures applied to equipment to avoid ignition of a surrounding explosive atmosphere

3.90

upper flammable limit

UFL

concentration of flammable gas or vapour in air above which an explosive gas atmosphere does not form (see IEC 60079-20-1)

Note 1 to entry: For the purposes of Ex Equipment, this was previously referred to as the upper explosive limit (UEL).

Note 2 to entry: The concentration may be expressed as either a volume fraction or a mass per unit volume.

3.91

vapour

gaseous state of a substance that can reach equilibrium with its liquid or solid state in the temperature and pressure range of interest

Note 1 to entry: This is a simplification of the scientific definition, and merely requires that the substance is below its boiling point or sublimation point at the ambient temperature and pressure.

3.92

void

unintentional space created as a consequence of the encapsulation or filling process

3.93

working voltage

highest RMS value of the AC or DC voltage across any particular insulation which can occur when the equipment is supplied at rated voltage

Note 1 to entry: Transients are disregarded.

Note 2 to entry: Both open-circuit conditions and normal operating conditions are taken into account.

4 Equipment grouping

4.1 General

Equipment for explosive atmospheres is divided into groups as shown in 4.2, 4.3, and 4.4:

4.2 Group I

Equipment of Group I is intended for use in mines susceptible to firedamp.

NOTE The types of protection for Group I take into account the ignition of both firedamp and coal dust along with enhanced physical protection for equipment used underground.

Equipment intended for mines where the atmosphere, in addition to firedamp, may contain significant proportions of other flammable gases (i.e. other than methane), shall be constructed and tested in accordance with the requirements relating to Group I and also to the subdivision of Group II corresponding to the other significant flammable gases.

4.3 Group II

Equipment of Group II is intended for use in areas with an explosive gas atmosphere other than mines susceptible to firedamp.

Equipment of Group II is subdivided according to the nature of the explosive gas atmosphere for which it is intended.

Group II subdivisions:

- IIA, a typical gas is propane;
- IIB, a typical gas is ethylene;
- IIC, typical gases are hydrogen and acetylene.

NOTE 1 This subdivision is based on the maximum experimental safe gap (MESG) or the minimum igniting current ratio (MIC ratio) of the explosive gas atmosphere in which the equipment may be installed. (See IEC 60079-20-1).

NOTE 2 For external non-metallic materials of equipment, the subdivision is based on the electrostatic charging risk for external surface areas (see 7.4.2).

NOTE 3 Equipment marked IIB is suitable for applications requiring Group IIA equipment. Similarly, equipment marked IIC is suitable for applications requiring Group IIA or Group IIB equipment.

4.4 Group III

Equipment of Group III is intended for use in areas with an explosive dust atmosphere other than mines susceptible to firedamp.

Equipment of Group III is subdivided according to the nature of the explosive dust atmosphere for which it is intended.

Group III subdivisions:

- IIIA: combustible flyings;
- IIIB: non-conductive dust;
- IIIC: conductive dust.

NOTE Equipment marked IIIB is suitable for applications requiring Group IIIA equipment. Similarly, equipment marked IIIC is suitable for applications requiring Group IIIA or Group IIIB equipment.

4.5 Equipment for a particular explosive gas atmosphere

The equipment may be tested for a particular explosive gas atmosphere. In this case, the information shall be recorded on the certificate and the equipment marked accordingly.

5 Temperatures

5.1 Environmental influences

5.1.1 Ambient temperature

Equipment designed for use in a normal ambient temperature range of -20 °C to $+40\text{ °C}$ does not require marking of the ambient temperature range. However, equipment designed for use in other than this normal ambient temperature range is considered to be special. The marking shall then include either the symbol T_a or T_{amb} together with both the upper and lower ambient temperatures or, if this is impracticable, the symbol “X” shall be used to indicate specific conditions of use that include the upper and lower ambient temperatures. See item e) of 29.3 and Table 1.

NOTE The ambient temperature range is permitted to be a reduced range, e.g. $-5\text{ °C} \leq T_{amb} \leq 15\text{ °C}$.

Table 1 – Ambient temperatures in service and additional marking

Equipment	Ambient temperature in service	Additional marking
Normal	Maximum: $+40\text{ °C}$ Minimum: -20 °C	None
Special	Specified by the manufacturer	T_a or T_{amb} with the special range, for example, $-30\text{ °C} \leq T_a \leq +40\text{ °C}$ or the symbol “X”

5.1.2 External source of heating or cooling

Where the equipment is intended to be physically connected to or influenced by a separate external source of heating or cooling, such as a heated or cooled process vessel or pipeline, the ratings of the external source shall be specified in the certificate and in the manufacturer's instructions.

NOTE 1 The external source of heating or cooling is frequently referred to as the “process temperature”.

NOTE 2 The way in which these ratings are expressed will vary according to the nature of the source and the installation. For sources generally larger than the equipment, the maximum or minimum temperature will usually be sufficient. For sources generally smaller than the equipment, or for heat conduction through thermal insulation, the rate of heat flow may be appropriate. Alternatively, the rating is often expressed by specification of a temperature at a defined accessible point on the equipment.

NOTE 3 The influence of radiated heat may need to be considered on the final installation. See IEC 60079-14.

5.2 Service temperature

Where this standard, or the standard for the specific Type of Protection, requires the service temperature to be determined at any place in the equipment, the temperature shall be determined for the rating of the equipment when the equipment is subjected to maximum or minimum ambient temperature and, where relevant, the maximum rated external source of heating or cooling. Service temperature testing, when required, shall be in accordance with 26.5.1.

For EPL Da equipment, the same dust layer as applied in 5.3.2.3.1 shall be applied when determining the service temperature.

For EPL Db equipment with a layer of dust, the same dust layers as applied in b) or c) of 5.3.2.3.2, as applicable, shall be applied when determining the service temperature.

Where the temperature range of an Ex Component is dependent on the service temperature range of one or more of the materials of construction on which the Type of Protection depends, the permitted temperature range for the Ex Component shall be indicated in the Schedule of Limitations. See 13.5.

NOTE The rating of the electrical equipment includes the ambient temperature, the electrical supply and load, duty cycle or duty type, as assigned by the manufacturer, typically as shown in the marking.

5.3 Maximum surface temperature

5.3.1 Determination of maximum surface temperature

Maximum surface temperature shall be determined according to 26.5.1 considering the maximum ambient temperature and, where relevant, the maximum rated external source of heating.

5.3.2 Limitation of maximum surface temperature

5.3.2.1 Group I electrical equipment

For electrical equipment of Group I, the maximum surface temperature shall be specified in relevant documentation according to Clause 24.

This maximum surface temperature shall not exceed:

- 150 °C on any surface where coal dust can form a layer,
- 450 °C where coal dust is not likely to form a layer (i.e., inside of a dust-protected enclosure).

5.3.2.2 Group II electrical equipment

The maximum surface temperature determined (see 26.5.1) shall not exceed:

- the temperature class assigned (see Table 2), or
- the maximum surface temperature assigned, or
- if appropriate, the ignition temperature of the specific gas for which it is intended.

**Table 2 – Classification of maximum surface temperatures
for Group II electrical equipment**

Temperature class	Maximum surface temperature °C
T1	≤ 450
T2	≤ 300
T3	≤ 200
T4	≤ 135
T5	≤ 100
T6	≤ 85

More than one temperature class may be established for different ambient temperatures and different external sources of heating and cooling.

5.3.2.3 Group III electrical equipment

5.3.2.3.1 Maximum surface temperature for EPL Da

The maximum surface temperature shall be determined **with** a layer depth of at least 200 mm of dust surrounding all sides of the equipment according to 26.5.1.

NOTE Dust depth of more than 200 mm does not give rise to a further temperature increase that would need to be taken into account.

5.3.2.3.2 Maximum surface temperature for EPL Db

The maximum surface temperature for EPL Db can be determined according to any one of the following three configurations.

- a) Maximum surface temperature determined without a layer of dust for EPL Db.
The maximum surface temperature determined without a layer of dust according to 26.5.1 shall not exceed the maximum surface temperature assigned.
- b) Maximum surface temperature with respect to a specified layer of dust for EPL Db.
In addition to the maximum surface temperature required in a) above, the maximum surface temperature may also be determined according to 26.5.1 for a specified layer depth, (maximum surface temperature marking prefix $T_{\text{specified layer depth}}$), of dust surrounding all sides of the equipment. The maximum specified layer depth shall not exceed 200 mm.

NOTE 1 Dust depth of more than 200 mm does not give rise to a further temperature increase.

- c) Maximum surface temperature with respect to a layer of dust with a specified orientation of the equipment for EPL Db.
If one or more specific orientations are given in the instructions, tests shall be carried out according to 26.5.1 with a layer of dust on the surfaces on which the dust can accumulate (for each orientation, (maximum surface temperature marking prefix T_L), and the certificate number shall include the suffix "X" to indicate this specific condition of use in accordance with item d) of 29.5.

NOTE 2 Additional information on the application of equipment where dust layers up to 50 mm may accumulate on the equipment is given in IEC 60079-14.

5.3.2.3.3 Maximum surface temperature determined without a layer of dust for EPL Dc

The maximum surface temperature determined **without** a layer of dust according to 26.5.1 shall not exceed the maximum surface temperature assigned.

5.3.3 Small component temperature for Group I or Group II electrical equipment

NOTE There is both theoretical and practical evidence to show that the smaller the heated surface, the higher the surface temperature required to ignite a given explosive atmosphere.

Small components, for example transistors or resistors, whose temperature exceeds that permitted for the temperature classification, shall be acceptable providing that they conform to one of the following:

- a) when tested in accordance with 26.5.3, small components shall not cause ignition of the flammable mixture and any deformation or deterioration caused by the higher temperature shall not impair the Type of Protection; or
- b) for T4 and Group I classification, small components shall conform to Table 3 and Table 4; or
- c) for T5 classification, the surface temperature of a component with a surface area smaller than 1 000 mm² (excluding lead wires) shall not exceed 150 °C.

Items a), b), and c) do not apply to small components that produce a surface temperature rise as a result of a catalytic or other chemical reaction. The tests of 26.5.3 may be applied, but the flammable mixtures used shall be those that produce the highest component temperature due to the chemical reaction considering both the equipment group and the temperature class of the intended application.

Table 3 – Assessment of temperature classification according to component size

Total surface area excluding lead wires	Equipment Group II		Equipment Group I	
	With temperature class T4		Dust excluded	
	Maximum surface temperature	Maximum power dissipation	Maximum surface temperature	Maximum power dissipation
	°C	W	°C	W
<20 mm ²	275		950	
≥20 mm ² ≤ 1 000 mm ²	200, or	per Table 4		per Table 4
>1 000 mm ²		per Table 4		per Table 4

**Table 4 – Assessment of temperature classification
Component surface area ≥ 20 mm²**

Variation in maximum power dissipation with respect to temperature							
Maximum local temperature*	°C	Equipment group	40	50	60	70	80
Maximum power dissipation	W	Group II	1,3	1,25	1,2	1,1	1,0
		Group I (dust excluded)	3,3	3,22	3,15	3,07	3,0
* The local temperature is the temperature of the air surrounding the component (but not the component surface temperature), taking into account the heat from the component and other nearby components, and where relevant, external sources of heating, under normal operating conditions.							

For potentiometers, the surface to be considered shall be that of the resistance element and not the external surface of the component. The mounting arrangement and the heat-sinking and cooling effect of the overall potentiometer construction shall be taken into consideration during the test. Temperature shall be measured on the track with that current which flows under the test conditions required by the standard for the specific Type of Protection. If this results in a resistance value of less than 10 % of the track resistance value, the measurements shall be carried out at 10 % of the track resistance value.

5.3.4 Component temperature of smooth surfaces for Group I or Group II electrical equipment

For surface areas of not more than 10 000 mm², the surface temperature may exceed that for the temperature class marked on the Group II electrical equipment or the corresponding maximum surface temperature for Group I electrical equipment, if there is no risk of ignition from these surfaces, with a safety margin of:

- 50 K for Group II temperature classes T1, T2 and T3;
- 25 K for Group II temperature classes T4, T5 and T6;
- 25 K for Group I.

This safety margin shall be ensured by experience based on tests of similar components or by tests of the electrical equipment itself in representative explosive mixtures for the specific temperature class.

NOTE A smooth heated surface sometimes permits a higher surface temperature before causing auto-ignition of a surrounding atmosphere. During the tests, the safety margin shown is often provided by increasing the ambient temperature or by increasing the power dissipation of the component. For methane, the second option is more practical.

6 Requirements for all equipment

6.1 General

The requirements of this standard, together with one or more of the specific standards listed in Clause 1, are in addition to the applicable safety requirements of the relevant industrial standards.

NOTE 1 It is not a requirement of this standard that compliance with the relevant industrial standards be verified.

NOTE 2 If the Ex Equipment or Ex Component is intended to withstand particularly adverse service conditions (for example, rough handling, humidity effects, ambient temperature variations, effects of chemical agents, corrosion), these are typically specified to the manufacturer by the user. If certification is sought, it is not a requirement of this standard that the certification body confirm suitability for the adverse conditions. Special precautions are typically taken when vibration effects on terminals, fuse holders, lampholders and current-carrying connections in general may impair safety, unless they comply with specific standards. For additional information on the application of Ex Equipment in low temperature conditions below $-20\text{ }^{\circ}\text{C}$, see IEC TS60079-43¹, Explosive atmospheres – Part 43: Equipment in adverse service conditions

NOTE 3 The instructions are often used to identify specific adverse conditions for which the equipment is suitable.

6.2 Mechanical strength of equipment

The equipment shall be subjected to the tests of 26.4. Guards relied upon to provide protection from impact shall be removable only by the use of a tool and shall remain in place for the required impact tests.

6.3 Opening times

Enclosures which can be opened more quickly than:

- a) any incorporated capacitors, charged by a voltage of 200 V or more, to discharge to a value of residual energy of:
 - 0,2 mJ for electrical equipment of Group I or Group IIA,
 - 0,06 mJ for electrical equipment of Group IIB,
 - 0,02 mJ for electrical equipment of Group IIC, including equipment marked Group II only,
 - 0,2 mJ for electrical equipment of Group III,or double the above energy levels if the charging voltage is less than 200 V, or
- b) the surface temperature of enclosed hot components reduces to below the assigned maximum surface temperature of the electrical equipment:
shall be marked with one of the following warning markings:
 - an enclosure opening delay marking as specified in item a) of 29.13; or
 - an enclosure opening marking as specified in item b) of 29.13.

¹ In preparation

6.4 Circulating currents in enclosures (e.g. of large electric machines)

Where necessary, precautions shall be taken to guard against any effect due to the presence of circulating currents caused by stray magnetic fields, and against the arcs or sparks that may occur as a result of interrupting such currents, or against excessive temperatures caused by such currents.

NOTE 1 Stray magnetic fields can result in significant currents flowing both within and between bolted sections of multi-section enclosures often employed for large rotating electric machines. This is most likely to occur during the starting of motors. It is important to avoid sparking from intermittent interruption of these currents.

NOTE 2 Although primarily a concern with large rotating electric machines, the same situation can occur in other equipment with large stray magnetic fields interacting with bolted sections of multi-section enclosures.

NOTE 3 Examples of precautions that can be taken include:

- the provision of equipotential bonding; or
- the provision of an appropriate configuration of fasteners.

Where equipotential bonding conductors are employed, they shall be adequately rated for the anticipated currents and they shall be arranged to ensure reliable current transfer without the risk of sparking under adverse operating conditions, such as vibration or corrosion. The bonds shall be protected against corrosion and loosening in accordance with 15.5 and 15.6. Particular care shall be taken with bare flexible conductors in close proximity to the bonded parts.

Bonding conductors are not required where insulation ensures that circulating currents cannot flow between parts. The insulation of such parts shall be capable of withstanding a voltage of 100 V RMS for 1 min. However, provision shall be made for adequate earthing of isolated exposed conductive parts.

6.5 Gasket retention

Where the degree of protection provided by the enclosure depends on a gasketed joint which is intended to be opened during installation or in normal operation, gaskets shall be attached or secured to one of the mating faces to prevent loss, damage or incorrect assembly. The gasket material shall not itself adhere to the other joint face. When the joint is opened and re-closed prior to the tests for degree of protection by enclosure, it shall be verified that the gasket material remains attached or secured, and has not adhered to the other joint face. (See 26.4.1.2).

If an adhesive is used to secure the gasket, the adhesive shall comply with the requirements for cements given in 7.1.2.4 and used within its COT.

6.6 Electromagnetic and ultrasonic energy radiating equipment

6.6.1 General

The energy levels shall not exceed the values given in 6.6.2 or 6.6.3, as applicable.

NOTE Additional information on the application of higher power radiating sources can be found, for Group I and Group II, in CLC/TR50427. The results of the TR are based on far field conditions.

6.6.2 Radio frequency sources

The threshold power of radio frequency (9 kHz to 60 GHz) for continuous transmissions and for pulsed transmissions whose pulse durations exceed the thermal initiation time shall not exceed the values shown in Table 5. Programmable or software control intended for setting by the user shall not be permitted.

Table 5 – Threshold power

Equipment for	Maximum threshold power	Maximum thermal initiation time
	W	μs
Group I	6	200
Group IIA	6	100
Group IIB	3,5	80
Group IIC	2	20
Group III	6	200

For pulsed radar and other transmissions where the pulses are short compared with the thermal initiation time, the threshold energy values Z_{th} shall not exceed those given in Table 6.

Table 6 – Threshold energy

Equipment for	Maximum threshold energy Z_{th}
	μJ
Group I	1 500
Group IIA	950
Group IIB	250
Group IIC	50
Group III	1 500

NOTE 1 In Table 5 and Table 6, the same values are applied for Ma, Mb, Ga, Gb, Gc, Da, Db, or Dc equipment due to the large safety factors involved.

NOTE 2 In Table 5 and Table 6, the values for Group III are adopted from Group I and not based on experimental results.

NOTE 3 In Table 5 and Table 6; the values apply in normal operation, provided that the user of the equipment does not have access to adjust the equipment to give higher values. It is not necessary to consider possible increases in power caused by faults, due to the large safety margins involved and the strong likelihood that RF amplifiers will rapidly fail if a fault occurs that significantly increases the output power.

6.6.3 Ultrasonic sources

The output parameters for single ultrasonic sources for equipment of EPL Ma, Mb, Ga, Gb, Gc, Da, Db or Dc shall not exceed the following values:

For gases and dusts:

- 10 MHz;
- for continuous sources – Sound Pressure Level (SPL) 170 dB (ref 20 μPa);
- for pulse sources (averaged over a 1s interval) – Average SPL of 170 dB (ref 20 μPa).

NOTE An SPL of 170 db (at 20 μPa as reference pressure level) represents a sound intensity of 10 W/cm^2 , a significant relaxation from the former limit of 0,1 W/cm^2 .

For liquids:

- 10 MHz;
- for continuous sources – Power density 40 W/cm^2 ;
- for pulse sources (averaged over a 1s interval) – Average power density 40 W/cm^2 .

for $D > \lambda$, use $\frac{P}{\lambda^2}$ to calculate the power density,

for $D \leq \lambda$, use $\frac{P}{D^2}$ to calculate the power density.

Where

P = acoustic power or electrical input power

D = diameter of emitting surface (or the minor dimension if the emitting surface is rectangular)

λ = wavelength in the liquid

Where multiple ultrasonic sources additively overlay, the sum of the intensities shall also meet the thresholds.

6.6.4 Lasers, luminaires, and other non-divergent continuous wave optical sources

The requirements for lasers, luminaires, and other non-divergent continuous wave optical sources such as LED luminaires, torches, and optical fibre transmitters / receivers are contained in IEC 60079-28.

7 Non-metallic enclosures and non-metallic parts of enclosures

7.1 General

7.1.1 Applicability

The requirements given in this clause and in 26.7 shall apply to non-metallic enclosures and non-metallic parts of enclosures, on which the Type of Protection depends.

NOTE 1 Some examples of non-metallic parts of enclosures upon which the Type of Protection depends include cover sealing rings of an "e" or "t" enclosure, filling compounds of a "d" or "e" cable gland, sealing rings of cable glands, seals of switch actuators for an "e" enclosure, etc.

NOTE 2 Some of the subparts of this standard make the "non-metallic parts of enclosures" requirements given in this clause applicable to parts, which are not enclosures, but on which the Type of Protection depends, e.g. "d" bushings, "e" terminals.

7.1.2 Specification of materials

7.1.2.1 General

The documents according to Clause 24 shall specify the material of the enclosure or part of the enclosure.

7.1.2.2 Plastic materials

The specification for plastic materials shall include the following:

- a) the name or registered trademark of the resin manufacturer or compounder;
- b) the identification of the material, including its type designation and colour;
- c) the possible surface treatments, such as varnishes, etc.;
- d) the temperature index TI, corresponding to the 20 000 h point on the thermal endurance graph without loss of flexural strength exceeding 50 %, determined in accordance with IEC 60216-1 and IEC 60216-2 and based on the flexing property in accordance with ISO 178. If the material does not break in this test before exposure to the heat, the index shall be based on the tensile strength in accordance with ISO 527-2 with test bars of Type 1A or 1B. As an alternative to the TI, the relative thermal index (either RTI – mechanical

strength or RTI – mechanical impact) may be determined in accordance with ANSI/UL 746B.

e) when applicable, data supporting compliance with 7.3 (resistance to ultraviolet light).

The source of the data for these characteristics shall be identified.

NOTE 1 It is not a requirement of this standard that conformity to the specification of the plastic material be verified.

NOTE 2 When selecting plastic materials, some manufacturers have noted that variations in type and percentage of fillers, flame retardants, ultra-violet light stabilizers, and the like can have a significant effect on the properties of the plastic material.

NOTE 3 Guidance on the traceability of materials can be found in ISO/IEC 80079-34. Manufacturers intending to use a “fingerprinting” method such as an infrared scan or oxygen index for traceability of plastics will need to be aware of that at the time of type testing so that baseline information can be obtained.

7.1.2.3 Elastomers

The specification for elastomers shall include the following:

- a) the name or registered trademark of the resin manufacturer or compounder;
- b) the identification of the material, including its type designation and colour;
- c) the possible surface treatments, such as varnishes, etc.;
- d) the continuous operating temperature (COT);
- e) when applicable, data supporting compliance with 7.3 (resistance to ultraviolet light).

The source of the data for these characteristics shall be identified.

NOTE 1 It is not a requirement of this standard that conformity to the manufacturer's specification of the elastomer be verified.

NOTE 2 When selecting elastomers, some manufacturers have noted that variations in type and percentage of fillers, flame retardants, ultra-violet light stabilizers, and the like can have a significant effect on the properties of the elastomer.

NOTE 3 Guidance on the traceability of materials can be found in ISO/IEC 80079-34. Manufacturers intending to use a “fingerprinting” method such as an infrared scan or oxygen index for traceability of elastomers will need to be aware of that at the time of type testing so that baseline information can be obtained.

7.1.2.4 Materials used for cementing

The specification for cements shall include the following:

- a) the name or registered trademark of the cement manufacturer;
- b) the identification of the material, including its type designation;
- c) the continuous operating temperature (COT);

The source of the data for these characteristics shall be identified.

NOTE It is not a requirement of this standard that conformity to the manufacturer's specification of the cement be verified.

7.2 Thermal endurance

7.2.1 Tests for thermal endurance

The tests for endurance to heat and to cold shall be conducted in accordance with 26.8 and 26.9. See also Order of tests, 26.4.1.

7.2.2 Material selection

The plastic materials shall have a temperature index “TI” or “either RTI – mechanical strength or RTI – mechanical impact” (according to 7.1.2) of at least 20 K (or 10 K for EPL Gc and Dc) greater than the maximum service temperature of the enclosure or the part of the enclosure (see 26.5.1).

The elastomers and materials used for cementing shall have a continuous operating temperature (COT) that includes a minimum temperature that is below, or equal to, the minimum service temperature and a maximum temperature that is at least 20 K (or 10 K for EPL Gc and Dc) above the maximum service temperature.

NOTE Equipment may have different service temperatures on different parts of the equipment. Selection and testing of individual materials is normally based on the specific service temperature of that part, but it is often based on the maximum (or minimum) service temperature of the complete equipment to simplify the testing program.

7.2.3 Alternative qualification of elastomeric sealing O-rings

Elastomeric sealing O-rings are normally qualified as a part of the complete equipment enclosure when the ingress protection of the enclosure (IP) is required by the Type of Protection. Alternatively, a metal enclosure incorporating elastomeric sealing O-rings, according to ISO 3601-1, used in defined mounting conditions according to ISO 3601-2, is permitted to be evaluated using a test fixture instead of testing the O-ring assembled in the complete equipment enclosure. The test fixture shall replicate the dimensions of the complete equipment enclosure O-ring mounting. The tests shall be conducted according to 26.16. The O-ring is then mounted in the complete equipment enclosure and subjected to the required IP tests of 26.4.5.

NOTE The compression set value determined after the tests of 26.16 is necessary for subsequent comparison to O-rings of alternative materials for the same application.

For the qualification of additional O-ring materials, the IP tests are not required if, subsequent to the tests of 26.16, the compression set of the alternative O-ring is less than or equal to that of the originally tested O-ring.

7.3 Resistance to ultraviolet light

The resistance to ultraviolet (UV) light of the enclosures, or parts of enclosures, of non-metallic materials shall be satisfactory (see 26.10). Materials meeting the ultraviolet light exposure requirements (f1) in ANSI/UL 746C are considered satisfactory.

Where not otherwise protected from exposure to UV light, a test of resistance of the material to ultraviolet light shall be made if the enclosure or parts of the enclosure, upon which the Type of Protection depends, are made of non-metallic materials. For Group I equipment, the test applies only to luminaires.

NOTE 1 Internal parts of enclosures, not directly exposed to UV light, do not generally suffer a deleterious effect.

If the equipment is protected from UV light (for example, daylight or light from luminaires) when installed, and, in consequence, the test is not carried out, the equipment shall be marked by the symbol “X” to indicate this specific condition of use according to item e) of 29.3.

Gaskets and seals, constructed such that only an outer edge is potentially exposed to light, are not subject to the resistance to ultraviolet light requirements.

NOTE 2 It is generally acknowledged that glass and ceramic materials are not adversely affected by the resistance to UV light test, and testing may not be necessary.

NOTE 3 The tests for resistance to UV light are conducted on special test bars and not on the enclosure. Therefore, the special test bars are not required to be subjected to the tests of enclosures (26.4) prior to the tests for resistance to UV light.

7.4 Electrostatic charges on external non-metallic materials

7.4.1 Applicability

The requirements of 7.4 only apply to external non-metallic materials of equipment.

The requirements of 7.4 also apply to non-metallic parts which are applied to the external surface of an enclosure.

NOTE 1 Non-metallic paints, films, foils, and plates are typically attached to external surfaces of enclosures to provide additional environmental protection. Their ability to store an electrostatic charge is addressed by this clause.

NOTE 2 It is generally acknowledged that glass and ceramic surfaces are not susceptible to storing an electrostatic charge.

NOTE 3 Additional guidance on the risk of ignition from electrostatic discharge can be found in IEC TS 60079-32-1.

7.4.2 Avoidance of a build-up of electrostatic charge for Group I or Group II

Equipment is intended to be designed so that under normal conditions of use, danger of ignition due to electrostatic charges on external surfaces of enclosures is avoided. This shall be satisfied by employing one or more of the following techniques:

NOTE 1 It is often practical to employ different mitigation techniques on different parts of the equipment.

a) by selection of the material so that surface resistance shall meet at least one of the criteria given below when measured in accordance with 26.13:

- $\leq 1 \text{ G}\Omega$ measured at $(50 \pm 5) \%$ relative humidity;
- $\leq 100 \text{ G}\Omega$ measured at $(30 \pm 5) \%$ relative humidity.

b) by limitation of the surface area of non-metallic parts of enclosures as shown in Table 7.

The surface area is defined as follows:

- for sheet materials, the area shall be the exposed (chargeable) area;
- for curved objects, the area shall be the projection of the object giving the maximum area;
- for individual non-metallic parts, the area shall be evaluated independently if they are separated by conductive earthed frames.

The permitted values of the surface area can be increased by a factor of four if this surface area of non-metallic material is surrounded by and in contact with a conductive earthed surface.

The permitted values of the surface area can be increased by a factor of two if this surface area is, at the longest opposite sides, in contact with a conductive earthed surface.

Alternatively, for long parts with non-metallic surfaces, such as tubes, bars, or ropes, the surface area need not be considered, but the diameters or widths shall not exceed the values shown in Table 8. Cables for connection of external circuits are not considered to fall under this requirement. See 16.7.

c) by limitation of the thickness of a non-metallic layer bonded to conductive or dissipative surfaces, which is connected to earth with a connection resistance of less than $1 \text{ G}\Omega$. For the purposes of this standard, dissipative surfaces are those complying with the requirements of 7.4.2 a). The thickness of the non-metallic layer shall not exceed the values shown in Table 9 or the breakdown voltage shall be $\leq 4 \text{ kV DC}$ (measured across the thickness of the insulating material according to the method described in IEC 60243-1 with the additional requirements of IEC 60243-2 for DC testing);

NOTE 2 A painted enclosure complying with 7.4.2 c) and Table 9 only will not comply with 7.4.3 c).

- d) by provision of a conductive or dissipative coating. Non-metallic surfaces may be covered with a bonded durable conductive or dissipative coating. The resistance between coating and either the point of bond (in the case of equipment for fixed installations) or the farthest point of potential contact with the enclosure (in the case of portable equipment) shall not exceed 1 GΩ. The resistance shall be measured in accordance with 26.13 but using a 100 mm² electrode at the worst case position of the surface and either the bond or the farthest point of potential contact. The equipment shall be marked “X” in accordance with item e) of 29.3 and the documentation shall provide guidance on the use of the bonding connection (for fixed equipment) and provide information to enable the user to decide on the durability of the coating material with respect to the environmental conditions;

NOTE 3 The environmental conditions that have an effect on the coating material may include influences from small particles in an air stream, solvent vapours, and the like.

- e) for fixed installations where the installation is intended to minimize the risk from electrostatic discharge, by marking the equipment “X” in accordance with item e) of 29.3. The instructions shall provide guidance for the user to minimize the risk from electrostatic discharge. Where practicable, the equipment shall also be marked with the electrostatic charge warning given in item g) of 29.13.

NOTE 4 Examples of possible guidance for the Specific Conditions of Use include:

- Control of environmental humidity to minimize the generation of static electricity.
- Protection from direct airflow causing a charge transfer.
- Touch with an insulating object.
- Means to continuously drain off electrostatic charges

- f) for portable, mains powered, equipment, where the non-metallic materials are protected from charging or discharging by the provision of an earth-connected conductive or dissipative guard, the equipment shall be marked “X” in accordance with item e) of 29.3. The instructions shall provide guidance for the user to minimize the risk from electrostatic discharge. Where practicable, the equipment shall also be marked with the electrostatic charge warning given in item g) of 29.13.
- g) by testing that the maximal transferred charge measured according to 26.17 is within the threshold limits of Table 10.

NOTE 5 In many industrial applications, including coal mining, it is highly likely that warning labels may become illegible through the deposition of dusts. If this is the case, it is possible that the act of cleaning the label can cause a static discharge.

NOTE 6 A minimum insulation resistance for electrical insulating materials is normally specified to avoid problems arising from touching exposed non-metallic parts that are in contact with live parts.

Table 7 – Limitation of surface areas

Maximum surface area mm ²				
Group I equipment	Group II equipment			
	Equipment Protection Level	Group IIA	Group IIB	Group IIC
10 000	EPL Ga	5 000	2 500	400
	EPL Gb	10 000	10 000	2 000
	EPL Gc	10 000	10 000	2 000

Table 8 – Maximum diameter or width

Maximum diameter or width mm				
Group I equipment	Group II equipment			
	Equipment Protection Level	Group IIA	Group IIB	Group IIC
30	EPL Ga	3	3	1
	EPL Gb	30	30	20
	EPL Gc	30	30	20

Table 9 – Limitation of thickness of non-metallic layer

Maximum thickness mm				
Group I equipment	Group II equipment			
	Equipment Protection Level	Group IIA	Group IIB	Group IIC
2	EPL Ga	2	2	0,2
	EPL Gb	2	2	0,2
	EPL Gc	2	2	0,2

NOTE 7 These thickness limitations do not apply to non-metallic layers that have a surface resistance of less than 1 GΩ or 100 GΩ, as applicable. See 7.4.2 a).

NOTE 8 One of the main reasons for the thickness limitation is that the maximum thickness of the non-metallic layer is intended to bind the static charge at the surface. By this means the static charge is not able to build incensive discharges.

Table 10 – Maximum acceptable transferred charge

Maximum acceptable transferred charge nC				
Group I equipment	Group II equipment			
	Equipment Protection Level	Group IIA	Group IIB	Group IIC
60	EPL Ga	60	25	10
	EPL Gb	60	25	10
	EPL Gc	60	25	10
NOTE The limits ensure that incensive discharges do not occur.				

7.4.3 Avoidance of a build-up of electrostatic charge for Group III

External surface of enclosures of plastic material and painted/coated metal enclosures are intended to be designed so that under normal conditions of use, danger of ignition due to propagating brush discharges is avoided.

Enclosures of plastic material cannot be charged to such a critical charge density that propagating brush discharges can be generated. However, no extended flat conductive surfaces shall be installed inside the enclosure within a distance of 8 mm to the outer surface.

An internal printed circuit board may be considered to be an extended flat conductive surface, though this need not be applied in small portable or personal equipment unless the equipment is likely to be subjected to a prolific charge generating mechanism (such as might occur in pneumatic transfer of powders or charge spraying in a powder coating process). Charging through normal handling of portable or personal equipment is not considered to lead to a prolific charge generating mechanism and therefore would not lead to a situation where a propagating brush discharge might occur.

NOTE 1 A single flat conductive surface not exceeding 500 mm² is not considered to be an extended flat surface. This allows for the standoffs or brackets used for the mounting of conductive flat plates inside of an enclosure.

NOTE 2 Discharges from insulating surfaces, not backed with conductive material, are unable to ignite an explosive dust atmosphere.

NOTE 3 Charging mechanisms such as manual rubbing are not an ignition risk for explosive dust atmospheres. However, charging mechanisms such as fast moving particles along a surface, pneumatic transfer of powders, and charge spraying in an electrostatic coating process; generally lead to a risk of ignitable discharges from insulating surfaces exceeding 500 mm² backed with conductive material connected to earth with a resistance 1 MΩ or less.

If plastic material or elastomer with a surface area exceeding 500 mm² is employed as a covering on a conductive material, one or more of the following mitigating techniques shall be employed:

NOTE 4 It is often practical to employ different mitigation techniques on different parts of the equipment.

- a) by selection of the material so that surface resistance shall meet at least one of the criteria given below when measured in accordance with 26.13:
 - $\leq 1 \text{ G}\Omega$ measured at $(50 \pm 5) \%$ relative humidity;
 - $\leq 100 \text{ G}\Omega$ measured at $(30 \pm 5) \%$ relative humidity.
- b) by selection of a material with a breakdown voltage $\leq 4 \text{ kV DC}$ (measured across the thickness of the insulating material according to the method described in IEC 60243-1 with the additional requirements of IEC 60243-2 for DC testing);
- c) by controlling the thickness of the non-metallic material to be $\geq 8 \text{ mm}$.

NOTE 5 A painted enclosure complying with 7.4.2 c) and Table 9 only will not comply with 7.4.3 c). When applied for both explosive gas atmospheres and explosive dust atmospheres, application of 7.4.2 a) and 7.4.3 a); or 7.4.2 c) and 7.4.3 b) are often used.

NOTE 6 External insulation of 8 mm and greater on metal parts such as measurement probes or similar components make propagating brush discharges unlikely to occur. When evaluating the minimum thickness of the insulation to be used or specified it is common to allow for any expected wear under normal usage.

- d) by marking the equipment "X" in accordance with item e) of 29.3. This is only applicable to equipment intended for fixed installations where the installation is intended to minimize the risk from electrostatic discharge. The instructions shall provide guidance for the user to minimize the risk from electrostatic discharge.

7.5 Attached external conductive parts

External conductive parts, such as labels, which are attached to the non-metallic enclosure or are part of the non-metallic enclosure, with a resistance to earth of more than 1 GΩ measured at $(500 \pm 25) \text{ Vdc}$, could be susceptible to electrostatic charges that could become a source of ignition. The capacitance of such parts shall be determined in accordance with the test method in 26.14.

For equipment:

- Other than portable or personal; and
- where the measured capacitance of any conductive part exceeds the value shown in Table 11,

the equipment shall be marked "X" in accordance with item e) of 29.3 and the specific condition of use shall specify the value of capacitance determined to allow the user to

determine suitability in the specific application. External conductive parts that are situated such that discharges to approaching earthed objects are not expected need not be tested.

Table 11 – Maximum capacitance of unearthed conductive parts

Maximum capacitance pF				
Group I or Group III equipment	Group II equipment			
	Equipment Protection Level	Group IIA	Group IIB	Group IIC
10	EPL Ga	3	3	3
	EPL Gb	10	10	3
	EPL Gc	10	10	3

NOTE 1 It is generally accepted that an unearthed metal fastener such as a cover screw will present a capacitance of not more than 3 pF.

NOTE 2 For Group III equipment intended for use in ducts or pipes subject to the presence of fast moving dust, a lower limiting value for capacitance is under consideration.

8 Metallic enclosures and metallic parts of enclosures

8.1 Material composition

The documents according to Clause 24 shall specify the material of the enclosure or part of the enclosure.

NOTE 1 It is not a requirement of this standard that the chemical composition of material be verified by test.

NOTE 2 Paint or coatings applied to metallic enclosures are non-metallic parts of an enclosure and the requirements of 7.4 apply.

NOTE 3 Zinc and zinc alloys of 80% zinc or greater tend to deteriorate rapidly (particularly tensile strength), especially in warm, moist air. Zinc is also considered more reactive than most other metals. Some of the Types of Protection do not permit the use of zinc for enclosures.

8.2 Group I

Materials used in the construction of enclosures of Group I equipment of EPL Ma or Mb shall not contain, by mass, more than

- 15 % in total of aluminium, magnesium, titanium and zirconium, with no more than 7,5 % in total of magnesium, titanium and zirconium.

The above requirement need not apply to Group I portable measuring equipment, but this equipment shall then be marked "X" in accordance with item e) of 29.3 and the specific condition of use shall indicate the special precautions to be applied during storage, transportation and use.

8.3 Group II

Materials used in the construction of enclosures of Group II equipment for the identified Equipment Protection Levels shall not contain, by mass, more than:

- for EPL Ga
 - 10 % in total of aluminium, magnesium, titanium and zirconium, with no more than 7,5 % in total of magnesium, titanium and zirconium;
- for EPL Gb

7,5 % in total of magnesium, titanium and zirconium;

- for EPL Gc

no requirements except for fan impellers, fan hoods and ventilating screens, which shall comply with the requirements for EPL Gb.

When the material limits are exceeded for equipment of EPL Ga or Gb, the equipment shall be marked with an "X" in accordance with item e) of 29.3 and the specific conditions of use shall contain sufficient information to enable the user to determine the suitability of the equipment for the particular application, for example, to avoid an ignition hazard due to impact or friction.

8.4 Group III

Materials used in the construction of enclosures of Group III equipment for the identified Equipment Protection Levels shall not contain, by mass, more than:

- for EPL Da

7,5 % in total of magnesium, titanium and zirconium;

- for EPL Db

7,5 % in total of magnesium, titanium and zirconium;

- for EPL Dc

no requirements except for fan impellers, fan hoods and ventilating screens, which shall comply with the requirements for EPL Db.

When the material limits are exceeded for equipment of EPL Da or Db, the equipment shall be marked with an "X" in accordance with item e) of 29.3 and the specific conditions of use shall contain sufficient information to enable the user to determine the suitability of the equipment for the particular application, for example, to avoid an ignition hazard due to impact or friction.

8.5 Copper Alloys

Where intended for use in atmospheres containing acetylene, enclosures of equipment and enclosures of Ex components for external mounting, if constructed of copper or copper alloys:

- shall be coated with tin, nickel, or by other coatings; or
- shall have the maximum copper content of the alloy limited to 65 %.

Cable glands as defined in Annex A, Blanking Elements, Thread Adapters, and bushings are not considered an enclosure surface requiring coating or copper content restriction.

NOTE The restriction of the use of copper in acetylene atmospheres is due to the potential formation of acetylides on external surfaces that can be ignited by friction or impact.

9 Fasteners

9.1 General

Parts necessary to achieve a specific Type of Protection or used to prevent access to uninsulated live parts shall be capable of being released or removed only with the aid of a tool such as a key, screwdriver, or wrench.

Fastening screws for enclosures of materials containing aluminium, magnesium, titanium or zirconium may be made of aluminium, magnesium, titanium, zirconium, or non-metallic material if the material of the fastener is compatible with that of the enclosure.

Threaded holes for fasteners which secure covers intended to be opened in service for adjustment, inspection and other operational reasons shall only be tapped into the material when the thread form is compatible with the material of the enclosure.

9.2 Special fasteners

When any of the standards for a specific Type of Protection requires a special fastener, this shall conform to the following:

- the thread shall be a metric thread of coarse pitch in accordance with ISO 262, with a tolerance fit of 6g/6H in accordance with ISO 965-1 and ISO 965-3;
- the head of the screw or nut shall be in accordance with ISO 4014, ISO 4017, ISO 4032, ISO 4762, ISO 7380, or ISO 14583 and, in the case of hexagon socket set screws, ISO 4026, ISO 4027, ISO 4028 or ISO 4029; Other heads of a screw or nut are permitted if the equipment is marked “X” in accordance with item e) of 29.3 and the specific condition of use shall fully specify the fasteners and indicate that the fasteners shall only be replaced with identical ones;
- the holes in the equipment shall comply with the requirements of 9.3.

9.3 Holes for special fasteners


9.3.1 Thread engagement

Holes for special fasteners, as specified in 9.2, shall be threaded for a distance to accept a thread engagement, h , at least equal to the major diameter of the thread of the fastener (see Figure 4 and Figure 5).

9.3.2 Tolerance and clearance

The internal thread shall have a tolerance class of 6H in accordance with ISO 965-1 and ISO 965-3, and either

- a) the hole under the head of the associated fastener shall allow a clearance not greater than that specified for the “medium series: H13” per ISO 273 (see Figure 4); or
- b) the hole under the head (or nut) of an associated reduced shank fastener shall be threaded to enable the fastener to be retained. The dimensions of the threaded hole shall be such that the surrounding surface in contact with the head of such a fastener shall be at least equal to that of a fastener without a reduced shank in a clearance hole (see Figure 5).




IEC

Key

h thread engagement $\geq$ major diameter of the thread of the fastener

c $\leq$ maximum clearance permitted for the “medium series: H13” per ISO 273

Figure 4 – Tolerances and clearance for threaded fasteners



Key

- Ø standard clearance hole appropriate to the thread form
- h thread engagement $\geq$ major diameter of the thread of the fastener
- X contact dimension of a reduced shank fastener
- $X \geq$ the contact dimension of a standard head of a standard fastener (without reduced shank) threaded throughout its length with the size of thread used

Figure 5 – Contact surface under head of fastener with a reduced shank

9.4 Hexagon socket set screws

Hexagon socket set screws, used to secure threaded covers, shall not protrude from the threaded hole after tightening.

10 Interlocking devices

Where an interlocking device is used to maintain a specific Type of Protection, it shall be so constructed that its effectiveness cannot easily be defeated.

NOTE The intent is that the interlock be designed such that it cannot be easily defeated by common tools such as a screwdriver, pliers, or a similar tool.

11 Bushings

Bushings used as field wiring connection facilities and which may be subjected to a torque during connection or disconnection, shall be mounted in such a way that all parts are secured against turning.

The relevant torque test is specified in 26.6.

12 (Reserved for future use)

13 Ex Components

13.1 General

Ex Components shall comply with the requirements given in Annex B. Examples of Ex Components include:

- a) an empty enclosure; or
- b) components or assemblies of components for use with equipment which complies with the requirements of one or more of the types of protection listed in Clause 1.

13.2 Mounting

Ex Components may be mounted:

- a) completely within an equipment enclosure (for example, a Type of Protection "e" terminal, ammeter, heater or indicator; a Type of Protection "d" switch component or thermostat, a Type of Protection "m" switch component or thermostat, a Type of Protection "i" supply); or
- b) completely external to the equipment enclosure (for example, a Type of Protection "e" earth terminal, a Type of Protection "i" sensor); or
- c) partly within and partly external to the equipment enclosure (for example, a Type of Protection "d" push button switch, a Type of Protection "t" push button switch, a limit switch or indicating lamp, a Type of Protection "e" ammeter, a Type of Protection "i" indicator).

13.3 Internal mounting

Where the Ex Component is mounted completely within the enclosure, the only parts that shall be tested or assessed are those parts which have not been tested and/or assessed as a separate component (for example, test or assessment of surface temperature, creepage distance and clearance from the component to surrounding conducting parts).

13.4 External mounting

Where the Ex Component is mounted external to the enclosure or partly within and partly external to the enclosure, the interface between the Ex Component and the enclosure shall be tested or assessed for compliance with the relevant Type of Protection and the enclosure tests as specified in 26.4.

13.5 Ex Component certificate

As Ex Components are not intended to be used alone and require additional consideration when incorporated into equipment or systems, they do not have "Specific Conditions of Use" along with the associated "X" suffix for the certificate number. Where this standard or one of its sub-parts specify "Specific Conditions of Use" and the associated "X" suffix for the certificate number, a "Schedule of Limitations" for the Ex Component certificate and the associated "U" suffix for the Ex Component certificate number shall be substituted for an Ex Component. Information necessary to correctly apply the Ex Component shall be included in the Schedule of Limitations on the Certificate. See also 28.2 and Annex B.

NOTE 1 The Schedule of Limitations includes the temperature range for the Ex Component. In some cases, ranges at multiple points are defined to allow maximum flexibility in the application of the Ex Component.

NOTE 2 In accordance with Annex B, Ex Components are not assigned a temperature class.

14 Connection facilities

14.1 General

Electrical equipment intended for connection to external circuits shall include connection facilities, with the exception of electrical equipment that is manufactured with a cable permanently connected to it.

14.2 Type of protection

Connection facilities shall comply with one of the specific Types of Protection listed in Clause 1.

14.3 Creepage and clearance

Connection facilities shall be so designed that after proper connection of the conductors, the creepage distances and the clearances comply with the requirements, if any, of the specific Type of Protection concerned.

15 Connection facilities for earthing or bonding conductors

15.1 Equipment requiring earthing or bonding

15.1.1 Internal earthing

A connection facility for the connection of an earthing conductor shall be provided inside the electrical equipment adjacent to the other connection facilities. See also 15.2 for equipment not requiring internal earthing.

15.1.2 External bonding

An additional external connection facility for an equipotential bonding conductor shall be provided for electrical equipment with a metallic enclosure, except for electrical equipment which is designed to be:

- a) moved when energized and is supplied by a cable incorporating an earthing or equipotential bonding conductor; or
- b) installed only with wiring systems not requiring an external earth connection, for example, metallic conduit or armoured cable.

The manufacturer shall provide details on any earthing or equipotential bonding required for the installation under conditions a) or b) above in the instructions provided in accordance with Clause 30.

The additional external connection facility shall be electrically in contact with the connection facility required in 15.1.1.

NOTE The expression "electrically in contact" does not necessarily involve the use of a conductor.

15.2 Equipment not requiring earthing

Where there is no requirement for earthing, for example, in some types of electrical equipment having double or reinforced insulation, or for which supplementary earthing is not necessary, an internal earthing facility in accordance with 15.1.1 need not be provided.

NOTE Some electrical equipment, such as double insulated equipment, while not presenting a risk of electrical shock, is often bonded to reduce the risk of ignition due to electrostatic hazards.

15.3 Size of protective earthing conductor connection

Protective earthing (PE) conductor connection facilities shall allow for the effective connection of at least one conductor with a cross-sectional area given in Table 12. Protective earthing (PE) conductor connection facilities for electric machines shall be according to IEC 60034-1.

Table 12 – Minimum cross-sectional area of PE conductors

Cross-sectional area of phase conductors, S mm ²	Minimum cross-sectional area of the corresponding PE conductor, S_p mm ²
$S \leq 16$	S
$16 < S \leq 35$	16
$S > 35$	$0,5 S$

15.4 Size of equipotential bonding conductor connection

Equipotential (EP) bonding connection facilities on the outside of equipment shall provide effective connection of a conductor with a cross-sectional area of at least 4 mm². When this connection facility is also intended to serve as the PE connection, the requirements of Table 12 apply, but with a cross-sectional area of at least 4 mm².

15.5 Protection against corrosion

Connection facilities shall be effectively protected against corrosion. Special precautions shall be taken if one of the parts in contact consists of a material containing aluminium, magnesium, titanium, or zirconium, for example, by using an intermediate part made of steel when making a connection to a material containing aluminium, magnesium, titanium, or zirconium.

15.6 Secureness of electrical connections

Connection facilities shall be designed so that the electrical conductors cannot be readily loosened or twisted. Except as permitted in 15.7, contact pressure on the electrical connections shall be maintained and not be affected by dimensional changes of insulating materials in service, due to factors such as temperature or humidity.

NOTE 1 Lockwashers are often employed to provide a means of avoiding loosening of the connection.

NOTE 2 Means often employed to avoid twisting of the electrical conductors include the use of a fixed connection bar with a U-shaped clamp, anti-rotation recesses or ribs on the enclosure, and the like.

15.7 Internal earth continuity plate

For non-metallic walled enclosures provided with an internal earth continuity plate, the test of 26.12 shall be applied.

NOTE An internal earth continuity plate is often fitted, for example, to allow for use of metallic cable glands without the use of separate individual earthing tags.

16 Entries into enclosures

16.1 General

Entry into the equipment shall be either by a plain or threaded hole located in:

- the wall of the enclosure, or
- an adaptor plate designed to be fitted in or on the walls of the enclosure.

NOTE Further information on the installation of conduit or associated fittings into threaded or plain holes can be found in IEC 60079-14.

16.2 Identification of entries

The manufacturer shall specify, in the documents submitted according to Clause 24, the entries, their position or area / location on the equipment and the number permitted. The

thread form (for example, metric or NPT) of threaded entries shall be marked on the equipment or shall appear in the installation instructions (see Clause 30).

NOTE 1 It is not intended that individual entries be marked, unless required by the specific Type of Protection.

NOTE 2 Where a great variety of possible locations for entries is foreseen, information on the area for the entries, the size of entries and entry spacing are typically provided in the instructions.

16.3 Cable glands

Cable glands, when installed in accordance with the instructions required by Clause 30, shall not invalidate the specific characteristics of the Type of Protection of the electrical equipment on which they are mounted. This shall apply to the whole range of cables specified by the manufacturer of the cable glands as suitable for use with those glands. Cable glands may form an integral part of the equipment where one major element or part forms an inseparable part of the enclosure of the equipment. In such cases, the glands shall be tested with the equipment.

Non-threaded cable glands, for Group I, shall be:

- Ex Equipment Cable Glands;
- Ex Components; or
- included as part of the certificate for the complete equipment.

Non-threaded cable glands, for Group II or Group III, shall be:

- Ex Components; or
- included as part of the certificate for the complete equipment.

Threaded cable glands and cable transit devices, for Group I, Group II, or Group III, shall be:

- Ex Equipment Cable Glands;
- Ex Components; or
- included as part of the certificate for the complete equipment.

Cable glands and cable transit devices, whether integral or separate, shall meet the relevant requirements of Annex A.

NOTE All of the requirements for cable glands marked as Level of Protection “eb” are located in IEC 60079-0.

16.4 Blanking elements

Blanking elements, intended to close unused openings in the enclosure walls of electrical equipment, shall satisfy the requirements of the specific Type of Protection concerned. The blanking element shall only be removable with the aid of a tool.

Threaded blanking elements shall be Ex Equipment Blanking Elements, Ex Components, or included as part of the certificate for the complete equipment.

Non-threaded blanking elements, for Group I, shall be Ex Equipment Blanking Elements, Ex Components, or included as part of the certificate for the complete equipment.

Non-threaded blanking elements, for Group II or Group III, shall be Ex Components or included as part of the certificate for the complete equipment.

16.5 Thread adapters

Thread adapters shall satisfy the requirements of the specific Type of Protection concerned.

Thread adapters shall be Ex Thread Adapters, Ex Components, or included as part of the certificate for the complete equipment.

16.6 Temperature at branching point and entry point

When the service temperature is higher than 70 °C at the entry point or 80 °C at the branching point of the conductors, information shall be marked on the equipment exterior to provide guidance to the user on the proper selection of cable and cable gland or conductors in conduit. See Figure 6 and Figure 7.

In cases where the information for the proper selection of cables, cable glands, and conductors in conduit is extensive, the marking need only be a reference to detailed information in the equipment instructions.

16.7 Electrostatic charges of cable sheaths

For the purposes of this standard, the sheaths of cables are not considered non-metallic enclosures or parts of enclosures as described by Clause 7 and need not be assessed against those requirements.





Figure 6 – Cable gland



Key

- 1 entry point (where the cable sealing, if any, occurs)
- 2 branching point

Figure 7 – Conduit entry

17 Supplementary requirements for electric machines

17.1 General

The requirements in this clause apply to rotating electric machines within the scope of IEC 60034-1.

For other rotating devices, for example servo motors, the requirements of this standard including those of this clause, shall apply where they are appropriate.

For non-rotating machines, for example linear motors, the requirements of this standard including those of this clause, shall apply where they are appropriate.

17.2 Ventilation

17.2.1 Ventilation openings

The degree of protection (IP) of ventilation openings shall be at least:

- IP20 on the air inlet side,
- IP10 on the air outlet side,

according to IEC 60034-5.

For vertical rotating electric machines and vertical rotating fans, foreign objects shall be prevented from falling into the ventilation openings. For Group I rotating machines, the degree of protection IP10 is adequate only when the openings are designed or arranged so that foreign objects with dimensions above 12,5 mm cannot be carried onto the moving parts of the machine either by falling vertically or by vibration.

For fans intended to be mounted in ventilation duct systems, the requirements for IP-protection and other requirements for parts providing the IP-protection (e.g. impact test, material requirements) can be fulfilled at the inlet and outlet of the duct. In such a case, the fan shall be marked "X" in accordance with item e) of 29.3 and the specific condition of use shall specify the criteria for the selection of the inlet and outlet guarding.

17.2.2 Materials for external fans

The external fan impellers, fan hoods, and ventilation screens manufactured from non-metallic materials shall comply with Clause 7. For Group II rotating machines, impellers of external fans having a peripheral speed of below 50 m/s, need not comply with the requirements of 7.4.

The external fan impellers, fan hoods, and ventilation screens manufactured from materials containing aluminium, magnesium, titanium, or zirconium, shall comply with Clause 8.

17.2.3 Cooling fans of rotating electric machines

NOTE The external cooling fans referred to in this subclause are the fans used to cool the rotating electric machine itself, not for the cooling of some other equipment.

17.2.3.1 Fans and fan hoods

External cooling fans of rotating electric machines, shall be enclosed by a fan hood, and shall meet the requirements of 17.2.3.2 and 17.2.3.3.

17.2.3.2 Construction and mounting of the ventilating systems

Fans, fan hoods and ventilation screens shall be constructed to meet the requirements of the resistance to impact test according to 26.4.2 and the acceptance criteria given in 26.4.4.

17.2.3.3 Clearances for the ventilating system

Taking into account design tolerances, the clearances in normal operation between the fan impellor and its fan hood, the ventilation screens and their fasteners, shall be at least one-hundredth of the maximum diameter of the fan impellor, except that the clearances need not exceed 5 mm and may be reduced to 1 mm where the opposing parts are manufactured so as to have controlled dimensional concentricity and dimensional stability (e.g. machined parts of cast metal). In no case shall the clearance be less than 1 mm.

17.2.4 Auxiliary motor cooling fans

Cooling fans that are not mounted on the shaft of the motor to be cooled, and which require a minimum back-pressure in order to not exceed the rating of the fan motor, shall either be tested as part of the motor to be cooled or shall be marked "X" in accordance with item e) of 29.3 and the specific condition of use shall specify the measures to be considered to not exceed the ratings. If limits for back-pressure are specified as such conditions, these limits shall be verified by testing according to 26.15.

17.2.5 Room ventilating fans

17.2.5.1 Applicability

The requirements given in 17.2.5 shall apply for ventilating fans ranging up to 5 kW, with the fan impellor directly mounted to the electrical motor shaft. Ventilating fans in EPL Ma, Ga, or Da are not permitted.

NOTE 1 These requirements apply for ventilating fans (e.g. room ventilators) with the same EPL inside and outside the fan enclosure, for use with the same zone inside and outside the enclosure. Where fan enclosures are intended to separate a hazardous area inside the enclosure from another hazardous area outside the enclosure, additional requirements need to be considered e.g. requirements for the tightness of the enclosure.

NOTE 2 This subclause addresses explosion protection requirements for ventilating fans intended to be used in hazardous areas, not functional requirements for ventilating fans.

NOTE 3 Ventilating fans in EPL Ma, Ga, and Da are not permitted as these applications would be considered to be transfer of flammable process media, and not a ventilation function transferring air.

17.2.5.2 General

The requirements given in 17.2.5 shall apply, together with any other applicable requirement of this standard. The ratings of the fan shall not exceed the ratings of the motor. Fans which require a minimum back-pressure in order to not exceed the rating of the motor, shall be marked "X" in accordance with item e) of 29.3 and the specific condition of use shall specify the measures to be considered to not exceed the ratings. If limits for back-pressure are specified as such conditions, these limits shall be verified by testing according to 26.15.

17.2.5.3 Fan and fan hoods

The rotating parts of the fan shall be enclosed by a fan hood which is not considered to be part of the enclosure of any electrical equipment used in the fan e.g. the electrical motor. The fan and fan hood shall meet the requirements of 17.2.5.4 and 17.2.5.5.

17.2.5.4 Construction and mounting

Parts of the fan which may cause contact between rotating parts and fixed parts (e.g. fan hoods and ventilation screens) shall meet the requirements of the resistance to impact test according to 26.4.2 and the acceptance criteria given in 26.4.4.

In order to avoid excessive temperatures at the shaft seals, material pairings used for the shaft and seal casing shall comply with 17.2.2 and the clearances between such parts shall comply with 17.2.5.5.

17.2.5.5 Clearances for rotating parts

Taking into account design tolerances, the clearances in normal operation between the fan impellor and the fan hood, the ventilation screens and their fasteners, shall be at least one-hundredth of the diameter of the fan impellor. However, the clearance shall not be less than 2,0 mm except that the requirement of 2,0 mm may be reduced to 1,0 mm where the opposing parts are manufactured so as to have controlled dimensional concentricity and dimensional stability (e.g. machined parts of cast metal). For fans with such controlled dimensional concentricity and dimensional stability, the clearances need not exceed 5,0 mm.

17.3 Bearings

Lubricants and seals used in bearings shall be suitable for the maximum service temperature of the bearings.

NOTE 1 Additional guidance is typically provided in the instructions to address installation and operation conditions that can have a direct effect on the rotating machine such as lubrication, bearings, shaft currents, vibration, and the like. See 30.3

NOTE 2 Shaft and bearing currents may be a primary source of ignition, and may also considerably influence the lifetime of the bearings. Practice has shown that the lifetime can be only few weeks and thus practically impossible to predict by traditional conditioning monitoring methods. Annex D and Annex H provide additional guidance on the analysis of shaft currents in the system, and system design to reduce the likelihood of unexpected bearing damage.

NOTE 3 At the present time, no suitable experimental test exists to demonstrate that a given type of bearing has a low risk of becoming an ignition source in service. Ball and roller bearing manufacturers do, however, quote a basic rated life corresponding to a probability of mechanical failure occurring during operation (e.g. failure by deformation of an element, or fatigue flaking or spalling occurring on one of its elements). This basic rating can be used to estimate the risk of bearing malfunction that might lead to the production of an incandescence hot surface or sparks. The basic rated life of a ball/roller bearing is based on the amount of radial and axial loading that a ball/roller bearing can theoretically endure for one million revolutions. It is usually expressed as an "L" value in terms of foreseeable lifetime operating revolutions, or foreseeable lifetime hours of service. In an attempt to reduce the risk of malfunction in service to a minimum, it is paramount that the equipment manufacturer pays attention to good design, the ratio of the axial and radial loadings, construction, lubrication, cooling, and maintenance procedures. Regular examination during operation is one way to detect impending malfunction. If bearings act as an insulator, constructive measures are applied to effectively bond other parts of the equipment.

NOTE 4 The service life of bearings greatly depends on the service conditions and it is therefore not possible to reliably calculate their service life without knowledge of the service conditions to which they are being subjected.

18 Supplementary requirements for switchgear

18.1 Flammable dielectric

Switchgear shall not have contacts immersed in flammable dielectric.

18.2 Disconnectors

Where switchgear includes a disconnector, it shall disconnect all poles. The switchgear shall be designed so that either:

- the position of the disconnector contacts is visible, or
- their open position is reliably indicated (see IEC 60947-1).

If an interlock is provided for the cover or door of the switchgear, this interlock shall ensure that the cover or door can only be opened when the disconnector contacts are open.

If an interlock is not provided for the cover or door of the switchgear, a warning according to item d) of 29.13 shall be marked on the equipment.

For a "maintenance switch" in accordance with IEC 62626-1, the switch shall be provided with a padlocking system which padlocks the switch in the OFF position. The enclosure can only be opened with this switch in the ON position.

NOTE 1 An enclosure with an interlock, containing both a disconnecter and a “maintenance switch” can only be opened when the disconnecter is OFF and the “maintenance switch” is ON.

NOTE 2 A single switch serving as both a disconnecter and a “maintenance” switch can only be marked with a warning according to item d) of 29.13, as it is not possible to simultaneously comply with the interlock requirements for a disconnecter and the interlock requirements for a “maintenance switch”.

Disconnectors, which are not designed to be operated under the intended load, shall either

- be electrically or mechanically interlocked with a suitable load breaking device, or
- for Group II equipment only, be marked at a place near the actuator of the disconnecter, with the operation under load marking given in item c) of 29.13.

18.3 Group I – Provisions for locking

For Group I switchgear, the operating mechanism of disconnectors shall be capable of being padlocked in the open position. Provision shall be made to enable short-circuit and earth-fault relays, if used, to latch out. If the switchgear has a local resetting device which is accessible from the outside of the enclosure, its access cover shall have a special fastener according to 9.2.

18.4 Doors and covers

Doors and covers giving access to the interior of enclosures containing remotely operated circuits with switching contacts which can be made or broken by non-manual influences (such as electrical, mechanical, magnetic, electromagnetic, electro-optical, pneumatic, hydraulic, acoustic or thermal) shall either:

- a) be interlocked with a disconnecter which prevents access to the interior, unless it has been operated to disconnect unprotected internal circuits; or
- b) be marked with the enclosure opening marking of item d) of 29.13.

In the case of a) above, where it is intended that some internal parts shall remain energized after operation of the disconnecter, in order to minimize the risk of explosion, those energized parts shall be protected by either:

- 1) one of the appropriate types of protection listed in Clause 1; or
- 2) protection as follows:
 - clearances and creepage distances between phases (poles) and to earth in accordance with the requirements of IEC 60079-7; and
 - internal supplementary enclosure(s) which contain(s) the energized parts and provide(s) a degree of protection of at least IP20, according to IEC 60529; and
 - marking on the internal supplementary enclosure as required by item h) of 29.13.

NOTE Equipment that can remain energized after the operation of the disconnecter includes equipment supplied by cells and batteries internal to the equipment.

19 Reserved for future use

20 Supplementary requirements for external plugs, socket outlets and connectors for field wiring connection

20.1 General

These requirements for socket outlets shall also be applied to connectors.

Plugs and socket outlets shall be either:

- a) interlocked mechanically, or electrically, or otherwise designed so that they cannot be separated when the contacts are energized and the contacts cannot be energized when the plug and socket outlet are separated, or
- b) for EPL Gb, Db, or Mb, fixed together by means of special fasteners according to 9.2 and the equipment marked with the separation marking as required by item e) of 29.13;
- c) for EPL Gc or Dc, fixed together according to 9.1 and the equipment marked with the separation marking as required by item e) of 29.13.

Where they cannot be de-energized before separation because they are connected to a battery, the marking shall state the separation warning required by item f) of 29.13.

20.2 Explosive gas atmospheres

It is not necessary for plugs and socket outlets of EPL Gb or Gc to comply with the requirements of 20.1 if all of the following conditions are met:

- the part which remains energized is a socket outlet;
- there is a delay time for the separation of the plug and socket outlet such that the rated current flow ceases so no arc will occur on separation;
- the plug and socket outlet remain flameproof in accordance with IEC 60079-1 during the arc-quenching period while opening the test circuit specified in IEC 60079-1;
- the contacts remaining energized after separation are protected according to one of the specific types of protection listed in Clause 1.

20.3 Explosive dust atmospheres

The requirements of 20.1 apply in all cases.

20.4 Energized plugs

Plugs and components remaining energized when not engaged with a socket outlet are not permitted.

21 Supplementary requirements for luminaires

21.1 General

The source of light of luminaires shall be protected by a light-transmitting cover that may be provided with an additional guard.

A single eyebolt may be used as the mounting means of a luminaire designed for fixed installation only if this is an integral part of the luminaire, for example by being cast or welded to the enclosure or, if threaded, the eyebolt shall be locked by a separate means against loosening when twisted.

21.2 Covers for luminaires of EPL Mb, EPL Gb, or EPL Db

Covers giving access to the lampholder or other internal parts of luminaires for the purpose of re-lamping shall either be:

- a) interlocked with a device which automatically disconnects all poles of the lampholder during the opening procedure; or
- b) marked with the opening marking as required by item d) of 29.13.

In the case of a) above, where it is intended that some parts other than the lampholder will remain energized after operation of the disconnecting device, in order to minimize the risk of explosion, those energized parts shall be protected by either:

- a) one of the appropriate types of protection (for the required EPL) listed in Clause 1, or
- b) the means of protection given below:
 - the disconnecting device shall be so arranged that it cannot be operated manually to inadvertently energize unprotected parts; and
 - clearances and creepage distances between phases (poles) and to earth shall be in accordance with the requirements of IEC 60079-7; and
 - an internal supplementary enclosure, which can be the reflector for the light source, which shall contain the energized parts and shall provide a degree of protection of at least IP20, according to IEC 60529; and
 - marking on the internal supplementary enclosure as required by item h) of 29.13.
 - For luminaires in Type of Protection “d”, the luminaires shall remain flameproof according to IEC 60079-1 until the switch has opened, and the switch shall not be closed until the Type of Protection “d” is restored

NOTE For Type of Protection “t”, re-lamping is not intended to be made at the time a dust cloud is present

21.3 Covers for luminaires of EPL Gc or EPL Dc

Covers giving access to the lampholder or other internal parts of luminaires for the purpose of re-lamping shall either be

- a) interlocked with a device which automatically disconnects all poles of the lampholder during the opening procedure or,
- b) marked with the opening marking as required by item d) of 29.13.

In the case of a) above, where it is intended that some parts other than the lampholder will remain energized after operation of the disconnecting device, in order to minimize the risk of explosion, those energized parts shall be protected by:

- clearances and creepage distances between phases (poles) and to earth in accordance with the requirements of IEC 60664-1 with over-voltage category II and pollution degree 3; and
- an internal supplementary enclosure, which can be the reflector for the light source, which contains the energized parts and provides a degree of protection of at least IP20, according to IEC 60529; and
- marking on the internal supplementary enclosure as required by item h) of 29.13.

21.4 Sodium lamps

Lamps containing free metallic sodium (for example, low-pressure sodium lamps in accordance with IEC 60192) are not permitted.

High-pressure sodium lamps (for example, in accordance with IEC 60662) may be used.

NOTE The use of lamps containing free metallic sodium is not permitted because of the risk of ignition from a broken lamp (occurring for example during lamp replacement) if the free metallic sodium should come into contact with water.

22 Supplementary requirements for caplights and handlights

22.1 Group I caplights

The requirements for caplights for use in mines susceptible to firedamp are contained in IEC 60079-35-1.

22.2 Group II and Group III caplights and handlights

Leakage of the electrolyte shall be prevented in all positions of the equipment.

Where the source of light and the source of supply are housed in separate enclosures, which are not mechanically connected other than by an electric cable; the cable glands and the connected cable shall be tested according to A.3.1 or A.3.2, as appropriate. The test shall be carried out using the cable which is to be used for connecting both parts. The type, dimensions and other relevant information about the cable which is to be used shall be specified in the manufacturer's documentation.

NOTE Handlights include battery-powered lights which are also referred to as torches or flashlights.

23 Equipment incorporating cells and batteries

23.1 General

The requirements in 23.2 to 23.12 shall apply for all cells and batteries incorporated into explosion-protected equipment.

23.2 Interconnection of cells to form batteries

Unless otherwise stated in the standard for the specific Type of Protection, batteries incorporated into explosion-protected equipment shall be formed only from cells connected in series.

NOTE The requirements for the specific Type of Protection may permit the connection of cells in parallel.

23.3 Cell types

Only cell types referred to in Table 13 or Table 14 shall be used.

Table 13 – Primary cells

IEC 60086-1 letter code	Positive electrode	Electrolyte	Negative electrode	Nominal voltage ¹ V	Maximum open-circuit voltage ² V
-	Manganese dioxide (MnO ₂)	Ammonium chloride, zinc chloride	Zinc (Zn)	1,5	1,725
A	Oxygen (O ₂)	Ammonium chloride, zinc chloride	Zinc (Zn)	1,4	1,55
B	Carbon monofluoride (CF) _x	Organic electrolyte	Lithium (Li)	3	3,7
C	Manganese dioxide (MnO ₂)	Organic electrolyte	Lithium (Li)	3	3,7
E	Thionyl chloride (SOCl ₂)	Non-aqueous inorganic	Lithium (Li)	3,6	3,9
F	Iron disulfide (FeS ₂)	Organic electrolyte	Lithium (Li)	1,5	1,83
G	Copper (II) oxide (CuO)	Organic electrolyte	Lithium (Li)	1,5	2,3
L	Manganese dioxide (MnO ₂)	Alkali metal hydroxide	Zinc (Zn)	1,5	1,65
P	Oxygen (O ₂)	Alkali metal hydroxide	Zinc (Zn)	1,4	1,68
S	Silver oxide (Ag ₂ O)	Alkali metal hydroxide	Zinc (Zn)	1,55	1,63
W	Sulphur dioxide SO ₂)	Non-aqueous organic salt	Lithium (Li)	3,0	3,0
Y	Sulfuryl chloride (SO ₂ Cl ₂)	Non-aqueous	Lithium (Li)	3,9	4,1
Z	Nickel oxyhydroxide (NiOOH)	Alkali metal hydroxide	Zinc (Zn)	1,5	1,78

¹ Surface temperature rise tests conducted at this voltage.

² Voltage used for spark hazard assessment

NOTE 1 Not all cell constructions are suitable for all types of protection. Refer to the standard of the specific Type of Protection.

NOTE 2 Zinc/manganese dioxide cells are listed in IEC 60086-1, but not classified by a type letter.

NOTE 3 The source of electrochemistry information for this table is IEC 60086-1:2011

NOTE 4 The value of the nominal voltage is not verifiable; therefore it is only given as a reference.

NOTE 5 Recent research has found that some primary Lithium cells of sufficient capacity, particularly cells with a spiral wound construction, can be considered as potentially exothermic chemical reaction ignition sources.

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

Table 14 – Secondary cells

Type System ~Letter~	Positive electrode	Electrolyte	Negative Electrode	voltage ¹ (per cell) V	Maximum open circuit voltage ² (per cell) V
Lead Acid (flooded) ~None ~	Lead oxide	Sulfuric acid (SG 1,25 to 1,32)	Lead	2,2	2,67 ^a 2,35 ^b
Lead acid (VRLA) ~None ~	Lead oxide	Sulfuric acid (SG 1,25 to 1,32)	Lead	2,2	2,35 ^b
Nickel-cadmium ³ ~K~&~KC~	Nickel oxy-hydroxide	Potassium hydroxide (SG 1,3)	Cadmium	1,3	1,55
Nickel metal hydride ³ ~H~	Nickel oxy-hydroxide	Potassium hydroxide	Metal hydride	1,3	1,55
Lithium ion	(LCO) LiCoO ₂ Lithium Cobalt Oxide	Liquid solution containing a lithium salt and one or more organic solvents or gel electrolyte that is liquid solution mixed with polymer	Carbon	3,6	4,2
	(LCO) LiCoO ₂ Lithium Cobalt Oxide		(LTO) Li ₄ Ti ₅ O ₁₂ Lithium Titanium Oxide	2,3	2,7
	(LFP) LiFePO ₄ Lithium Iron Phosphate		Carbon	3,3	3,6
	(LFP) LiFePO ₄ Lithium Iron Phosphate		(LTO) Li ₄ Ti ₅ O ₁₂ Lithium Titanium Oxide	2,0	2,1
	(NCA) Li(NiCoAl)O ₂ Nickel Cobalt Aluminium		Carbon	3,6	4,2
	(NCA) Li(NiCoAl)O ₂ Nickel Cobalt Aluminium		(LTO) Li ₄ Ti ₅ O ₁₂ Lithium Titanium Oxide	2,3	2,7
	(NMC) Li(NiMnCo)O ₂ Nickel Manganese Cobalt		Carbon	3,7	4,35
	(NMC) Li(NiMnCo)O ₂ Nickel Manganese Cobalt		(LTO) Li ₄ Ti ₅ O ₁₂ Lithium Titanium Oxide	2,4	2,85
	(LMO) LiMn ₂ O ₄ Lithium Manganese Oxide		Carbon	3,6	4,3
	(LMO) LiMn ₂ O ₄ Lithium Manganese Oxide		(LTO) Li ₄ Ti ₅ O ₁₂ Lithium Titanium Oxide	2,3	2,8
^a wet cell – cell containing an liquid electrolyte that can be replenished					
^b dry cell – cell containing an immobilized electrolyte					
¹ Voltage figure is used for all assessments (e.g. temperature, creepage and clearance values) other than spark hazard assessment					

² Voltage used for spark hazard assessment. If the cell manufacturer's data reflects a charging voltage higher than the value shown, the manufacturer's value shall be used.

³ Chemistry uses constant current technique to charge.

NOTE 1 Not all cell constructions are suitable for all types of protection. Refer to the standard of the specific Type of Protection.

NOTE 2 The source of lead acid electrochemistry information is the Linden Handbook of Batteries, 4th edition.

NOTE 3 The source of nickel cadmium and nickel metal hydride electrochemistry information is IEC 61951-1, IEC 61951-2, IEC 60622, IEC 600623, and the Linden Handbook of Batteries, 4th edition.

NOTE 4 The source of lithium ion and lithium metal electrochemistry information is IEC 61960 and the Linden Handbook of Batteries, 4th edition.

NOTE 5 Recent research has found that some secondary Lithium ion cells of sufficient capacity, particularly cells with a LiCoO₂ positive electrode and spiral wound construction, can be considered as potentially strong oxidizers and exothermic chemical reaction ignition sources.

23.4 Cells in a battery

All cells in a battery shall be of the same electrochemical system, cell design and rated capacity and shall be made by the same manufacturer.

23.5 Ratings of batteries

All batteries shall be arranged and operated so as to be within the allowable limits defined by the cell or battery manufacturer.

23.6 Interchangeability

Primary and secondary cells or batteries shall not be used inside the same equipment enclosure if they are readily interchangeable.

23.7 Charging of primary batteries

Primary batteries shall not be re-charged. Where another voltage source exists inside equipment containing primary batteries and there is a possibility of interconnection, precautions shall be taken to prevent charging current passing through them.

23.8 Leakage

All cells shall be constructed, or arranged so as to prevent leakage of electrolyte, which would adversely affect the Type of Protection or components on which safety depends.

23.9 Connections

Only the battery manufacturer's recommended method(s) of making electrical connections to a battery shall be used.

23.10 Orientation

Where a battery is mounted inside equipment and the battery orientation is important for safe operation, the correct orientation of the equipment shall be indicated on the outside of the equipment enclosure.

NOTE Correct orientation of the battery is often important to prevent electrolyte leakage.

23.11 Replacement of cells or batteries

Where it is necessary for the user to replace cells or batteries contained within an enclosure, the relevant parameters to allow correct replacement shall be legibly and durably marked on

or inside the enclosure as detailed in 29.14, or detailed in the manufacturer's instructions in accordance with 30.2. That is, either the cell or battery manufacturer's name and part number, or the electrochemical system, nominal voltage and rated capacity.

23.12 Replaceable battery pack

Where it is intended for the user to replace the battery pack, the battery pack shall be legibly and durably marked on the outside of the battery pack as detailed in 29.14 and the battery pack replacement details shall be included in the manufacturer's instructions in accordance with 30.2.

Replaceable battery packs shall be one of the following:

- located completely inside the equipment enclosure;
- connected to the equipment and shall comply with the requirements for the applicable Type of Protection when disconnected from the equipment and shall be marked per item b) of 29.13;
- connected to the equipment and shall employ disconnecting means that comply with the requirements of Clause 20.

24 Documentation

The manufacturer shall prepare documentation that details the explosion safety aspects of the equipment necessary to determine compliance with this standard and any other applicable explosion safety standards.

NOTE This documentation is normally referred to as the schedule drawings.

25 Compliance of prototype or sample with documents

The prototypes or samples of the equipment subjected to the type verifications and tests shall comply with the manufacturer's documents referred to in Clause 24.

26 Type tests

26.1 General

The prototypes or samples shall be tested in accordance with the requirements for type tests of this standard and of the specific standards for the types of protection concerned. However, certain tests judged to be unnecessary, may be omitted from the testing programme. A record shall be made of all tests carried out and of the justification for those omitted.

It is not necessary to repeat the tests that have already been carried out on an Ex Component.

NOTE Due to the safety factors incorporated in the types of protection, the uncertainty of measurement inherent in good quality, regularly calibrated measurement equipment is considered to have no significant detrimental effect and need not be taken into account when making the measurements necessary to verify compliance of the equipment with the equipment requirements of the relevant part of IEC 60079.

26.2 Test configuration

Each test shall be made in the configuration of the equipment considered to be the most unfavourable taking into account the installation instructions.

26.3 Tests in explosive test mixtures

Tests in explosive mixtures shall be carried out as specified in relevant standards listed in Clause 1.

NOTE Commercially available gases and vapours with purity of 95 % or better is in general satisfactory for these tests. The effects of normal variations in the laboratory temperature and of atmospheric pressure and the effects of variations in the humidity of the explosive test mixture are acceptable because they have been found to have negligible effect.

26.4 Tests of enclosures

26.4.1 Order of tests

26.4.1.1 Metallic enclosures, metallic parts of enclosures and glass or ceramic parts of enclosures

Tests for metallic enclosures, metallic parts of enclosures and glass or ceramic parts of enclosures shall be performed in the following order:

- tests for resistance to impact (see 26.4.2);
- drop test, if applicable (see 26.4.3);
- tests for degrees of protection (IP) (see 26.4.5);
- any other tests required by this standard;
- any other test specific to the Type of Protection concerned.

Tests shall be made on the number of samples specified by each test method.

NOTE Where the Type of Protection of the degree of protection IP is provided by non-metallic sealing materials, other than glass or ceramics, the requirements of 26.4.1.2 will apply.

26.4.1.2 Non-metallic enclosures or non-metallic parts of enclosures

26.4.1.2.1 General

Tests for non-metallic enclosures or non-metallic parts of enclosures shall be performed in the following order. See Annex F for a flowchart providing guidance on the order of tests.

When the non-metallic material is glass or ceramic, the tests of 26.4.1.2 do not apply.

26.4.1.2.2 Group I equipment

The tests shall be made on samples as follows:

- Four samples shall be used. All four samples shall be submitted to the tests of thermal endurance to heat (see 26.8), then to the tests of thermal endurance to cold (see 26.9). Two samples shall then be submitted to the tests for resistance to impact (see 26.4.2), with the tests being conducted at the ‘upper test temperature’ (see 26.7.2). The other two samples shall also be submitted to the tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), but with the tests being conducted at the ‘lower test temperature’ (see 26.7.2). Any joint that is intended to be opened during installation or in normal operation shall be opened and re-closed in accordance with the manufacturer’s instructions. Subsequently, all four samples shall be submitted to the tests for degree of protection by enclosures (see 26.4.5), and then subjected to the appropriate tests specific to the Type of Protection concerned.
- Alternatively, only two samples may be used. In this case, both samples shall be submitted to the tests of thermal endurance to heat (see 26.8), then to thermal endurance to cold (see 26.9). Both samples shall then be submitted to the tests for resistance to impact (see 26.4.2), with the tests being conducted at the “upper test temperature” (see 26.7.2). Thereafter, both samples shall also be submitted to the tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), but with the tests now being conducted at the ‘lower test temperature’ (see 26.7.2). Any joint that is intended to be opened during installation or in normal operation shall be opened and re-closed in accordance with the manufacturer’s instructions. Subsequently, both samples shall be submitted to the tests for degree of protection by enclosures (see 26.4.5), and then subjected to the appropriate tests specific to the Type of Protection concerned. The order

of the tests at the “lower test temperature” and the “upper test temperature” may be interchanged.

NOTE As a result of the thermal endurance testing for either of the test sequences described above, condensation can occur inside the enclosure. Such condensation will need to be removed prior to ingress protection (IP) testing to ensure valid results.

- Two samples shall be submitted to the tests of resistance to oils and greases (see 26.11) then to the tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), then the tests for degrees of protection (IP) if applicable (see 26.4.5), and finally to the tests specific to the Type of Protection concerned.
- Two samples shall be submitted to the tests of resistance to hydraulic liquids for mining applications (see 26.11) then to tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), then the tests for degrees of protection (IP) if applicable (see 26.4.5), and finally to the tests specific to the Type of Protection concerned.

In the procedures and test sequences described above, the objective is to demonstrate the ability of the non-metallic material to maintain the specific Type of Protection listed in Clause 1 after exposure to extremes of temperature and harmful substances likely to be met in use. In an attempt to keep the number of tests to a minimum, it is not necessary to perform all of the tests specific to the Type of Protection on every sample if it is obvious that a sample has not been damaged in such a way as to impair the Type of Protection offered. Similarly, the number of samples can be reduced if it is possible for the exposure tests and protection-proving tests to be performed in parallel on the same two samples.

26.4.1.2.3 Group II and Group III equipment

Four samples shall be used. All four samples shall be submitted to the tests of thermal endurance to heat (see 26.8), then to the tests of thermal endurance to cold (see 26.9). Two samples shall then be submitted to the tests for resistance to impact (see 26.4.2), with the tests being conducted at the ‘upper test temperature’ (see 26.7.2). The other two samples shall also be submitted to the tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), but with the tests being conducted at the ‘lower test temperature’ (see 26.7.2). Any joint that is intended to be opened during installation or in normal operation shall be opened and re-closed in accordance with the manufacturer’s instructions. Subsequently, all four samples shall be submitted to the tests for degree of protection by enclosures (see 26.4.5), and then subjected to the appropriate tests specific to the Type of Protection concerned.

Alternatively, only two samples may be used. In this case, both samples shall be submitted to the tests of thermal endurance to heat (see 26.8), then to thermal endurance to cold (see 26.9). Both samples shall then be submitted to the tests for resistance to impact (see 26.4.2), with the tests being conducted at the ‘upper test temperature’ (see 26.7.2). Thereafter, both samples shall also be submitted to the tests for resistance to impact (see 26.4.2), then to the drop test if applicable (see 26.4.3), but with the tests now being conducted at the ‘lower test temperature’ (see 26.7.2). Any joint that is intended to be opened during installation or in normal operation shall be opened and re-closed in accordance with the manufacturer’s instructions. Subsequently, both samples shall be submitted to the tests for degree of protection by enclosures (see 26.4.5), and then subjected to the appropriate tests specific to the Type of Protection concerned. The order of the tests at the “lower test temperature” and the “upper test temperature” may be interchanged.

NOTE 1 As a result of the thermal endurance testing for either of the test sequences described above, condensation can occur inside the enclosure. Such condensation will need to be removed prior to ingress protection (IP) testing to ensure valid results.

NOTE 2 When only two samples are used and the equipment includes a light transmitting part of glass, the glass of each sample is subjected to one impact test at low temperature and subjected to another impact test at high temperature, resulting in two impacts to the glass of each sample.

NOTE 3 Glass parts of enclosures with cemented joints are subject to impact in order to confirm the adhesion of the cement to the glass and the enclosure. The glass is not required to be subjected to impact at both high and low

temperature, but there is no way to test the cement without the glass in place. Using the four sample option instead of the two sample option results in the minimum number of impact tests on the glass part.

26.4.2 Resistance to impact

The equipment shall be submitted to the effect of a test mass of 1 kg falling vertically from a height h . The height h is specified in Table 15 according to the application of the equipment. The mass shall be fitted with an impact head made of hardened steel in the form of a hemisphere of (25 ± 0.5) mm diameter.

The diameter of the test mass should not be significantly larger than the 25 mm impact head so that the impact head is not restricted from contacting portions of the equipment under test.

If a guide tube is used for the test mass, the diameter of the guide tube or pressure relief holes shall be such that the movement of the test mass is not restricted by the compression of air created by the dropping of the test mass.

Before each test, it is necessary to check that the surface of the impact head is in good condition.

The resistance to impact test shall be made on equipment which is completely assembled and ready for use; however, if this is not possible (for example, for light-transmitting parts), the test shall be made with the relevant parts removed but fixed in their mounting or an equivalent frame. Tests on an empty enclosure are permitted with appropriate justification in the documentation (see Clause 24).

The test shall be made on at least two samples of the equipment, see 26.4.1. The test shall be made at two separate places on each sample. For equipment with light-transmitting parts made of glass, only one of those two tests shall be on the glass.

The points of impact shall be the places considered likely to be the weakest and shall be on the external parts which may be exposed to impact. If the enclosure is protected by another enclosure, only the external parts of the assembly shall be subjected to the resistance to impact tests. For equipment with multiple materials or areas of concern, more than two samples or impact sites may need to be considered to adequately evaluate the impact resistance of the equipment.

The equipment shall be placed on a steel base so that the direction of the impact is normal to the surface being tested if it is flat, or normal to the tangent to the surface at the point of impact if it is not flat. The base shall have a mass of at least 20 kg or be rigidly fixed or inserted in the floor, for example, secured in concrete. Annex C gives an example of a suitable test rig.

When the impact head strikes the test sample, it may exhibit one or more “bounces”. The impact head shall not be removed from the surface of the test sample until it has come to rest.

Table 15 – Tests for resistance to impact

	$\begin{matrix} 0 \\ \text{Drop height } h + 0,01 \text{ with} \\ 1 + 0,01 \text{ kg mass} \\ m \end{matrix}$			
Equipment grouping	Group I		Group II or III	
Risk of mechanical danger	High	Low	High	Low
a) Enclosures and external accessible parts of enclosures (other than light-transmitting parts)	2	0,7	0,7 ^d	0,4 ^{b d}
b) Guards, protective covers, fan hoods, cable glands	2	0,7	0,7	0,4 ^b
c) Light-transmitting parts of portable or transportable luminaires or handlights which have a surface area of 5 000 mm ² or less and which are protected by an independent protruding rim with a minimum height of 2 mm ^c	0,7	0,4	0,4	^b
d) Light-transmitting parts of portable or transportable luminaires or handlights without guard or light transmitting part which have a surface area of greater than 5 000 mm ²	2	0,7	0,7	^b
e) Light-transmitting parts without guard	0,7	0,4	0,4 ^d	0,2 ^{b d}
f) Light-transmitting parts with guard having individual openings from 625 mm ² to 2 500 mm ² ; (tested without guard) ^a	0,4	0,2	0,2	0,1 ^b
^a A guard for light-transmitting parts having individual openings from 625 mm ² to 2 500 mm ² reduces the risk of impact, but does not prevent impact. These requirements are also applicable to fixed, transportable, or portable luminaires. ^b Group II or Group III, portable or transportable luminaires or handlights, shall only be tested for risk of mechanical danger "high" ^c A protruding rim which is part of the enclosure and not part of the light transmitting part reduces the risk of impact, but does not prevent impact. ^d Where a part of the equipment (such as a non-metallic overlay of a touch pad) serves multiple functions, such as a light-transmitting area and also as part of the enclosure, the function covering the largest area is used to determine which risk of mechanical danger row is applied.				

When, at the request of the manufacturer, equipment is submitted to tests corresponding to the low risk of mechanical danger, it shall be marked with the symbol "X" to indicate this specific condition of use in accordance with item e) of 29.3.

The test shall be carried out at an ambient temperature of $(20 \pm 5) ^\circ\text{C}$, except where the material data sheet of the metal shows it to have a reduction in resistance to impact at lower temperatures within the specified ambient range. In this case, the test shall be performed at the lower test temperature, in accordance with 26.7.2.

NOTE It is generally acknowledged that the impact resistance of glass and ceramic parts is not adversely affected by the temperature.

When the equipment has an enclosure or a part of an enclosure made of a non-metallic material other than glass or ceramic, including non-metallic fan hoods and ventilation screens in rotating electric machines, the test shall be carried out at the upper and lower test temperatures, in accordance with 26.7.2.

26.4.3 Drop test

In addition to being submitted to the resistance to impact test in accordance with 26.4.2, each portable or personal equipment sample, ready for use, shall be dropped four times from a height of at least 1 m onto a horizontal concrete surface. The position of the sample for the drop test shall be that which is considered to be the most unfavourable.

The drop test shall be conducted with any replaceable battery pack connected to the equipment.

For equipment with an enclosure which is of a metallic material, the test shall be carried out at a temperature of $(20 \pm 5) ^\circ\text{C}$, except where the material data sheet shows it to have a reduction in resistance to impact at lower temperatures within the specified ambient range. In this case, the test shall be performed at the lower test temperatures, in accordance with 26.7.2.

For equipment which has enclosures or parts of enclosures made of non-metallic material, the tests shall be carried out at the lower test temperature in accordance with 26.7.2.

26.4.4 Acceptance criteria

The resistance to impact and drop tests shall not produce damage so as to invalidate the Type of Protection of the equipment.

Superficial damage, chipping to paint work, breakage of cooling fins or other similar parts of the equipment and small dents shall be ignored.

External fan hoods and ventilation screens shall resist the tests without displacement or deformation causing contact with the moving parts.

26.4.5 Degree of protection (IP) by enclosures

26.4.5.1 Test procedure

When a degree of protection is required by this standard or by other parts of this series for a specific Type of Protection, the test procedures shall be in accordance with IEC 60529, except for rotating electric machines which shall be in accordance with IEC 60034-5.

When tested in accordance with IEC 60529:

- enclosures shall be considered as belonging to “Category 1 enclosure” as specified in IEC 60529,
- the equipment shall not be energized,
- where applicable, the dielectric test specified in IEC 60529 shall be carried out at $[(2 U_n + 1\,000) \pm 10\%]$ V RMS. applied between 10 s and 12 s, where U_n is the maximum rated or internal voltage of the equipment.

NOTE 1 The “category 1 enclosure” is defined in IEC 60529 and bears no relation to the “category 1” defined in the European directive 2014/34/EU (ATEX).

An evaluation for the first characteristic numeral, up to and including 6, implies compliance also with the requirements for all lower characteristic numerals. Up to and including second characteristic numeral 6, the evaluation implies compliance also with the requirements for all lower characteristic numerals. Evaluations for second characteristic numerals 7, 8, or 9 do not imply compliance with second characteristic numerals 5 or 6.

NOTE 2 It is acknowledged that there is an error with respect to this in IEC 60529, Ed 2.2.

When tested in accordance with IEC 60034-5, the rotating electrical machine shall not be energized,

NOTE 3 IECEx ExTAG DS 2012/005 provides background information on testing to confirm IP markings other than the minimum ratings required by the standards corresponding with the applied type(s) of protection, noting that an IP marking is not required as part of the explosion protection marking, but is often marked separate from the Ex marking string.

26.4.5.2 Acceptance criteria

For equipment tested in accordance with IEC 60529, the acceptance criteria shall be in accordance with IEC 60529 except where the manufacturer specifies acceptance criteria more onerous than those described in IEC 60529, for example, those in a relevant product standard. In this case, the acceptance criteria of the relevant product standard shall be applied unless it adversely affects explosion protection.

The acceptance criteria in IEC 60034-5 shall be applied to rotating electric machines insofar as compliance with an IEC explosion protection standard is concerned in addition to the conditions specified in IEC 60034-5.

Where a standard for equipment for explosive atmospheres specifies acceptance criteria for IPXX, these shall be applied instead of those in IEC 60529 or IEC 60034-5.

26.5 Thermal tests

26.5.1 Temperature measurement

26.5.1.1 General

For equipment which can normally be used in different positions, the temperature in each position shall be considered. When the temperature is determined for certain positions only, the equipment shall be marked with the symbol "X" to indicate this specific condition of use according to item e) of 29.3.

NOTE 1 The use of the symbol "X" is not appropriate for equipment that is likely to exist in uncontrolled positions. For example, mining headlamps can operate for quite some time at angles that are not foreseen in normal operation (vertical) and can reach excessive temperatures.

The temperature tests shall be conducted at or below the rated maximum ambient temperature and the results shall be linearly corrected for the rated maximum ambient temperature. The measurement of temperatures as prescribed in this document, and in the specific standards for the Types of Protection concerned, shall be made in still air.

The measuring devices (thermometers, thermocouples, etc.) and the connecting cables shall be selected and so arranged that they do not significantly affect the thermal behaviour of the equipment.

The final temperature shall be considered to have been reached when the rate of temperature rise does not exceed a rate of 2 K/h. If the service or surface temperature is determined with the required dust layer for EPL Da or a specified layer depth for EPL Db, the final temperature shall be considered to have been reached when the rate of temperature rise does not exceed a rate of 1 K/24 h.

Unless the manufacturer has specified a range of supply frequencies, it may be assumed that normal tolerances both of the supply in use and of the supply for test purposes is sufficiently small to be ignored.

NOTE 2 Some equipment can require the provision of integral temperature sensitive devices to limit temperatures.

26.5.1.2 Service temperature

The test to determine service temperatures shall be made at the rated voltage of the electrical equipment but without considering malfunctions.

The temperature of the hottest point of any part upon which the Type of Protection depends shall be determined.

Where the input voltage does not directly affect the temperature rise of the equipment or Ex Component, such as a terminal or a switch, the test current shall be 100 % of the rated current.

Where equipment rating is a range (for example, 100 – 250 V; or $240\text{ V} \pm 10\%$), the testing shall be performed at the highest or lowest value in the range, whichever results in the higher temperature rise.

26.5.1.3 Maximum surface temperature

The test to determine maximum surface temperature shall be performed under the most adverse ratings with an input voltage of 90 % of the rated voltage or at 110 % of the rated voltage of the electrical equipment whichever gives the maximum surface temperature.

For electric machines, determination of the maximum surface temperature may alternatively be conducted at the worst case test voltage within “Zone A” per IEC 60034-1. In this case, the equipment shall be marked with the symbol “X” in accordance with item e) of 29.3 and the specific condition of use shall include the information that the surface temperature determination was based on operation within “Zone A” (IEC 60034-1), typically $\pm 5\%$ of rated voltage. For electric machines operated from a converter, the test voltage variation, for maximum surface temperature determination shall be applied to the motor-converter system as a whole, i.e. applied to the converter input, not the motor input. See Annex E for additional information on the temperature rise testing of electric machines.

Where the input voltage does not directly affect the temperature rise of the equipment or Ex Component, such as a terminal or a switch, the test current shall be increased to 110 % of the rated current.

The tests to determine maximum surface temperature shall be performed without consideration of malfunctions unless specific malfunctions are specified by the requirements for the specific Type of Protection.

Where equipment rating is a range (for example, 100 – 250 V; or $240\text{ V} \pm 10\%$), the test shall be performed at 90 % of the lowest value in the range or at 110 % of the highest value in the range, whichever results in the higher temperature rise.

Unless the manufacturer has specified a range of supply frequencies, it may be assumed that normal tolerances both of the supply in use and of the supply for test purposes is sufficiently small to be ignored.

NOTE 1 Due to the voltage regulation properties of a converter, voltage variations at the input to the converter do not directly result in voltage variations at the output of the converter.

For electrical equipment of Group III, EPL Da, the test is conducted with the electrical equipment surrounded by at least a 200 mm layer of dust on all sides. The temperature measurements shall be made using a test dust having a thermal conductivity of no more than $0,10\text{ W/(m}\times\text{K)}$ measured at $(100 \pm 5)\text{ }^{\circ}\text{C}$.

NOTE 2 Dusts that may be able to comply with the thermal conductivity used for this test include certain types of wood flour, cocoa powder, diatomaceous earth, expandable polystyrene beads and the like.

NOTE 3 Due to the insulating properties of the dust layer, power dissipations more than a few watts are generally impractical.

For electrical equipment of Group III, EPL Db, evaluated with a specified dust layer, (maximum surface temperature marking prefix $T_{\text{specified layer depth}}$), in accordance with 5.3.2.3.2 b), the equipment to be tested shall be surrounded on all sides by a dust thickness at least equal to the specified layer depth. The temperature measurements shall be made using a test dust having a thermal conductivity of no more than $0,10\text{ W/(m}\times\text{K)}$ measured at $(100 \pm 5)\text{ }^{\circ}\text{C}$.

For electrical equipment of Group III, EPL Db, evaluated with a dust layer in accordance with 5.3.2.3.2 c), (maximum surface temperature marking prefix T_L), with the specific orientation(s) as given in the specific conditions of use, the test shall be carried out with the maximum layer the equipment will hold, according to the specified equipment orientation, recognising that the dust thickness will not be uniform. The dust is to be applied by gently depositing, by use of a sieve or similar method, onto the surface(s), without any further compaction, until no more dust will accumulate. The temperature measurements shall be made using a test dust having a thermal conductivity of no more than 0,10 W/(m × K) measured at $(100 \pm 5) ^\circ\text{C}$.

The measured maximum surface temperature shall not exceed:

- for Group I equipment, those values as given in 5.3.2.1,
- for Group II equipment subjected to type testing for maximum surface temperature, the marked temperature or temperature class, less 5 K for temperature classes T6, T5, T4 and T3 (or marked temperatures $\leq 200 ^\circ\text{C}$), and less 10 K for temperature classes T2 and T1 (or marked temperatures $> 200 ^\circ\text{C}$). Alternatively, for Group II equipment subjected to routine testing for maximum surface temperature, the temperature or temperature class marked on the electrical equipment,
- for Group III equipment, those values assigned, see 5.3.2.3.

26.5.2 Thermal shock test

Glass parts of luminaires and glass windows of equipment shall withstand, without visible damage, a thermal shock caused by a jet of water of about 1 mm diameter at a temperature $(10 \pm 5) ^\circ\text{C}$ sprayed on them when they are at not less than the maximum service temperature. The test shall be made on at least one sample.

NOTE This "jet of water" is frequently applied using a small ($\sim 10 \text{ cm}^3$) syringe with $10 ^\circ\text{C}$ water. Neither the distance from which the jet is applied, nor the pressure of application are considered to have a significant effect on the results.

26.5.3 Small component ignition test (Group I and Group II)

26.5.3.1 General

A small component tested to demonstrate that it shall not cause temperature ignition of a flammable mixture in accordance with item a) of 5.3.3, shall be tested in the presence of a specified gas/air mixture as described in 26.5.3.2.

26.5.3.2 Procedure

The test shall be carried out with the component either:

- mounted in the equipment as intended and precautions shall be taken to ensure that the test mixture is in contact with the component, or
- mounted in a model which ensures representative results. In this case, such a simulation shall take into account the effect of other parts of the equipment in the vicinity of the component being tested which affect the temperature of the mixture and the flow of the mixture around the component as a result of ventilation and thermal effects.

The component shall be tested under normal operation, or under the malfunction conditions specified in the standard for the Type of Protection which produces the highest value of surface temperature. The test shall be continued either until thermal equilibrium of the component and the surrounding parts is attained or until the component temperature drops. Where component failure causes the temperature to fall, the test shall be repeated five times using five additional samples of the component. Where, in normal operation or under the malfunction conditions specified in the standard for the Type of Protection, the temperature of more than one component exceeds the temperature class of the equipment, the test shall be carried out with all such components at their maximum temperature.

The safety margin required by 5.3.3 shall be achieved either by raising the ambient temperature at which the test is carried out or, where possible, by raising the temperature of the component under test and other relevant adjacent surfaces by the required margin.

For Group I, the test mixture shall be a homogenous mixture between 6,2 % and 6,8 %, v/v methane and air.

For T4 temperature classification, the mixture shall be either

- a) a homogeneous mixture of between 22,5 % and 23,5 % v/v diethyl ether and air, or
- b) a mixture of diethyl ether and air obtained by allowing a small quantity of diethyl ether to evaporate within a test chamber while the ignition test is being carried out.

For other temperature classifications, the choice of suitable test mixtures shall be at the discretion of the testing station.

If no ignition occurs during a test, the presence of the flammable mixture shall be verified by igniting the mixture by some other means.

26.5.3.3 Acceptance criteria

The component did not cause ignition of the flammable atmosphere, and the test mixture was shown to be flammable.

The appearance of a cool flame shall be considered as an ignition. Detection of ignition shall either be visual or by measurement of temperature, for example, by a thermocouple.

26.6 Torque test for bushings

26.6.1 Test procedure

Bushings used for connection facilities and which are subjected to torque during connection or disconnection of conductors shall be tested for resistance to torque.

The stem in the bushing, or the bushing when mounted, shall be subjected to a torque of the value given in Table 16.

Table 16 – Torque to be applied to the stem of bushing used for connection facilities

Diameter of the stem of the bushings	Torque Nm
M 4	2,0
M 5	3,2
M 6	5
M 8	10
M 10	16
M 12	25
M 16	50
M 20	85
M 24	130
Torque values for sizes other than those specified above may be determined from a graph plotted using these values. In addition, the graph may be extrapolated to allow torque values to be determined for stems of bushings larger than those specified.	

26.6.2 Acceptance criteria

When mounted, neither the stem in the bushing, nor the bushing itself, shall turn when the stem is subjected to a torque.

26.7 Non-metallic enclosures or non-metallic parts of enclosures

26.7.1 General

In addition to the relevant tests given in 26.1 to 26.6, non-metallic enclosures shall also satisfy the requirements in 26.8 to 26.15, as appropriate. The tests of 26.10 to 26.15 are independent tests performed on separate samples that are not required to be part of the test sequence for tests of enclosures, 26.4. Non-metallic parts of enclosures shall be tested together with the whole enclosure or with a representative model of the enclosure.

26.7.2 Test temperatures

When, according to this standard or to the specific standards listed in Clause 1, tests have to be carried out as a function of the upper and lower service temperature, these test temperatures shall be:

- for the upper temperature, the maximum service temperature (see 5.2) increased by at least 10 K but at most 15 K,
- for the lower temperature, the minimum service temperature (see 5.2) reduced by at least 5 K but at most 10 K.

26.8 Thermal endurance to heat

The thermal endurance to heat shall be determined by submitting the enclosures or parts of enclosures in non-metallic materials, on which the integrity of the Type of Protection depends, to tests according to Table 17.

Table 17 – Thermal endurance test

EPL	Service temperature T_s	Test condition	Alternative test condition
Ga Gb Da Db Ma Mb	$T_s \leq 70\text{ °C}$	672 $^{+30}_0$ h at $(90 \pm 5)\%$ RH, at $T_s + 20 \pm 2\text{ K}$ (but not less than 80 °C test temperature)	
	$70\text{ °C} < T_s \leq 75\text{ °C}$	672 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $T_s + 20 \pm 2\text{ K}$	504 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(90 \pm 2)\text{ °C}$ followed by 336 $^{+30}_0$ h dry at $T_s + 20 \pm 2\text{ K}$
	$T_s > 75\text{ °C}$	336 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(95 \pm 2)\text{ °C}$, followed by 336 $^{+30}_0$ h dry at $T_s + 20 \pm 2\text{ K}$	504 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(90 \pm 2)\text{ °C}$ followed by 336 $^{+30}_0$ h dry at $T_s + 20 \pm 2\text{ K}$

EPL	Service temperature T_s	Test condition	Alternative test condition
Gc Dc	$T_s \leq 80\text{ °C}$	672 $^{+30}_0$ h at $(90 \pm 5)\%$ RH, at $T_s + 10 \pm 2\text{ K}$	
	$80\text{ °C} < T_s \leq 85\text{ °C}$	672 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $T_s + 10 \pm 2\text{ K}$	504 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(90 \pm 2)\text{ °C}$ followed by 336 $^{+30}_0$ h dry at $T_s + 10 \pm 2\text{ K}$
	$T_s > 85\text{ °C}$	336 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(95 \pm 2)\text{ °C}$, followed by 336 $^{+30}_0$ h dry at $T_s + 10 \pm 2\text{ K}$	504 $^{+30}_0$ h at $(90 \pm 5)\%$ RH at $(90 \pm 2)\text{ °C}$ followed by 336 $^{+30}_0$ h dry at $T_s + 10 \pm 2\text{ K}$
T_s is the temperature defined in 5.2 and shall not include the increase stated in 26.7.2.			

At the conclusion of the test according to Table 17, the enclosures or parts of enclosures in non-metallic materials that were tested shall be subjected to $(20 \pm 5)\text{ °C}$ at $(50 \pm 10)\%$ relative humidity for 24 $^{+48}_0$ h, and then followed by the thermal endurance to cold test (26.9).

NOTE 1 The test values given in Table 17 include two test conditions. The conditions shown in the 2nd column were used in previous editions of this standard and allow previously obtained test results to remain valid for this edition. The conditions shown in the 3rd column have been added to allow testing at temperature/humidity conditions that are more readily achieved, although at an increased test time.

NOTE 2 It is generally acknowledged that glass and ceramic materials are not adversely affected by the thermal endurance to heat test, and testing may not be necessary.

NOTE 3 It is not a requirement of this standard that any specific ramp time between the stages of thermal endurance testing be applied. The test is not intended to be a thermal shock test.

26.9 Thermal endurance to cold

The thermal endurance to cold shall be determined by submitting the enclosures and parts of enclosures of non-metallic materials, on which the Type of Protection depends, to storage for 24 h $^{+2}_0$ in an ambient temperature corresponding to the minimum service temperature reduced according to 26.7.2.

NOTE It is generally acknowledged that glass and ceramic materials are not adversely affected by the thermal endurance to cold test, and testing may not be necessary.

26.10 Resistance to UV light

26.10.1 General

For plastic materials the test shall be made on six test bars of standard size $(80 \pm 2)\text{ mm} \times (10 \pm 0,2)\text{ mm} \times (4 \pm 0,2)\text{ mm}$ according to ISO 179. The test bars shall be made under the same conditions as those used for the manufacture of the enclosure concerned; these conditions are to be stated in the test report of the equipment.

Where the preparation of test samples in accordance with ISO 179 is not practical due to the nature of the non-metallic material, an alternative test is permitted with the justification stated in the test report for the equipment.

For elastomers the test shall be made on six samples, where practicable the standard samples, as defined in ISO 48, per applied test method L, N, M or H. An alternative test is permitted with the justification stated in the test report for the equipment.

Where the preparation of test samples in accordance with ISO 48 is not practical due to the nature of the elastomers, or if specific elastomeric sealing profiles are used, the hardness measurement according to ISO 48 method CN, CM, CH or CL shall be used. An alternative test is permitted with the justification stated in the test report for the equipment.

NOTE The tests on plastic materials are generally destructive, so six un-exposed bars or samples are typically used to determine the initial properties of the material.

26.10.2 Light exposure

The test shall be made generally in accordance with ISO 4892-2 in an exposure chamber using a xenon lamp and a sunlight simulating filter system. The samples shall be exposed, without cycling, under dry conditions and at either a black standard temperature of $(65 \pm 3) ^\circ\text{C}$ or a black panel temperature of $(55 \pm 3) ^\circ\text{C}$ for between 1000 h and 1025 h.

NOTE The value of $65 ^\circ\text{C}$ black standard temperature is selected for compatibility with tests being performed in equipment specifically designed to operate in accordance with ISO 4892-2. The value of $55 ^\circ\text{C}$ black panel temperature is selected to ensure compatibility with results obtained for previous editions of IEC 60079-0. According to ISO 4892-2, both conditions are nearly identical, but any minor differences are generally too small to be relevant for the purpose of this test.

26.10.3 Acceptance criteria

For plastic materials the evaluation criteria is the impact bending strength in accordance with ISO 179. The impact bending strength following exposure in the case of an impact on the exposed side shall be at least 50 % of the corresponding value measured on the unexposed test bars. For plastic materials whose impact bending strength cannot be determined prior to exposure because no rupture has occurred, not more than three of the exposed test bars shall be allowed to break. Alternative acceptance criteria is permitted with the justification stated in the test report for the equipment.

For elastomers the evaluation criterion is the hardness measurement per ISO 48 with the same test method as selected for the preparation of the samples. The average hardness expressed in IRHD units as specified in ISO 48 on the exposed side of the 6 samples following exposure shall vary not more than 20 % of the corresponding value measured on the unexposed samples. Alternative acceptance criteria is permitted with the justification stated in the test report for the equipment.

26.11 Resistance to chemical agents for Group I equipment

The non-metallic enclosures and non-metallic parts of enclosures shall be submitted to tests of resistance to the following chemical agents:

- oils and greases;
- hydraulic liquids for mining applications.

The relevant tests shall be made on four samples of enclosure sealed against the intrusion of test liquids into the interior of the enclosure:

- two samples shall remain for (24 ± 2) h in oil IRM 902 according to ASTM D5964, at a temperature of $(50 \pm 2) ^\circ\text{C}$;

- the other two samples shall remain for (24 ± 2) h in fire-resistant hydraulic fluid intended for operating at temperatures between -20 °C and $+60\text{ °C}$, comprising an aqueous solution of polymer in 35 % water at a temperature of $(50 \pm 2)\text{ °C}$.

At the end of the test, the enclosure samples concerned shall be removed from the liquid bath, carefully wiped and then stored for (24 ± 2) h in the laboratory atmosphere. Subsequently, each of the enclosure samples shall pass the tests of enclosures according to 26.4.

If one or more of the enclosure samples do not withstand these tests of enclosures after exposure to one or more of the chemicals, the enclosure shall be marked with the symbol “X” to indicate this specific condition of use according to item e) of 29.3, i.e. exclusion of exposure to specific chemicals during use.

26.12 Earth continuity

The material from which the enclosure is manufactured may be tested as a complete enclosure, part of an enclosure, or as a sample of the material from which the enclosure is made, provided that the relevant critical dimensions of the sample are the same as those of the enclosure.

The cable gland shall be represented by a 20 mm (nominal) diameter test bar manufactured from brass ($\text{CuZn}_{39}\text{Pb}_3$ or $\text{CuZn}_{38}\text{Pb}_4$) carrying an ISO metric thread with a tolerance class 6g, 1,5 mm pitch in accordance with IEC 60423. The length of the test bar shall ensure that at least one full thread remains free at each end when assembled, as shown in Figure 8.

Complete earth plates or parts of earth plates that are intended to be used with the enclosure shall be used for the purpose of this test. A clearance hole shall be provided in the earth plate for test purposes and shall be between 22 mm and 23 mm diameter. The method of assembly shall ensure that the screw thread of the test bar does not make contact directly with the inside of the clearance hole.

The clamping nuts shall be manufactured from brass ($\text{CuZn}_{39}\text{Pb}_3$ or $\text{CuZn}_{38}\text{Pb}_4$) and shall be provided with an ISO metric thread with a tolerance class 6H, 1,5 mm pitch in accordance with IEC 60423. The thickness of the nuts shall be 3 mm (nominal) and the dimension across the flats shall be 27 mm maximum.

The components are assembled as shown in Figure 8. The torque applied to each pair of the nuts, in turn, shall be 10 Nm ($\pm 10\%$).


The hole in the wall (or part of the wall or the test sample) may be a plain through-hole or a tapped hole having a thread form compatible with the test bar.

After the test sample has been assembled it shall be subjected to the conditions for the test for thermal endurance to heat as described in 26.8.

This shall be followed by a further period of 336^{+30}_0 h in an air oven at a temperature of at least 80 °C .

On completion of conditioning, the resistance between the earth plates or parts of earth plates shall be calculated by passing a direct current of 10 A to 20 A between the earth plates and measuring the voltage drop between them.

The non-metallic material that has been tested in this manner is deemed to be satisfactory if the resistance between the earth plates or parts of earth plates does not exceed $5\text{ m}\Omega$.



Components

- | | |
|--------------------------------------|------------|
| 1 nut | 5 test bar |
| 2 earth plate | |
| 3 enclosure wall (non-metallic) | |
| 4 earth plate or part of earth plate | |

Figure 8 – Assembly of test sample for earth-continuity test

26.13 Surface resistance test of parts of enclosures of non-metallic materials

The surface resistance shall be tested on the parts of enclosures if size permits, or on a test piece comprising a rectangular plate with dimensions in accordance with Figure 9. The test piece shall have an intact clean surface. Two parallel electrodes are painted on the surface, using a conducting paint with a solvent which has no significant effect on the surface resistance.

The test piece shall be cleaned with distilled water, then with isopropyl alcohol (or any other solvent that can be mixed with water and will not affect the material of the test piece or the electrodes), then once more with distilled water before being dried. Untouched by bare hands, it shall then be conditioned for at least 24 h at $(23 \pm 2) ^\circ\text{C}$ and $(50 \pm 5) \%$ or $(30 \pm 5) \%$ relative humidity, as applicable (See 7.4.2.a). The test shall be carried out under the same ambient conditions.

The DC voltage applied for $(65 \pm 5) \text{ s}$ between the electrodes shall be $(500 \pm 25) \text{ V DC}$.

During the test, the voltage shall be sufficiently steady so that the charging current due to voltage fluctuation will be negligible compared with the current flowing through the test piece.

The surface resistance is the quotient of the DC voltage applied at the electrodes to the total current flowing between them.

If difficulty is encountered due to high currents at the 500 V DC test voltage; the test can be modified as follows. Apply a measuring voltage of $(10 \pm 0,5) \text{ V DC}$ for $(15 \pm 5) \text{ s}$ between the electrodes. If the resistance is below $10 \text{ M}\Omega$, the measuring voltage shall be increased to $(100 \pm 5) \text{ V DC}$ for $(15 \pm 5) \text{ s}$.




Figure 9 – Test piece with painted electrodes

26.14 Measurement of capacitance

26.14.1 General

The test shall be carried out on a fully assembled sample of the electrical equipment. The sample need not have been previously subjected to the tests for enclosures. The sample shall be conditioned in a climatic conditioning chamber for at least 1 h at a temperature of $(23 \pm 2) ^\circ\text{C}$ and a relative humidity of $(50 \pm 5) \% \text{ RH}$. The sample under test shall be placed on an unearthed metal plate that significantly exceeds the area of the test sample. If the sample requires support, it may be held in position with clamps or pliers (preferably made of plastic), but shall not be held by hand. Other electrical equipment shall be kept as far as possible from the test sample. Connection leads shall be as short as possible. The positions of the samples are to be such that the exposed metallic test point being measured is as close as possible to the unearthed metal plate without contacting the plate. However, if the external metal part is in electrical contact with internal metal parts, it is necessary to measure the capacitance in all orientations of the equipment to ensure that the maximum capacitance has been determined.

Metallic plates with surface oxidation should be avoided as this may lead to erroneous results.

26.14.2 Test procedure

The capacitance between each exposed metallic part on the test sample and the metal plate is to be measured. Connect the negative measurement lead of the capacitance meter to the unearthed metal plate. The positive measurement lead of the capacitance meter should be kept as far as possible from the metal plate.

A battery powered capacitance meter may be necessary to ensure stable readings.

If a metallic part is not easily accessible to the meter leads, a screw may be inserted to extend the part and create a test point. The screw should not make electrical contact with any other internal metal part.

Stray capacitance should be minimized. Other electrical equipment should be kept as far away as possible.

The test procedure for the capacitance measurement is as follows:

- 1) Position the positive measurement probe of the capacitance meter 3 mm to 5 mm away from the metallic test point. Record the value of this stray capacitance in air to the nearest pF.

- 2) Place the positive measurement lead of the capacitance meter in contact with the metallic test point and record the value of the capacitance to the nearest pF.
- 3) Compute the difference between the measurements in steps 1) and 2), and record the value.
- 4) Repeat steps 1) through 3) two times for each test point.
- 5) Calculate the average capacitance from the three measurements obtained.

26.15 Verification of ratings of ventilating fans

The fan shall be supplied with the rated voltage and with the specified back pressure, if any. The maximum power, current and rotating speed shall be measured and shall comply with the rated values of the fan. The rated values of the motor and any other electrical parts of the fan, shall not be exceeded.

26.16 Alternative qualification of elastomeric sealing O-rings

The thickness t_0 of the sealing ring is measured at $(20 \pm 5)^\circ\text{C}$ temperature. The ring is then compressed as intended in the complete equipment enclosure or in the test fixture.

The compressed sealing ring is then submitted to the tests for thermal endurance to heat (26.8) and thermal endurance to cold (26.9). The sealing ring shall then be removed from the adapter, or equipment, and be kept for at least 24 h ^{+0}_{-2} at a temperature of $(20 \pm 5)^\circ\text{C}$ before the thickness t_1 of the O-ring is measured.

The compression set value c (See Figure 10) shall be calculated as follows:

$$c = (t_0 - t_1) / (t_0 - t_s) \times 100$$

- t_0 is the initial thickness of the sealing ring measured at $(20 \pm 5)^\circ\text{C}$ temperature
- t_s is the thickness of the sealing ring when compressed as intended in the equipment.
- t_1 is the thickness of the sealing ring measured at $(20 \pm 5)^\circ\text{C}$ temperature after thermal endurance.

NOTE The compression set value describes the ability for the sealing ring to return to its initial dimension after being subject to compression.




Figure 10 – Compression set of an O-ring

26.17 Transferred charge test

26.17.1 Test equipment

The following items are required:

- 1) A table or rigid sheet of dissipative material, e.g. untreated wood;

NOTE 1 The correct use of a dissipative table surface guarantees a strong charge accumulation on the charged surface due to charge binding effects. After lifting the sample from the table the charges are no longer bound by opposite charges of the table yielding optimal conditions for discharging.

- 2) Cloths made of materials free from finishes from the positive and negative end of a triboelectric series large enough to avoid contact between the test sample and the fingers

of the testing person during the rubbing process, and a glove or other piece of smooth natural leather.

NOTE 2 See IEC TR 61340-1 for a triboelectric series.

NOTE 3 Suitable positive materials for tribocharging include smooth natural leather, sheep wool felt, polyamide cloth for rain coats, cotton, and cat fur. Suitable negative materials for tribocharging include polyurethane and polyethylene table cloth.

- 3) A single pointed metal needle electrode or multi-needle electrodes having a connection of the electrode(s) to the minus pole of a high voltage power supply of 30 kV to 70 kV dc for corona charging.
- 4) One of the following or equivalent equipment for measuring charge transfer:
 - a) A polished metal electrode of (25 ± 5) mm in diameter coupled to the 50 Ω input of an oscilloscope of at least 1 Gigasamples/s and 300 MHz bandwidth having a circular arranged earthed shunt resistance of $(0,25 \pm 0,05)$ Ω of at least 300 MHz in bandwidth, or
 - b) A polished metal electrode of (25 ± 5) mm in diameter coupled to an earthed (100 ± 10) nF capacitor with a (15 ± 2) k Ω resistor in parallel, both connected to the input of a voltmeter automatically triggering and holding the highest value, or
 - c) A polished metal electrode of (3 ± 1) mm in diameter in a smooth edged hole of (5 ± 1) mm in diameter of an earthed hollow sphere of (25 ± 5) mm in diameter, connected to an earthed (100 ± 10) nF capacitor at the input of a coulomb meter.
- 5) A flat round disk, less than 3 mm thickness, made of polytetrafluoroethylene (PTFE) with an area exceeding 20 000 mm² as a highly chargeable reference.

26.17.2 Test sample

The test shall be carried out on a fully assembled sample of the product or a material with the same fabrication parameters. This sample shall not have been previously subjected to other tests and may consist of any combination of insulating, conductive or dissipative materials.

It is advantageous to test the fully assembled product because charge binding effects, e.g. due to internal conductive items, may help to prevent hazardous discharges.

The sample shall be conditioned in an environmental conditioning chamber for at least 24 h at (23 ± 2) °C and (30 ± 5) % RH.

The test sample shall have an intact clean surface. As any solvent may leave conductive residue on the surface it is best to clean the surface with a brush only. This is especially important in cases where the surface is treated with special antistatic agents.

If, however, fingerprints or other dirt is visible on the surface and no special antistatic agents are used on the surface, the test sample shall be cleaned with 2-propanol (isopropyl alcohol) or any other suitable solvent that will not affect the material of the test sample and the electrodes, and then dried in air. It shall then be conditioned for at least 24 h at (23 ± 2) °C and (25 ± 5) % relative humidity, without being touched again by bare hands.

26.17.3 Test procedure

Conductive parts shall be earthed during testing if earthing is required by the manufacturer's instructions.

The test is conducted as follows:

- 1) The correct operation of the measuring system shall be confirmed e.g. by test pulses of approximately 50 nC from a spherical electrode at the input of a calibrated electrostatic voltmeter of known input capacitance (e.g. 10 pF) and known applied voltage (e.g. 5 kV). Alternatively, a very short connection of a 1,5 V battery (typically 1,65 V) to the input of a

Coulombmeter (typically 100 pF input capacitance) shall display the transferred charge (typically 165 nC).

- 2) Check the test steps 3 to 11 with the reference PTFE disk and verify that at least 100 nC is obtained.
- 3) Rub the test sample with a material from the positive end of the triboelectric series at least one stroke per second with medium force (approximately 40 N), in direction away from the test person. The test surface shall not be contacted with the bare hand. Rubbing shall continue for (10 ± 1) s and shall be terminated with a hard rubbing stroke.

NOTE 1 Suitable positive materials for tribocharging include smooth natural leather, sheep wool felt, polyamide cloth for rain coats, cotton, and cat fur.

- 4) Lift the sample at least 20 cm away from the table using a method to minimize inadvertent discharge.
- 5) Discharge the sample as quickly as possible by slowly moving the spherical electrode of the measuring equipment towards the test sample until a discharge occurs. Particular attention shall be made to:
 - a) Discharge the large surface areas and small conductive items.
 - b) Discharges occurring at gaps less than 2 mm for IIA, 1 mm for IIB and 0,5 mm for IIC are less incandive than expected by their transferred charge due to quenching effects at the electrodes.
- 6) Quickly remove the sample from the vicinity of the electrode.
- 7) Read the value from the display or integrate the recorded current (horizontal setting typically 40 ns/div) and multiply it with the known calibration factor.
- 8) Repeat the test nine times.
- 9) Repeat steps 3-8 with a material from the negative end of the triboelectric series.

NOTE 2 Suitable negative materials for tribocharging include polyurethane and polyethylene table cloth.

- 10) Repeat steps 3-8 with a second material from the positive end of the triboelectric series
- 11) Repeat steps 3-8 with a third material. Alternatively, repeat steps 3-8, but replace step 3) with hitting the sample five times with the smooth part of a leather glove.
- 12) Check whether the test sample contains insulating parts backed with a conductor or is dissipative or conductive. If yes continue with 15, if no go to step 13.

NOTE 3 This is necessary to ensure that propagating brush discharges, which damage the measuring equipment, cannot occur.

- 13) Charge the sample by positioning the corona electrode slightly above the test sample and charge it with small circular motion. Circular motion is not necessary in case of a multi-needle electrode. Remove the electrode after approximately 5 s far away from the sample while the high voltage is still applied in order to avoid back spraying of charges from the charged sample to the electrode.
- 14) Continue with steps 4 to 8 until ten complete tests have been completed.
- 15) End of test

27 Routine tests

The manufacturer shall also carry out any routine tests required by any of the standards listed in Clause 1 which were used for the examination and testing of the equipment.

28 Manufacturer's responsibility

28.1 Conformity with the documentation

The manufacturer shall carry out the verifications or tests necessary to ensure that the equipment produced complies with the documentation.

NOTE 1 It is not the intent of this subclause to require 100 % inspection of parts. Statistical methods are often employed to verify compliance.

NOTE 2 For further information see ISO/IEC 80079-34.

28.2 Certificate

The manufacturer shall prepare, or have prepared, a certificate confirming that the equipment is in conformity with the requirements of this document along with other applicable parts and additional standards mentioned in Clause 1. The certificate can relate to Ex Equipment or an Ex Component.

An Ex Component certificate (Identified by the symbol “U” suffix to the certificate number) is prepared for parts of equipment that are incomplete and require further evaluation prior to incorporation in Ex Equipment. Information necessary to correctly apply the Ex Component shall be included in the Schedule of Limitations on the Certificate.

An Ex Component certificate shall state that it is not an Ex Equipment certificate.

28.3 Responsibility for marking

By marking the equipment in accordance with Clause 29, the manufacturer attests on his own responsibility that:

- the equipment has been constructed in accordance with the applicable requirements of the relevant standards in safety matters,
- the routine verifications and routine tests in 28.1 have been successfully completed and that the product complies with the documentation.

29 Marking

29.1 Applicability

It is essential that the system of marking indicated below only be applied to Ex Equipment or Ex Components which comply with the applicable standards for the types of protection listed in Clause 1.

29.2 Location

The Ex Equipment shall be legibly marked on a main part of the Ex Equipment and the marking shall be visible, from the exterior, prior to the installation of the Ex Equipment.

NOTE 1 The marking is intended to be in a location that is likely to be visible after installation of the Ex Equipment.

NOTE 2 Where the marking is located on a removable part of the Ex Equipment, a duplicated marking on the interior of the Ex Equipment can be useful during installation and maintenance by helping to avoid confusion with similar Ex Equipment. See 29.11 and 29.12 for additional guidance on extremely small equipment and Ex Components.

29.3 General

The marking shall include the following:

- a) the name of the manufacturer or his registered trade mark;
- b) the manufacturer's type identification;
- c) a serial number; except for
 - connection accessories (cable gland, blanking element, thread adaptor, or bushings);
 - very small equipment on which there is limited space;(The batch number can be considered to be an alternative to the serial number.)

- d) the name or mark of the certificate issuer and the certificate reference in the following form: the last two figures of the year of the certificate followed by a “.” followed by a unique four character reference for the certificate in that year;

NOTE 1 For some regional third-party certification, the separating character “.” is often replaced by another separating designator such as “ATEX”.

- e) if it is necessary to indicate specific conditions of use, the symbol “X” shall be placed after the certificate reference. An advisory marking may appear on the equipment as an alternative to the requirement for the “X” marking. A reference to a specific instruction document containing the detailed information may appear on the equipment as an alternative to the requirement for the “X” marking;

NOTE 2 It is the intent that the requirements of the Specific Conditions of Use are passed to the user together with any other relevant information.

- f) the specific Ex marking for explosive gas atmospheres, see 29.4, or for explosive dust atmospheres, see 29.5. The Ex marking for explosive gas atmospheres and explosive dust atmospheres shall be separate and not combined;
- g) any additional marking prescribed in the specific standards for the types of protection concerned, as in Clause 1.

NOTE 3 Additional marking may be required by the applicable industrial safety standards for construction of the equipment.

NOTE 4 IECEx ExTAG DS 2012/005 provides background information on testing to confirm IP markings other than the minimum ratings required by the standards corresponding with the applied type(s) of protection, noting that an IP marking is not required as part of the explosion protection marking, but is often marked separate from the Ex marking string.

29.4 Ex marking for explosive gas atmospheres

The Ex marking shall include the following:

- a) the symbol Ex, which indicates that the Ex Equipment corresponds to one or more of the types of protection which are the subject of the specific standards listed in Clause 1;
- b) the symbol for each Level of Protection used:
- “da”: flameproof enclosures, (for EPL Ga or Ma)
 - “db”: flameproof enclosures, (for EPL Gb or Mb)
 - “dc”: flameproof enclosures, (for EPL Gc)
 - “eb”: increased safety, (for EPL Gb or Mb)
 - “ec”: increased safety, (for EPL Gc)
 - “ia”: intrinsic safety, (for EPL Ga or Ma)
 - “ib”: intrinsic safety, (for EPL Gb or Mb)
 - “ic”: intrinsic safety, (for EPL Gc)
 - “ma”: encapsulation, (for EPL Ga or Ma)
 - “mb”: encapsulation, (for EPL Gb or Mb)
 - “mc”: encapsulation, (for EPL Gc)
 - “nA”: non-sparking, (for EPL Gc)
 - “nC”: protected sparking, (for EPL Gc)
 - “nR”: restricted breathing, (for EPL Gc)
 - “ob”: liquid immersion, (for EPL Gb)
 - “oc”: liquid immersion, (for EPL Gc)
 - “op is”: optical radiation, inherently safe (for EPL Ga or Gb or Gc or Ma or Mb)
 - “op pr”: optical radiation, protected fibre (for EPL Gb or Gc or Mb)
 - “op sh”: optical radiation, interlock (for EPL Ga or Gb or Gc or Ma or Mb)

- “pv”: pressurization, (for EPL Gb or Gc)
- “pxb”: pressurization, (for EPL Gb or Mb)
- “pyb”: pressurization, (for EPL Gb)
- “pzc”: pressurization, (for EPL Gc)
- “q”: powder filling, (for EPL Gb or Mb)
- “sa”: special protection (for EPL Ga or Ma)
- “sb”: special protection (for EPL Gb or Mb)
- “sc”: special protection (for EPL Gc)

c) the symbol of the group:

- I for Ex Equipment for mines susceptible to firedamp;
- IIA, IIB or IIC for Ex Equipment for places with an explosive gas atmosphere other than mines susceptible to firedamp.

When the Ex Equipment is for use only in a particular gas, the chemical formula or the name of the gas in parentheses.

When the Ex Equipment is for use in a particular gas in addition to being suitable for use in a specific equipment group, the chemical formula shall follow the equipment group and be separated with the symbol “+”, for example, “IIB + H₂”;

d) for Group II Ex Equipment, the symbol indicating the temperature class. Where the manufacturer wishes to specify a maximum surface temperature between two temperature classes, he may do so by marking that maximum surface temperature in degrees Celsius alone, or by marking both that maximum surface temperature in degrees Celsius and, in parentheses, the next highest temperature class, for example, T1 or 350 °C or 350 °C (T1).

Group II Ex Equipment, having a maximum surface temperature greater than 450 °C, shall be marked only with the maximum surface temperature in degrees Celsius, for example, 600 °C.

Where the Group II Ex Equipment has multiple temperature classes, e.g. for multiple ambient temperature ranges, and it is impractical to include the complete information in the marking, or where there are external sources of heating / cooling (See 5.1.2);

- the complete temperature class information shall be included in the certificate and the marking shall include the symbol “X” to indicate this specific condition of use according to item e) of 29.3, and
- the temperature class range shall be shown in the marking with the lower and upper limits of the temperature class separated by “...”, e.g. “T6...T3”.

Group II Ex Equipment, marked for use in a particular gas, need not have a temperature class or maximum surface temperature marking.

Ex Equipment cable glands, Ex Equipment blanking elements, and Ex Equipment thread adapters need not be marked with a temperature class or maximum surface temperature in degrees Celsius.

e) the Equipment Protection Level (EPL), “Ga”, “Gb”, “Gc”, “Ma”, or “Mb” as appropriate.

NOTE 1 The EPL marked on the Ex Equipment may be more restrictive than that normally applied for a specific Type of Protection to account for other aspects of the equipment such as material limitations. For example Ex ia IIC T4 Gb, where the Ex Equipment was constructed of aluminium in a greater content than permitted by 8.3.

f) Where appropriate according to 5.1.1, the marking shall include either the symbol T_a or T_{amb} together with the range of ambient temperature or the symbol “X” to indicate this specific condition of use according to item e) of 29.3. If the Ex Equipment is also marked for use in explosive dust atmospheres and the ambient temperature range rating is identical, only one marking of ambient temperature range need appear.

The Ex marking string of items a) to e) according to 29.4 shall be placed in the order in which they are given in 29.4 and shall each be separated by a small space.

For associated apparatus suitable for installation in a hazardous area, and where the energy limitation is provided inside the Ex Equipment in the hazardous area, the symbols for the Level of Protection and EPL shall be enclosed within square brackets, for example, Ex db [ia Ga] IIC T4 Gb. When the equipment group of the associated apparatus differs from that of the equipment, the equipment group of the associated apparatus shall be enclosed within the square brackets, for example, Ex db [ia IIC Ga] IIB T4 Gb.

NOTE 2 A typical example is a shunt diode safety barrier located inside a flameproof enclosure.

For associated apparatus suitable for installation in a hazardous area, and where the energy limitation is provided from outside the Ex Equipment in a hazardous area, the symbols for the Type of Protection shall not be enclosed within square brackets, for example, Ex db ia IIC T4 Gb.

NOTE 3 A typical example is a flameproof luminaire with an intrinsically safe photocell connected to a safe area.

For associated apparatus not suitable for installation in a hazardous area, the symbol Ex and the symbol for the Level of Protection and EPL shall be enclosed within the same square brackets, for example, [Ex ia Ga] IIC.

For Ex Equipment that includes both associated apparatus and intrinsically safe apparatus with no connections required to be made to the intrinsically safe part of the Ex Equipment by the user, the “associated apparatus” marking shall not appear unless the Equipment protection Levels differ. For example, Ex db ib IIC T4 Gb and not Ex db ib [ib Gb] IIC T4 Gb, but Ex db ia [ia Ga] IIC T4 Gb is correct for differing EPLs.

NOTE 4 For associated apparatus not suitable for installation in a hazardous area, a temperature class is not included.

For Ex associated equipment suitable for installation in a hazardous area, the symbols for the Level of Protection of the Ex associated equipment and the EPL shall be enclosed within square brackets, for example, Ex db [pxb Gb] IIC T4 Gb. If both associated apparatus and associated equipment are provided, the symbols for the Levels of Protection and EPL are shown within separate square brackets, for example, Ex db [ib Gb] [pxb Gb] IIC T4 Gb.

For Ex associated equipment not suitable for installation in a hazardous area, the symbol Ex and the symbol for the Level of Protection of the Ex associated equipment and the EPL shall be enclosed within the same square brackets, for example, [Ex pxb Gb]. If both associated apparatus and Ex associated equipment are provided, the symbols for the Levels of Protection and EPL are shown within separate square brackets, for example, [Ex ib Gb] [Ex pxb Gb] IIC.

Where the equipment group is different for the Ex associated equipment and the Ex Equipment, the Equipment Group shall also be shown for example, Ex db [ib IIC Gb] [pxb Gb] IIB T4 Gb.

NOTE 5 Ex associated equipment, not for installation within the hazardous area, will not include a temperature class.

29.5 Ex marking for explosive dust atmospheres

The Ex marking shall include the following:

- a) the symbol Ex, which indicates that the Ex Equipment corresponds to one or more of the types of protection which are the subject of the specific standards listed in Clause 1;
- b) the symbol for each Level of Protection used:
 - “ia”: intrinsic safety, (for EPL Da)
 - “ib”: intrinsic safety, (for EPL Db)
 - “ic”: intrinsic safety, (for EPL Dc)

- “ma”: encapsulation, (for EPL Da)
- “mb”: encapsulation, (for EPL Db)
- “mc”: encapsulation, (for EPL Dc)
- “op is”: optical radiation, inherently safe (for EPL Da or Db or Dc)
- “op pr”: optical radiation, protected fibre (for EPL Db or Dc)
- “op sh”: optical radiation, interlock (for EPL Da or Db or Dc)
- “pxb”: pressurization, (for EPL Db)
- “pyb”: pressurization, (for EPL Db)
- “pzc”: pressurization, (for EPL Dc)
- “sa”: special protection (for EPL Da)
- “sb”: special protection (for EPL Db)
- “sc”: special protection (for EPL Dc)
- “ta”: protection by enclosure, (for EPL Da)
- “tb”: protection by enclosure, (for EPL Db)
- “tc”: protection by enclosure, (for EPL Dc)

c) the symbol of the group:

- IIIA, IIIB or IIIC for Ex Equipment for places with an explosive dust atmosphere;

d) the maximum surface temperature marking, according to the assigned EPL;

- For EPL Da the maximum surface temperature shall be shown as a temperature value in degrees Celsius and the unit of measurement °C, with the layer depth 200 mm indicated as a subscript (for example, $T_{200} 320\text{ °C}$). As the determination of the maximum surface temperature for Da without a layer is not permitted, the maximum surface temperature without a layer of dust cannot be marked.

NOTE 1 Dust depth of more than 200 mm does not give rise to a further temperature increase that would need to be taken into account.

- For EPL Db and EPL Dc, tested without a layer of dust, the maximum surface temperature shall be shown in degrees Celsius and the unit of measurement °C preceded with the letter “T”, (e.g. $T 90\text{ °C}$).
- For EPL Db, where appropriate according to 5.3.2.3.2 b), the maximum surface temperature $T_{\text{max layer of dust}}$ shall also be shown, in addition to the marking without a layer of dust, as a temperature value in degrees Celsius and the unit of measurement °C, with the specified layer depth in mm, indicated as a subscript, (e.g. $T_{150} 320\text{ °C}$).
- For EPL Db, where appropriate according to 5.3.2.3.2 c), the maximum surface temperature T_L shall also be shown, in addition to the marking without a layer of dust, as a temperature value in degrees Celsius and the unit of measurement °C, with the layer in a specified orientation L indicated as a subscript, (e.g. $T_L 320\text{ °C}$).

Where the Group III Ex Equipment has multiple maximum surface temperatures, e.g. for multiple ambient temperature ranges, and it is impractical to include the complete information in the marking, or where there are external sources of heating / cooling (See 5.1.2):

- the complete maximum surface temperature information shall be included in the certificate and the marking shall include the symbol “X” to indicate this specific condition of use according to item e) of 29.3, and
- the maximum surface temperature range shall be shown in the marking with the lower and upper limits of the surface temperature separated by “...”, for example, “ $T 80\text{ °C} \dots T 195\text{ °C}$ ”.

Ex Equipment cable glands, Ex Equipment blanking elements, and Ex Equipment thread adapters need not be marked with a maximum surface temperature;

e) the Equipment Protection Level (EPL), “Da”, “Db”, or “Dc”, as appropriate;

NOTE 2 The EPL marked on the Ex Equipment may be more restrictive than that normally applied for a specific Type of Protection to account for other aspects of the equipment such as material limitations. For example Ex ia IIC T135°C Dc, where the Ex Equipment was constructed of materials in a greater content than permitted by 8.4.

- f) where appropriate according to 5.1.1, the marking shall include either the symbol T_a or T_{amb} together with the range of ambient temperature or the symbol "X" to indicate this specific condition of use according to item e) of 29.3. If the Ex Equipment is also marked for use in explosive gas atmospheres and the ambient temperature range rating is identical, only one marking of ambient temperature range need appear.

The Ex marking string of items a) to e) according to 29.5 shall be placed in the order in which they are given in 29.5 and shall each be separated by a small space.

For associated apparatus suitable for installation in a hazardous area, and where the energy limitation is provided inside the Ex Equipment in the hazardous area, the symbols for the Level of Protection shall be enclosed within square brackets, for example, Ex tb [ia Da] IIC T100 °C Db. When the equipment group of the associated apparatus differs from that of the Ex Equipment, the equipment group of the associated apparatus shall be enclosed within the square brackets, for example, Ex tb [ia IIC Da] IIB T100 °C Db.

NOTE 3 A typical example is a shunt diode safety barrier located inside a dust-protected enclosure.

For associated apparatus suitable for installation in a hazardous area, and where the energy limitation is provided from outside the Ex Equipment in a hazardous area, the symbols for the Type of Protection shall not be enclosed within square brackets, for example, Ex ia tb IIC T100 °C Db.

NOTE 4 A typical example is a dust-protected luminaire with an intrinsically safe photocell connected to a safe area.

For associated apparatus not suitable for installation in a hazardous area, the symbol Ex, the symbol for the Level of Protection, and the EPL shall be enclosed within the same square brackets, for example, [Ex ia Da] IIC.

For equipment that includes both associated apparatus and intrinsically safe apparatus with no connections required to be made to the intrinsically safe part of the equipment by the user, the associated apparatus marking shall not appear unless the EPLs differ. For example, Ex ib tb IIC T100 °C Db and not Ex ib tb [ib Db] IIC T100 °C Db, but Ex ia tb [ia Da] IIC T100 °C Db is correct for differing EPLs.

NOTE 5 For associated apparatus not suitable for installation in a hazardous area, a temperature marking is not included.

For Ex associated equipment suitable for installation in a hazardous area, the symbols for the Level of Protection of the Ex associated equipment and the EPL shall be enclosed within square brackets, for example, Ex tb [pxb Db] IIC T135°C Db. If both associated apparatus and Ex associated equipment are provided, the symbols for the Levels of Protection and EPL are shown within separate square brackets, for example, Ex tb [ib Db] [pxb Db] IIC T135°C Db.

For Ex associated equipment not suitable for installation in a hazardous area, the symbol Ex, the symbol for the Level of Protection of the Ex associated equipment, and the EPL shall be enclosed within the same square brackets, for example, [Ex pxb Db]. If both associated apparatus and Ex associated equipment are provided, the symbols for the Levels of Protection and EPL are shown within separate square brackets, for example, [Ex ib Db] [Ex pxb Db] IIC.

Where the equipment group is different for the Ex associated equipment and the Ex Equipment, the Equipment Group shall also be shown for example, Ex tb [ib IIC Db] [pxb Db] IIB T135°C Db

NOTE 6 Ex associated equipment, not for installation within the hazardous area, will not include a temperature class.

29.6 Combined types (or levels) of protection

Where different types (or levels) of protection are employed for different parts of Ex Equipment or an Ex Component, the Ex marking shall include the symbols for all of the Types (or Levels) of Protection employed. The symbols for the types of protection shall appear in alphabetical order, with small separating spaces. When associated apparatus is incorporated, the symbols for the type (or level) of protection, including the square brackets as applicable, shall follow those symbols of the type (or level) of protection for the equipment.

29.7 Multiple types of protection

Ex Equipment may be designed using multiple types of protection so that it is suitable for installation in different ways, using the appropriate installation requirements for the selected Type of Protection. For example, Ex Equipment which is designed to comply simultaneously with the equipment requirements for “i” and also with the equipment requirements for “d” or “e”; may be installed, according to the selection of the installer/user.

In this case:

- each respective Ex marking shall be separately indicated on the Ex Equipment marking and except in the case of Ex Equipment cable glands, Ex Equipment blanking elements, and Ex Equipment thread adapters, shall be prefixed by a place for an identification marking to allow the selected Ex marking to be identified at the time of installation,
- each respective Ex marking shall be separately indicated on the certificate.

When a single certificate is prepared with each Ex marking shown individually in the certificate, the applicable marking and any variation in the parameters or specification for each of the different Ex markings shall be shown without ambiguity.

When a separate certificate is prepared for each Ex marking, all the relevant parameters or specifications shall be provided in the certificate for the individual Ex marking.

29.8 Ga equipment using two independent Gb types (or levels) of protection

Where two independent types of protection, with EPL Gb, are employed for the same piece of equipment in order to achieve EPL Ga, the Ex marking shall include the symbols for the two types (or levels) of protection employed with the symbols for the types (or levels) of protection joined with a “+”. See IEC 60079-26.

29.9 Boundary wall

For equipment which is intended to be installed in the boundary wall between an area requiring EPL Ga or Da and a less hazardous area; both Levels of Protection and both EPLs are marked on the label, each separated by a slash “/”, for example:

Ex ia/db IIC T6 Ga/Gb, or (See IEC 60079-26)

Ex ia/tb IIIC T85°C Da/Db

29.10 Ex Components

Ex Components, according to Clause 13, shall be legibly marked and the marking shall include the following:

- a) the name or the registered trade mark of the manufacturer;
- b) the manufacturer's type identification;

- c) the symbol Ex;
- d) the symbol for each Type (or Level) of Protection used;
- e) the symbol of the group of the equipment of the Ex Component;
- f) the name or mark of the issuer of the certificate, and the number of the certificate;
- g) the symbol “U”;

NOTE 1 The symbol “X” is not used.

- h) the additional marking prescribed in the specific standard for the types of protection concerned, as in Clause 1;

NOTE 2 Additional marking may be required by the standards for construction of the equipment.

- i) as much of the remaining marking information per 29.4 or 29.5, as applicable, as can be accommodated.

The Ex marking for explosive gas atmospheres and explosive dust atmospheres shall be separate and not combined.

The Ex marking of enclosures as Ex Components shall not be marked externally. Only the information of bullet point a) and b) may be marked externally. The internal marking need not be permanent. The internal markings may be omitted if the enclosure (as Ex Component) manufacturer is also the holder of the equipment certificate, and indicated as such in the Schedule of Limitations of the Ex Component certificate.

29.11 Small Ex Equipment and small Ex Components

On small Ex Equipment and on Ex Components where there is limited space, a reduction in the marking is permitted. The following lists the minimum marking that is required on the Ex Equipment or Ex Component:

- a) the name or registered trademark of the manufacturer;
- b) the manufacturer’s type identification. The type identification is permitted to be abbreviated or omitted if the certificate reference allows identification of the specific type;
- c) the name or mark of the issuer of the certificate, and the number of the certificate;
- d) the symbol “X” (Ex Equipment only, when appropriate) or “U” (Ex Components only);

NOTE The symbols “X” and “U” are never used together.

- e) As much of the remaining marking information per 29.4 or 29.5, as applicable, as can be accommodated.

29.12 Extremely small Ex Equipment and extremely small Ex Components

In the case of extremely small Ex Equipment and extremely small Ex Components where there is no practical space for marking, a marking intended to be linked to the Ex Equipment or Ex Component is permitted. This marking shall be identical to the marking of 29.3, 29.4, and 29.5, as applicable, shall appear on a label provided with the Ex Equipment or Ex Component for affixing adjacent to the Ex Equipment or Ex Component.

29.13 Warning markings

Where any of the following warning markings are required on the equipment, the text as described in Table 18, following the word “WARNING,” may be replaced by technically equivalent text. Multiple warnings may be combined into one equivalent warning.

Table 18 – Text of warning markings

	Reference	WARNING marking
a)	6.3	WARNING – AFTER DE-ENERGIZING, DELAY Y MINUTES BEFORE OPENING (Y being the value in minutes of the delay required)
b)	6.3, 23.12	WARNING – DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
c)	18.2	WARNING – DO NOT OPERATE UNDER LOAD
d)	18.4 b), 21.2 b), 21.3 b)	WARNING – DO NOT OPEN WHEN ENERGIZED
e)	20.1 b)	WARNING – DO NOT SEPARATE WHEN ENERGIZED
f)	20.1 b)	WARNING – SEPARATE ONLY IN A NON-HAZARDOUS AREA
g)	7.4.2 e), 7.4.2 e), 7.4.3 d)	WARNING – POTENTIAL ELECTROSTATIC CHARGING HAZARD – SEE INSTRUCTIONS
h)	18.4 b), 21.2 b), 21.3.b)	WARNING – LIVE PARTS BEHIND COVER – DO NOT CONTACT

29.14 Cells and batteries

In accordance with 23.11, where it is necessary for the user to replace cells or batteries contained within an enclosure, the relevant parameters to allow correct replacement shall be legibly and durably marked on or inside the enclosure. Either the cell or battery manufacturer's name and part number, or the electrochemical system, nominal voltage and rated capacity shall be included.

When replaceable battery packs are employed, the replaceable battery pack shall be marked on the outside of the battery pack with the following:

- manufacturer's name;
- manufacturer's type identification; and
- the words "Use only on ..." followed by the type identification of the intended equipment.

When replaceable battery packs are employed, the Ex Equipment shall be marked with the words "Use only replaceable battery pack" followed by the manufacturer and the manufacturer's type identification of the replaceable battery pack.

29.15 Electric machines operated with a converter

Electric machines intended to be operated with a converter shall additionally be marked:

- "For Converter Operation";
- Speed range or frequency range over which the machine is intended to be operated;
- Minimum switching frequency for low-voltage 2-level converters;

NOTE 1 Switching frequency is considered to be the pulse frequency or the carrier frequency of the converter.

NOTE 2 Low voltage is typically $\leq 1\,000$ Vac.

- Type of torque application; for example, variable torque, constant torque, constant power; or alternatively the operational torque limits;
- If applicable – Type identification of specific converter intended;

- If applicable – Type of converter intended, e.g., Pulse width modulated (PWM), multi-level, etc.

29.16 Examples of marking²

Electrical equipment with Type of Protection flameproof enclosure “d” (EPL Mb) for use in mines susceptible to firedamp:

BEDELLE S.A

TYPE A B 5

Ex db I Mb

No. 325

ABC 02.1234

.....

.....

Ex Component, with Type of Protection flameproof enclosure “d” (EPL Gb) with intrinsically safe “ia” (EPL Ga) output circuit, for explosive gas atmospheres other than in mines susceptible to firedamp, gas of subdivision C, manufactured by H. RIDSTONE and Co. Ltd. Type KW 369:

Ex db [ia Ga] IIC Gb

DEF 02.0536 U

.....



.....

Equipment, utilizing types of protection increased safety “e” (EPL Gb) and pressurized enclosure “px” (EPL Gb), maximum surface temperature of 125 °C, for explosive gas atmospheres other than mines susceptible to firedamp, with gas of ignition temperature greater than 125 °C and with specific conditions of use indicated in the certificate.

H. ATHERINGTON Ltd

TYPE 250 JG 1

Ex eb pxb IIC 125 °C (T4) Gb

No. 56732

GHI 02.0076 X

.....

.....

Equipment, utilizing types of protection flameproof enclosure “d” (EPL Mb and Gb) and increased safety “e” (EPL Mb and Gb) for use in mines susceptible to firedamp and explosive gas atmospheres other than mines susceptible to firedamp with gas of subdivision B and ignition temperature greater than 200 °C.

² This information is given for the convenience of users of this document and does not constitute an endorsement by the IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

A.R. ACHUTZ A.G.

TYPE 5 CD

Ex db eb I Mb

Ex db eb IIB T3 Gb

No. 5634

JKL 02.0521

.....

.....

Electrical equipment, utilizing Type of Protection increased safety “e” (EPL Gb) for use in explosive gas atmospheres other than mines susceptible to firedamp with gas of subdivision C and ignition temperature greater than 85 °C.

GS & Co A.G.

Ex eb IIC T6 Gb

No. 1847

HYD 04.0947

.....

.....

Electrical equipment with Type of Protection flameproof enclosure “d” (EPL Gb) for explosive gas atmospheres other than mines susceptible to firedamp on the basis of ammonia gas only.

WOKAITERT SARL

TYPE NT 3

Ex db (NH₃) Gb

No. 6549

MNO 02.3102

.....

.....

Electrical equipment with Type of Protection encapsulation “m” (EPL Da) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 120 °C.

ABC company

Type RST

Serial No. 123456

Ex ma IIIC T₂₀₀ 120 °C Da

N.A. 01.9999

.....

.....

Electrical equipment with Type of Protection “i” (EPL Da) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 120 °C.

ABC company

Type XYZ

Serial No. 123456

Ex ia IIIC T₂₀₀ 120 °C Da

N.A. 01.9999

.....

.....

Equipment with Type of Protection "p" (EPL Db) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 120 °C.

ABC company

Type KLM

Serial No. 123456

Ex pxb IIIC T120 °C Db

N.A. 01.9999

.....

.....

Equipment with Type of Protection "t" (EPL Db) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 225 °C and less than 320 °C when tested with a 150 mm dust layer.

ABC company

Type RST

Serial No. 987654

Ex tb IIIC T225 °C T₁₅₀ 320 °C Db

N.A. 02.1111

.....

.....

Equipment with Type of Protection "t" (EPL Db) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 175 °C with an extended ambient temperature range of -40 °C to +120 °C.

ABC company

Type RST

Serial No. 987654

Ex tb IIIC T175 °C Db

-40 °C ≤ T_{amb} ≤ 120 °C

N.A. 02.1111

.....

.....

Equipment with Type of Protection encapsulation "m" (EPL Ga) for explosive gas atmospheres of Group IIC with a maximum surface temperature of less than 135 °C and with Type of Protection encapsulation "m" (EPL Da) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 120 °C. A single certificate has been prepared.

ABC company

Type RST

Serial No. 123456

Ex ma IIC T4 Ga

Ex ma IIIC T120 °C Da N.A. 01.9999

.....

.....

Electrical equipment with Type of Protection encapsulation “ma” (EPL Ga) for explosive gas atmospheres of Group IIC with a maximum surface temperature of less than 135 °C and with Type of Protection encapsulation “ma” (EPL Da) for explosive dust atmospheres containing conductive dusts of Group IIIC with a maximum surface temperature of less than 120 °C. Two independent Certificates have been prepared.

ABC company

Type RST

Serial No. 123456

Ex ma IIC T4 Ga

N.A. 01.1111

Ex ma IIIC T₂₀₀120 °C Da

N.B. 01.9999

.....

.....

30 Instructions

30.1 General

The instructions prepared by the manufacturer shall include the following particulars as a minimum:

- a recapitulation of the information with which the equipment is marked, except for the serial number (see Clause 29), together with any appropriate additional information to facilitate maintenance (for example, address of the importer, repairer, etc.);
 - instructions for safety addressing the following areas:
 - on-site assembling;
 - i) any specialized installation information for the user, such as a specific sequence of assembling;
 - ii) information about the mechanical assembling such as pipe connections;
 - installation and erection;
 - i) information, other than the general requirements given in IEC 60079-14;
 - ii) information about bonding, shield earthing or overvoltage protection;
 - iii) guidance for the selection of flameproof entry devices for termination compartments with reference pressure greater than 2 000 kPa for Group II or 1 333 kPa for Group I.
- NOTE Minimum requirements in IEC 60079-1 for flameproof entry devices assume a maximum reference pressure of 2 000 kPa for Group II and 1 333 kPa for Group I. Other devices are available with ratings greater than these minimum requirements.
- adjustment and parameter setting;
 - i) information about heating devices;
 - putting into service – of the equipment / of the whole installation;

- i) information about verifications / tests prior to the (first) use of the equipment as required by the Type of Protection(s) – together with the sequence of conducting such verifications / tests;
 - ii) detailed information about any special installation requirements for the Type of Protection(s) employed
- use and setting-up;
 - i) details which allow an informed decision to be made as to whether the equipment can be used safely in the intended area under the expected operating conditions;
 - ii) ratings such as electrical values, ambient temperatures and pressures, maximum surface temperatures and other limit values related to a designated use;
 - iii) information for the user, not just giving parameters, related to the need of special overload protecting devices for increased safety “e” motors or special requirements related to electrostatics;
- maintenance;
 - i) information, other than the general requirements given in IEC 60079-17;
 - ii) information such as cleaning, oil level check or recalibration requirements;
 - iii) requirements for the maintenance of the explosion protection;
 - iv) information about troubleshooting;
- repair;
 - i) information, other than the general requirements given in IEC 60079-19;
 - ii) information related to the fitting or removal of parts / components;
 - iii) information about spare parts;
 - iv) requirements for a documentation of such repairs;
 - v) information about needed verifications / tests for the restarting of the equipment;
- taking out of service and dismantling;
 - i) information about the securing of mechanical parts to prevent a restart or about electrical disconnecting;
- where applicable, Specific Conditions of Use according to 29.3 e);
 - this information should not be hidden in the text and should be placed within the instructions in a highlighted way, often as a special chapter;
 - For Ex Components, a Schedule of Limitations is used in place of Specific Conditions of Use, See 13.5;
- where applicable, any additional information for use, including information related to possible misuse, which experience has shown might occur;
- where necessary, training instructions for a safe use;
- where necessary, the essential characteristics of tools which may be used with the equipment; such as a special screwdriver for trimming
- a list of the standards, including the issue date, with which the equipment is declared to comply. The list of standards is not required if the certificate indicates the standards covered by the certificate and their issue dates, even if the certificate is not included as part of the instructions.

30.2 Cells and batteries

In accordance with 23.11, where it is necessary for the user to replace cells or batteries contained within an enclosure, the relevant parameters to allow correct replacement shall be included in the instructions, including either the manufacturer's name and part number, or the electrochemical system, nominal voltage and rated capacity. When replacement of the batteries or cells is intended to be done only when an explosive atmosphere is not present, the instructions shall specify the procedure for battery or cell replacement.

In accordance with 23.12, where it is necessary for the user to replace a battery pack, the instructions shall include the relevant parameters to allow correct replacement per 29.14. When replacement of the battery pack is intended to be done only when an explosive atmosphere is not present, the instructions shall specify the procedure for battery pack replacement.

30.3 Electric machines

In addition to the information required according to 30.1, the following additional information shall be prepared for electric machines, as applicable:

- speed/torque curves for machines intended to be supplied by a converter;
- For motors in Type of Protection “e” that have been type tested with a converter, the rated motor current, Weighted Voltage Total Harmonic Distortion (WTHD), or pulse frequency and DC-Link voltage of the converter used for the type testing to allow the selection of a comparable converter.

NOTE This information is often presented in a table.

Table 19 – Example of type-test converter parameters

Speed	Minimum speed	Base speed	Maximum speed
Current	I_1	I_2	I_3
Voltage	U_1	U_2	U_3
Weighted Voltage Total Harmonic Distortion	WTHD ₁	WTHD ₂	WTHD ₃
The weighted voltage total harmonic distortion can be replaced by pulse frequency and the DC-link voltage.			

- guidance for the selection and installation of any necessary overload protection or over-temperature protection of the motor, including guidance for recommended alarm and shutdown levels (including voting logic for multiple sensor inputs), if applicable, for winding and bearing temperature detection. This may be in addition to protection provided by a converter;
- bearing lubrication requirements for both commissioning and maintaining;
- the permitted axial and radial loading of the shaft;
- the thermal expansion of the shaft and the housing under the rated conditions;
- any necessary maintenance of the protection provided by the manufacturer against stray circulating currents in the bearings or shafts;

NOTE Annex H provides additional information on stray circulating currents and shaft voltages.

- any necessary protection of the bearings from vibration, including during transportation, storage, or standby service;
- guidance on maintenance and replacement intervals for bearings based on the operating conditions.

30.4 Ventilating fans

In addition to the information required according to 30.1, the following additional information shall be prepared for ventilating fans according to 17.2.5:

- Minimum and maximum air flow rates (with respect to surface temperature and temperature ratings);
- Back pressure if required (to operate the fan within the ratings);
- Any limitations with respect of the ingress of foreign particles (e.g. requirements for IP-protection, etc., for duct inlets according to 17.2.5.);

NOTE Fans intended for particularly adverse service conditions according to the notes of 6.1 e.g. fans for paint spray booths, require the manufacturer and user to agree on suitable additional measures (e.g. the use of filters for the inlet) to prevent deposits inside fan and ducts which can impair the explosion protection.

- d) Any special earthing measures to be employed to avoid the build up of electrostatic charges.

30.5 Cable glands

See A.5 for the requirements for the additional information to be prepared for cable glands.

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

Annex A (normative)

Supplementary requirements for cable glands

A.1 General

This annex specifies the additional requirements for the construction, testing and marking of cable glands and may be further supplemented or modified by the standards listed in Clause 1.

The requirements for cable glands also apply to cable transit devices.

The non-metallic parts of a cable gland are non-metallic parts of enclosures upon which the Type of Protection depends. See Clause 7.

NOTE 1 The minimum diameter of cable for which the cable gland is suitable is specified by the cable gland manufacturer. In accordance with IEC 60079-14, the user is expected to ensure that, taking tolerances into account, the minimum dimensions of the cable selected for use in the cable gland are equal to, or exceed, these specified values.

The requirements of Annex A apply also to cable transit devices which may be certified as either Ex Equipment or as an Ex Component. The cable transit device may only be certified as equipment provided that the device includes a flange gasket and the manufacturer's instructions state that the device shall be mounted in such a way that the joints between the flange and the enclosure fulfils the required degree of ingress protection after mounting. The particular gasket shall be included as part of the tests of A.3.4. The device certificate number shall include the suffix "X" to indicate this specific condition of use according to item e) of 29.3 and this specific condition of use regarding ingress protection (IP) after mounting, shall be stated on the certificate. Depending on the form of construction and the resilience of the gasket, the condition or instructions may need to refer to the flatness or rigidity of the enclosure to which the gland is attached.

Metallic hose assemblies in accordance with ISO 10807 can be used to protect cables against damage. They are permitted to be part of a cable gland where they do not invalidate:

- the clamping of the cable gland;
- the sealing of the cable gland; and
- the fixing of the cable gland.

In all cases, the cable gland shall comply with the requirements of this standard without the metallic hose assemblies.

A.2 Constructional requirements

A.2.1 Cable sealing


The ingress protection between the cable and the cable gland shall be ensured by one or more of the following means (see Figure A.1):

- an elastomeric sealing ring;
- a metallic or composite sealing ring;
- a filling compound;
- other suitable means.

The cable sealing may be made of a single material or a combination of materials and shall be appropriate to the shape of the cable concerned.

NOTE 1 In selecting the materials for sealing rings, attention is drawn to Note 2 of 6.1.

NOTE 2 The Type of Protection of the enclosure may also depend on the internal construction of the cable.



Components

- | | |
|-----------------------|------------------------------|
| 1 sealing ring | 4 cable |
| 2 gland body | 5 filling compound |
| 3 compression element | 6 gasket (where required) |
| | 7 compound retaining element |

Figure A.1 – Illustration of the terms used for cable glands

A.2.2 Filling compounds

Materials used as filling compounds shall comply with the requirements of 7.1.2.4 for materials used for cementing.

A.2.3 Clamping

A.2.3.1 General

Cable glands shall provide clamping of the cable in order to prevent pulling applied to it from being transmitted to the connections. Such clamping can be provided by the cable sealing means (see A.2.1) or by an integral clamping device. It shall be capable of meeting the relevant type tests in Clause A.3.

A.2.3.2 Group II or III cable glands

Cable glands for Group II or III Ex Equipment, without a clamping device shall also be accepted as complying with this annex if they are capable of passing the clamping tests with values reduced to 25 % of those required in Clause A.3. Such cable glands shall be marked with the symbol “X” according to item e) of 29.3, and the Specific Condition of Use shall specify that the user shall provide additional clamping of the cable to ensure that pulling is not transmitted to the terminations.

A.2.4 Lead-in of cable

A.2.4.1 Sharp edges

Cable glands shall not have sharp edges capable of damaging the cable.

A.2.4.2 Point of entry

In the case of flexible cables, the point of entry shall include a rounded edge at an angle of at least 75° , the radius R of which is at least equal to one-quarter of the diameter of the maximum admissible cable in the entry but which need not exceed 3 mm (see Figure A.2).




Figure A.2 – Rounded edge of the point of entry of the flexible cable

A.2.5 Release by a tool

Cable glands shall be designed so that after installation they are only capable of being released or dismantled by means of a tool.

A.2.6 Fixing

The means of fixing cable glands to enclosures of equipment shall be capable of retaining the cable gland when subjected to the mechanical tests of clamping and resistance to impact in Clause A.3.

A.2.7 Degree of protection

Cable glands, when installed in a test enclosure in accordance with the instructions required by A.5, shall be capable of providing the degree of protection (IP) in accordance with A.3.4.

A.3 Type tests

A.3.1 Tests of clamping of non-armoured and braided cables

A.3.1.1 Cable glands with clamping by the sealing ring

The tests of clamping shall be carried out using for each type and size of cable gland, two sealing rings; one equal to the smallest admissible size and the other equal to the largest admissible size.

For elastomer sealing rings for circular cables, each ring shall be mounted on a clean, dry, polished, cylindrical, stainless steel mandrel, with a maximum surface roughness of $1,6 \mu\text{m}$, R_a , less than or equal to the smallest cable diameter allowable in each of the two rings, as specified by the manufacturer of the cable gland.

For elastomer sealing rings with multiple holes for sealing on individual cables or cores, the tests of clamping shall be carried out on the samples described using stainless steel mandrels with a maximum surface roughness of $1,6 \mu\text{m}$, R_a , and with a diameter less than or equal to the smallest diameter allowable for the core diameter being tested. A sample for the maximum number of cores for the maximum core diameter permitted, and a sample for the maximum number of cores for the minimum core diameter permitted by the cable gland manufacturer.

NOTE Clarification of the test sample requirements for multiple hole sealing rings is under consideration.

For non-circular cables, the ring for each type/size/shape of cable shall be mounted on a sample of dry, clean cable of dimensions equal to the size specified by the manufacturer of the cable gland. Alternatively, a clean, dry, polished, stainless steel mandrel, with a maximum surface roughness of $1,6 \mu\text{m}$, R_a , with dimensions less than or equal to the smallest cable dimensions allowable is permitted. For metallic-sheathed cables, the ring for each size of cable shall be mounted on a sample of dry, clean cable constructed with the sheath material and with dimensions less than or equal to the size as specified by the manufacturer of the cable gland.

For metallic sealing rings, each ring shall be mounted on a clean, dry, polished, cylindrical, stainless steel mandrel, with a maximum surface roughness of $1,6 \mu\text{m}$, R_a , less than or equal to the smallest cable diameter allowable in the ring and specified by the manufacturer of the cable gland.

As an alternative to the mandrel, a sample of clean, dry cable of an equivalent size, and as specified by the manufacturer of the cable gland, may be used. It should be noted that this cable is now a non-metallic material on which the Type of Protection depends, and is subject to the requirements of 7.1.1.

The sealing ring with the mandrel or the cable, as appropriate, shall be fitted into the cable gland. A torque shall then be applied to the screws (in the case of a flanged compression element fitted with screws) or to the nut (in the case of a screwed compression element) to compress the sealing ring to secure the mandrel or cable.

The sealing ring shall secure the cable or mandrel when the force applied to the cable or mandrel, in Newtons, is equal to:

- 20 times the value in millimetres of the diameter of the mandrel or cable when the cable gland is designed for round cable, or
- 6 times the value in millimetres of the perimeter of the cable when the cable gland is designed for non-circular cable.

Where the direction of force is other than horizontal, the means of application of the force shall be adjusted to compensate for the weight of the mandrel and associated parts. The direction of the applied force shall be outward from the gland attachment.

NOTE Clarification of the securing tests for multiple hole sealing rings is under consideration. For cable glands intended for use with braided cables, this clamping test is intended to demonstrate the effectiveness of the cable gland in clamping the cable, not the strength of the braid. Where the test is performed with braided cable, the braid shall not be clamped.

The force shall be applied for not less than 1 h. The test shall be carried out at an ambient temperature of $(20 \pm 5) ^\circ\text{C}$. The clamping assured by the sealing ring shall be acceptable if the slippage of the mandrel or cable sample is not more than 2 mm. Either the complete cable gland and mandrel assembly tested above, or a new sample prepared using the same torque values, shall then be subjected to the thermal endurance tests (26.8 and 26.9), if applicable. The maximum service temperature shall be considered to be $75 ^\circ\text{C}$ unless otherwise specified by the manufacturer.

The torque figures referred to above may be determined experimentally prior to the tests or they may be supplied by the manufacturer of the cable gland.

NOTE 1 Cable glands tested against earlier editions of this standard were tested for 6 h with slippage of not greater than 6 mm, after thermal endurance. Those results are still considered suitable as the basis for the tests of A.3.1.4.

NOTE 2 The 75 °C service temperature is the median of the branching point and entry point temperatures.

NOTE 3 Cable glands employing only metallic sealing rings and metallic parts do not require thermal endurance tests.

The subsequent test conditions and acceptance criteria are given in A.3.1.4.

A.3.1.2 Cable glands with clamping by filling compound

The tests of clamping shall be carried out using samples prepared with stainless steel mandrels, one with a single mandrel with a diameter greater than or equal to the maximum diameter over cores, and the other with the maximum number of mandrels representing the maximum number of cores specified by the cable gland manufacturer.

NOTE 1 The diameter over cores represents the diameter of the core bundle.

The available space shall be filled with the filling compound, which has been prepared and hardened in accordance with the manufacturer of the cable gland's instructions prior to being submitted to the tests.

The complete cable gland and mandrel assembly shall then be subjected to the thermal endurance tests. The maximum service temperature shall be considered to be 75 °C unless otherwise specified by the manufacturer.

NOTE 2 The 75 °C service temperature is the median of the branching point and entry point temperatures.

The filling compound shall prevent slippage of the mandrel when the force applied, in Newtons, is equal to:

- 20 times the value in millimetres of the diameter of the intended cable when the cable gland is designed for circular cable, or
- 6 times the value in millimetres of the perimeter of the intended cable when the cable gland is designed for non-circular cable.

Where the direction of force is other than horizontal, the means of application of the force shall be adjusted to compensate for the weight of the mandrel and associated parts. The direction of the applied force shall be outward from the gland attachment.

For cable glands intended for use with braided cables, this clamping test is intended to demonstrate the effectiveness of the cable gland in clamping the cable, not the strength of the braid. Where the design of the cable gland is such that the braid is intended to be surrounded by compound, the contact of the compound with the braid shall be minimized for this test.

The test conditions and acceptance criteria are given in A.3.1.4.

A.3.1.3 Cable glands with clamping by means of a clamping device

The clamping test shall be carried out on each type and size of cable gland clamping device.

The clamping device shall be mounted on a stainless steel mandrel or on a sample of clean, dry cable of a size allowable in the device as specified by the manufacturer of the cable gland.

The clamping device with any required sealing ring and the largest size of cable allowable in that clamping device, as specified by the manufacturer of the cable gland, shall be fitted in the cable gland. The gland shall be assembled with compression of any required sealing ring and tightening of the clamping device. The test procedure shall be carried out in accordance with

A.3.1.1 and then repeated with the smallest size of mandrel or cable allowable in that clamping device, as specified by the manufacturer of the cable gland.

For cable glands intended for use with braided cables, this clamping test is intended to demonstrate the effectiveness of the cable gland in clamping the cable, not the strength of the braid. Where the test is performed with braided cable, the braid shall not be clamped.

A.3.1.4 Clamping test

The test sample, as prepared in A.3.1.1 to A.3.1.3, as appropriate, shall be subjected to a constant force equal to that given in A.3.1.1 or A.3.1.2, as appropriate. Prior to the application of the specified force, the gland may be re-tightened in accordance with the manufacturer's instructions. The load shall be applied for not less than 6 h. The test shall be carried out at an ambient temperature of $(20 \pm 5) ^\circ\text{C}$. The clamping assured by the sealing ring, filling compound or by the clamping device shall be acceptable if the slippage of the mandrel or cable sample is not more than 6 mm.

NOTE The torque applied to the screws or nut during retightening is not required to be the same as the initial torque applied in A.3.1.1.

A.3.1.5 Mechanical strength

After the clamping tests have been completed, the cable gland shall be submitted to the tests and examinations of a) to c) as appropriate.

- a) For cable glands with clamping by sealing ring or a clamping device, a mechanical strength test on which a torque of at least 1,5 times the torque required for A.3.1.4 shall be applied to the screws or nuts (whichever is the case). The cable gland shall then be dismantled and the components examined. The mechanical strength of the cable gland shall be acceptable if no deformation affecting the Type of Protection is found. Any deformation of the sealing rings shall be ignored.
- b) For cable glands manufactured from non-metallic materials, it is possible that the prescribed proof torque cannot be met due to temporary deformations of the thread. If no noticeable damage is found, the cable gland shall be deemed to have passed the test if the clamping test of A.3.1.4 can still be achieved without adjustment.
- c) For cable glands with clamping by filling compound, the gland shall be dismantled as far as possible without damaging the filling compound. Upon examination, there shall be no physical or visible damage to the filling compound that would affect the Type of Protection afforded.

A.3.2 Tests of clamping of armoured cables

A.3.2.1 Tests of clamping where the armourings are clamped by a device integral to the gland

A.3.2.1.1 General

The tests shall be carried out using a sample of armoured cable of the smallest size specified for each type and size of gland. Armouring dimensionally equivalent to the cable may be used for the test. The sample of armoured cable shall be fitted into the clamping device of the cable gland. A torque shall then be applied to the screws (in the case of a flanged clamping device) or to the nut (in the case of a screwed clamping device) in order to compress the clamping device and prevent slipping of the armour. The torque so determined shall be used as a reference torque.

The clamping device shall prevent slippage of the armour when the force applied to the armour, in Newtons, is equal to:

- 80 times the value in millimetres of the diameter of the cable over the armour for Group I equipment, or

- 20 times the value in millimetres of the diameter of the cable over the armour for Group II or III equipment.

NOTE 1 The torque values referred to above are often determined experimentally prior to the clamping tests, or they may be supplied by the manufacturer of the cable gland.

Where the direction of force is other than horizontal, the means of application of the force shall be adjusted to compensate for the weight of the mandrel and associated parts. The direction of the applied force shall be outward from the gland attachment.

The complete cable gland and armoured cable shall then be subjected to the thermal endurance tests. The maximum service temperature shall be considered to be 75 °C unless otherwise specified by the manufacturer.

NOTE 2 The 75 °C service temperature is the median of the branching point and entry point temperatures.

NOTE 3 Cable glands employing only metallic sealing rings and metallic parts do not require thermal endurance tests.

A.3.2.1.2 Clamping test

The test sample shall be subjected to a constant force equal to that defined in A.3.2.1 shall be applied for (120 ± 10) s. The test shall be carried out at an ambient temperature of (20 ± 5) °C. The clamping assured by the clamping device shall be acceptable if the slipping of the armour is effectively negligible.

A.3.2.1.3 Mechanical strength

Where screws and nuts are fitted they shall be tightened to at least 1,5 times the reference torque values established in A.3.2.1.2 and then the cable gland dismantled. The mechanical strength shall be acceptable if no deformation affecting the Type of Protection is found.

A.3.2.2 Tests of clamping where the armourings are not clamped by a device integral to the gland


The cable gland shall be treated as if it were a non-armoured type according to A.3.1.

A.3.3 Type test for resistance to impact

For the tests of 26.4.2, each type and size of cable gland shall be tested with the smallest mandrel or smallest cable size fitted.

For testing purposes, the cable gland shall be fixed on a rigidly mounted steel plate or secured as specified by the manufacturer of the cable gland. The torque applied in fixing a threaded cable gland shall be that used to assemble the samples for the clamping test in A.3.1.4 or A.3.2.1.2, as applicable.

See Figure A.3 for an example of a rig for resistance to impact test.



Components

- | | |
|--|----------------------------------|
| 1 guide tube | 6 cable gland |
| 2 release pin | 7 test cable |
| 3 steel mass of 1 kg | 8 mounting angle |
| 4 impact head of hardened steel, 25 mm in diameter | 9 steel base (mass ≥ 20 kg) |
| 5 guide tube | h height of fall |

Figure A.3 – Example of rig for resistance to impact test

A.3.4 Test for degree of protection (IP) of cable glands

Prior to the IP tests, the test samples shall be subjected to the thermal endurance tests (26.8 and 26.9) and resistance to impact (A.3.3) tests (if applicable). The test shall then be carried out in accordance with IEC 60529 as below, using one cable-sealing ring of each of the different permitted sizes for each type of cable gland.

Group I – IP54 minimum

Group II – IP54 minimum

Group III, EPL Da – IP6X minimum

Group III, EPL Db – IP6X minimum

Group IIIC, EPL Dc – IP6X minimum

Group IIIA or IIIB, EPL Dc – IP5X minimum

For sealing tests, each sealing ring shall be mounted on a sample of clean, dry cable; or a clean, dry, polished, stainless steel mandrel, with a maximum surface roughness of $1,6 \mu\text{m } Ra$, of a diameter equal to the smallest diameter allowable in the ring as specified by the manufacturer of the cable gland. For the purposes of this test, the cable gland with cable or mandrel shall be tested after being fixed to a suitable test enclosure ensuring that the sealing method at the interface between the gland and enclosure is in accordance with A.5.

These test samples need not be the same test samples subjected to the tensile tests A.3.1.4 and mechanical strength tests A.3.1.5.

A.4 Marking

A.4.1 Marking of cable glands

Cable glands shall be marked in accordance with 29.3 and, unless specified otherwise by the manufacturer of the cable gland, shall include the marking for Level of Protection “eb” in addition to the marking for any other relevant Type of Protection; and, if a threaded entry, with the type and size of thread.

NOTE 1 Cable glands in Level of Protection “eb” are suitable for:

- all applications requiring EPL Gb or Gc, except for Type of Protection “d”;
- all applications requiring Level of Protection “ia”.

See IEC 60079-14.

NOTE 2 The additional requirements for cable glands of Type of Protection “d” are found in IEC 60079-1.

NOTE 3 The additional requirements for cable glands of Type of Protection “t” are found in IEC 60079-31.

NOTE 4 The minimum IP requirements vary by equipment Group. See A.3.4

Where marking space is limited, the reduced marking requirements of 29.11 or 29.12 may be applied.

A.4.2 Identification of cable-sealing rings

The cable-sealing rings for cable glands that allow a variety of ring sizes shall be identified such that the minimum and maximum diameters, in millimetres, of the permitted cables can be determined.

When the cable-sealing ring is bound with a metal washer, the identification may be made on the washer.

The cable-sealing rings shall be identified allowing the user to determine if the ring is appropriate for the cable gland.

Where the gland and the ring are intended to be used at temperatures outside the range $-20\text{ }^{\circ}\text{C}$ to $+75\text{ }^{\circ}\text{C}$, they shall be marked with the temperature range.

NOTE The specific details of identification for sealing rings and temperature ranges is detailed in the instructions.

A.5 Instructions

In addition to the requirements for instructions given in 30.1, the instructions prepared for cable glands shall include at least the following:

- a) minimum and maximum diameter of the cable of circular cables;
- b) minimum and maximum dimensions of non-circular and metal-sheathed cables;
- c) tightening process of the compression element, including the tightening torque;

- d) for compound-filled glands, details on the installation of the filling compound;
- e) for compound-filled glands, the maximum diameter over cores of the cable that the gland is intended to accept; and the maximum numbers of cores that can pass through the compound;
- f) for entries into enclosures:
 - threaded entries:
 - thread size and tolerance class;
 - enclosure material limitations;
 - enclosure interface sealing method;
 - maximum surface roughness of the enclosure face for sealing;
 - thickness range of the enclosure wall;
 - perpendicularity;
 - permitted use and location of any earth tags;
 - clearance holes:
 - hole dimensions, including tolerance;
 - enclosure material limitations;
 - thickness range of the enclosure wall;
 - enclosure interface sealing method;
 - maximum surface roughness of the enclosure face for sealing;
 - perpendicularity;
 - cable gland securing details;
 - permitted use and location of any earth tags.

NOTE For an enclosure with a wall including draft, a spot-face of the outer surface is a common way to allow the cable gland and sealing ring to be installed perpendicular to the enclosure wall.

Annex B (normative)

Requirements for Ex Components

Ex Components shall comply with the requirements of the relevant clauses listed in Table B.1.

Table B.1 – Applicability of clauses to Ex Components

Clause or sub-clause	Applies (yes or no)	Remarks
1 to 4 (inclusive)	Yes	
5	No	Except that the service temperature limits shall be specified
6.1	Yes	
6.2	No	
6.3	No	
6.4	No	
6.5	Yes	
6.6	Yes	
7.1	Yes	See ^a
7.2	Yes	See ^a
7.3	Yes	See ^a
7.4	Yes	If external, See ^a
7.5	Yes	If external, See ^a
8	Yes	
9.1	Yes	
9.2	Yes	But only if it is an equipment enclosure
9.3	Yes	But only if it is an equipment enclosure
9.4	Yes	But only if it is an equipment enclosure
10	Yes	
11	Yes	
12	No	
13	Yes	
14	Yes	
15.1.1	Yes	But only if it is an equipment enclosure
15.1.2	Yes	But only if it is an equipment enclosure
15.2	Yes	
15.3	Yes	
15.4	Yes	But only if it is an equipment enclosure
15.5	Yes	But only for an earthing or bonding connection
15.6	Yes	
15.7	Yes	But only if it is an equipment enclosure
16	Yes	But only if it is an equipment enclosure
17.1	Yes	
17.2	No	Except for machine enclosures
17.3	Yes	
18	Yes	
19	No	

Clause or sub-clause	Applies (yes or no)	Remarks
20	Yes	
21	Yes	
22.1	Yes	
22.2	No	
23	Yes	
24	Yes	
25	Yes	
26.1	Yes	
26.2	No	
26.3	Yes	
26.4	Yes	But only if it is an equipment enclosure
26.5	Yes	
26.5.1	Yes	Where necessary to define a service temperature
26.5.2	Yes	
26.5.3	Yes	Where the “small component” relaxation has been employed
26.6	Yes	
26.7	Yes	Where the maximum temperature is specified
26.8	Yes	
26.9	Yes	
26.10	Yes	But only if it is an equipment enclosure
26.11	Yes	But only if it is a Group I equipment enclosure
26.12	Yes	But only if it is an equipment enclosure
26.13	Yes	But only if it is an equipment enclosure
26.14	Yes	But only if it is an equipment enclosure
26.15	No	
26.16	Yes	But only if it is an equipment enclosure
26.17	Yes	But only if it is an equipment enclosure
27	Yes	
28	Yes	
29.1	Yes	
29.2	Yes	Marking is required on the Ex Component
29.3	No	
29.4	Yes	See ^b
29.5	Yes	See ^b
29.6	Yes	
29.7	No	
29.8	Yes	
29.9	Yes	
29.10	Yes	
29.11	Yes	
29.12	Yes	
29.13	No	
29.14	Yes	
29.15	No	
29.16	No	


Clause or sub-clause	Applies (yes or no)	Remarks
30	No	Information necessary to correctly apply the Ex Component shall be included in the Schedule of Limitations on the Certificate. Additional information may be prepared as instructions for the incorporation of the Ex Component in the final assembly of Ex Equipment.
^a It is necessary to consider the circumstances in which these requirements apply to components placed in other enclosures.		
^b The temperature classification is not applied to Ex Components.		

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

Annex C (informative)

Example of rig for resistance to impact test

See Figure C.1 for an example of a rig for resistance to impact test.



Components

- | | |
|--|----------------------------------|
| 1 release pin | 5 test piece |
| 2 steel mass of 1 kg | 6 steel base (mass ≥ 20 kg) |
| 3 impact head of hardened steel, 25 mm in diameter | h height of fall |
| 4 guide tube | |

Figure C.1 – Example of rig for resistance to impact test

Annex D **(informative)**

Electric machines connected to converters

When motors are connected to a converter to enable operation at varying speeds and loads, it is necessary to establish the thermal performance with a converter (and output filter, if used) throughout the specified speed and torque range. This needs to be done through a combination of type testing and calculation. The specific methods to be used are described in the specific standards for the Type of Protection.

NOTE 1 Because of possible difficulties in arranging a test with the exact electric machine/converter combination, tests using a comparable converter are often conducted, subject to comparison of the characteristics.

NOTE 2 Additional factors are typically taken into account, in discussion between manufacturer, user and installer. These include the provision by the user of additional output filters, or reactors, and the length of cable between converter and the electric machine, which both affect input voltage and can cause additional heating.

For some types of protection, it will be necessary to use sensors along with a safety device to limit temperatures. The requirements for the safety device need to be specified in the documentation in accordance with Clause 24 and in the instructions in accordance with Clause 30. Its effectiveness needs to be proven by test or by calculation.

NOTE 3 High-frequency switching in converters can lead to rapid rise time voltage stress in the windings and cable circuits and therefore a further potential source of ignition. The deleterious effects of this stress will vary according to the Type of Protection. In some circumstances, an additional output filter after the converter can help to reduce the rapid rise time voltage stress in the windings and cable circuit.

The documentation in accordance with Clause 24 and the instructions in accordance with Clause 30 need to include the necessary parameters and conditions required for use with a converter.

Stray currents may be introduced into shafts and bearings in electric machines connected to converters. One or more of the following solutions should be employed:

- use of suitable filters between the electric machine and the converter;
- use of shaft earthing or bonding brushes with a Type of Protection suitable for the intended EPL;
- use of bearing and shaft coupling insulation techniques;
- bonding and earthing cabling and potential equalizing systems;
- symmetrically configured low-voltage cables, with respect to the cable's phase and earthing conductors, for supply conductors between the converter and the electric machine;
- suitable converter topology matched with the electric machine design to minimize common mode voltages.

Alternative methods may be employed which can demonstrate the elimination of common mode voltages.

NOTE 4 Further information is given in IEC TS 60034-25 and IEEE/PCIC-2002-08.

NOTE 5 These stray currents can also be introduced into other parts of the mechanical system.

NOTE 6 The electro-magnetic radiation from cables of electric machines connected to a converter may be sufficient to cause interference with proper operation of Group I pilot wire circuits.

Annex E (informative)

Temperature evaluation of electric machines

Although this Annex is written in the context of motors, a similar approach may be applied for generators using the concepts of this Annex.

NOTE 1 IEC 60079-14 requires that all motors be installed with an overload protective device to provide protection against overloads and other expected malfunctions. There are some Levels of Protection, such as “eb” that typically require an additional Ex safety device to limit the maximum surface temperatures to within the marked temperature class. In some cases, the overload protective device and the Ex safety device are combined into a single unit. The temperature rise testing of electric machines described in this standard is not conducted with an overload protective device connected.

NOTE 2 National regulations, such as ATEX Directive 2014/34/EU, require that consideration be given to the performance of safety devices required for or contributing to the safe functioning of equipment with respect to risk of explosions.

Typical expected malfunctions for electric motors, as indicated in IEC 60034-11, include the following. The requirements for individual Types of Protection may not include all of the following expected malfunctions.

- Thermal overload with slow variation as a result of:
 - defects in ventilation or the ventilation system due to excessive dust in the ventilation ducts, or dirt on windings or frame cooling ribs; etc.
 - excessive rise in ambient temperature or the temperature of the cooling medium;
 - gradual increasing mechanical overload;
 - excessive duty on a motor rated for intermittent duty;
 - prolonged voltage drop, overvoltage, or unbalance in the machine supply;
 - frequency deviations.
- Thermal overload with rapid variation as a result of:
 - stalling the motor;
 - phase failure;
 - starting under abnormal conditions, for example, high inertia, voltage too low, load torque abnormally high;
 - sudden and significant increase in load;
 - starting repeatedly during a short time.

The maximum tolerance on the rated voltage (positive or negative) will result in the maximum surface temperature occurring on either the stator or the rotor. Typically, it depends on the following conditions:

- Small asynchronous motors rated at less than approximately 5 kW, generally exhibit the maximum surface temperature when operating with an applied voltage that is greater than the rated voltage, due to the core loss and magnetizing current, which increases rapidly as the iron core saturates at the higher applied voltage.
- Asynchronous motors rated generally between 5 kW and 20 kW are influenced by many factors that determine the performance and it is not possible to predict the overriding effect without detailed knowledge of the particular design.
- Larger asynchronous motors rated at more than approximately 20 kW, generally exhibit the maximum surface temperature when operating with an applied voltage that is less than the rated voltage, due to the increased I²R losses resulting from the increased currents. In this case, these losses are generally greater than those that would occur from core losses and magnetizing current resulting from an applied voltage that is greater than the rated voltage.

NOTE 3 The rated powers shown are general reference values, depending on the relative core magnetizing.

The alternative temperature determination methods detailed in IEC 60034-29 may be applied. The “ $\pm 5\%$ ” or “ $\pm 10\%$ ” supply factors of 26.5.1 should be included in the determination of maximum surface temperature when the methods of IEC 60034-29 are applied.

The maximum surface temperature rise of converter connected motors should be determined under “worst case” conditions using one of the test methods below:

- Specific converter.
 - A motor should be tested with the intended converter.

The normal $\pm 10\%$ variation of the input voltage need not be applied provided the output voltage of the converter, and the harmonic content of the output voltage waveform is effectively independent of a $\pm 10\%$ variation of the input voltage while maintaining the rated motor input current (speed dependent) and the volts/Hz ratio.

NOTE 4 When an increase in converter input voltage leads to a change in the harmonic spectrum of the output (even if the nominal sinusoidal equivalent of the output voltage remains constant), this leads to increased losses due to harmonic effects and additional saturation losses in the motor iron.
- Comparable converter.
 - A motor may be tested using a comparable converter when sufficient information is available to judge the comparability. Additional safety factors are typically applied as appropriate to account for the degree of comparability.
 - The normal $\pm 10\%$ variation of the input voltage need not be applied provided the output voltage of the converter, and the harmonic content of the output voltage waveform is effectively independent of a $\pm 10\%$ variation of the input voltage while maintaining the rated motor input current (speed dependent) and the volts/Hz ratio.

NOTE 5 output (even if the nominal sinusoidal equivalent of the output voltage remains constant), this leads to increased losses due to harmonic effects and additional saturation losses in the motor iron.
- Sinusoidal supply.
 - A motor need not be tested using a comparable converter, and may be tested using a sinusoidal supply under all of the following conditions:

The intended load torque should be generally proportional to the square of the speed.

The motor should be loaded to maximum load at maximum rated speed.

The motor speed range is within 40 % to 100 % of maximum rated speed.

An additional safety factor should be applied to account for the additional losses that occur when operated from a converter. The safety factor applied is 15 % on temperature rise in K unless calculations can demonstrate an alternative safety factor.
- Motors of Type of Protection “d”, “p3”, or “t” tested on sinusoidal supply
 - Provision of appropriate direct thermal protection sensors, normally in the stator winding, which have sufficient margin to be able to detect and prevent excessive temperatures at the rotor bearings, bearing caps, and shaft extensions. The margin may be determined by test or by calculation. The mandatory connection and use of the sensors, along with a safety device, is shown as a Specific Condition of Use.

When agreeable to the manufacturer, the user, and the certification body (if one is involved), calculations or alternative tests, with appropriate safety factors, may be used to determine the maximum surface temperature. Calculations should be based on previously established representative test data and in accordance to IEC TS 60034-25.

For the determination of the maximum surface temperature, the “worst case” condition of the converter connected motor needs to be determined, and might include the following:

³ Level of protection “pxb” might require a mandatory “cool down” time to allow hot internal components to cool to the marked temperature class.

- Torque/speed characteristics (Variable (square law) / linear / constant torque vs. speed):
 - Motors for Variable torque loads require maximum surface temperature determination at maximum power at maximum rated speed.
 - Motors for linear loads and constant torque loads require maximum surface temperature determination at least at the minimum and maximum speed.
 - Motors for complex loads require maximum surface temperature determination at least at the break points in the speed/torque curve.
- Constant power:
 - Require determination maximum surface temperature at minimum and maximum speed.
- Voltage drop (cable length, filters, converter):
 - The voltage drop of all components have to be taken into account during project planning and commissioning. Therefore, information about the voltage drop of converter, filter, voltage drop along the cable, system configuration and input voltage for converter will need to be known. The manufacturer's instructions in accordance with Clause 30 should provide the relevant information necessary to calculate / set up the range of operation.
- Output characteristics of the converter (dV/dt, switching frequency):
 - Lower switching frequencies tend to increase motor temperatures. Specific conditions of use may be required to specify the minimum switching frequency.
 - Multi-level (three or higher) converters generally result in reduced motor heating.
- Coolant:
 - Maximum surface temperature determined with minimum rated flow / maximum rated coolant temperature.
 - Specific conditions of use may be required to specify coolant requirements.


NOTE 6 The rotor can run significantly hotter than the stator. The significance of the problem varies with the Type of Protection. The determination of rotor temperature is particularly important for motors protected using levels of protection "ec", "eb", or some "pxb³" but are also significant for levels of protection "db", "pyb", "pzc", "tb", and "tc" when the hot rotor results in those high temperatures being transferred to the bearings, external shaft, and seals.

NOTE 7 Switching, pulse and carrier frequencies are considered to have the same meaning.

Annex F (informative)

Guidance flowchart for tests of non-metallic enclosures or non-metallic parts of enclosures (26.4)

Figure F.1 provides a general overview of the tests of enclosures required for the most common implementations of equipment. Specific attention needs to be paid to the detailed text of the applicable requirements when developing the test program for specific equipment.




IEC

The order of the tests at $T_{\min}$ and $T_{\max}$ may be interchanged.

Figure F.1 – Non-metallic enclosures or non-metallic parts of enclosures

Annex G (informative)

Guidance flowchart for tests of cable glands



Legend:

ØCmin – sealing ring equal to the smallest admissible size or smallest diameter for mandrel
ØCmax – sealing ring equal to the largest admissible size or largest diameter for mandrel

Tmax – maximal test temperature [26.7.2], [26.8]
Tmin – minimal test temperature [26.7.2], [26.9]

Annex H (informative)

Shaft voltages resulting in motor bearing or shaft brush sparking Discharge energy calculation

H.1 General

A potential ignition source for larger machines and converter-fed motors of any size, can be bearing or shaft sparking due to common mode voltage (CMV) or circulating shaft currents. Voltage induced on or coupled to a machine shaft may result in a current with a magnitude limited by the impedance of the lubricating film in the bearing. The shaft voltage is typically considered as a voltage on a charged capacitor, with the capacitance provided by the rotor, stator and the bearings. When the shaft potential across the lubricating film reaches its dielectric breakdown voltage, a discharge occurs. The discharge can cause pitting in the bearing. Failure of the bearing can cause heating of the bearing.

A shaft bonding device that connects the machine shaft to the same potential as the frame of the machine close to the bearing, may be installed on the inside or outside of the machine to help extend the life of the bearings by essentially short-circuiting the capacitor, thus minimizing arcing at the bearing and prolonging bearing life.

Shaft bonding devices or bearings installed inside of a Type of Protection “d” or “p” machine or enclosure, do not present a source of ignition for a surrounding explosive atmosphere. Shaft bonding devices or bearings installed inside or outside of a Type of Protection “e” machine, or outside of a Type of Protection “d” or “p” machine, may present a risk of ignition which should then be mitigated. This Annex provides guidance on the suitability of shaft bonding devices not employing Type of Protection “d” or “p”.

H.2 Assessment of the risk of ignition using ignition energy calculation

The peak values of ignition energy can be measured, or they can be calculated when certain parameters are known. The resulting discharge energy can then be compared to the minimum ignition energy (MIE) of a specific flammable material or for an equipment Group as shown in Table H.1.

The capacitive discharge energy in the spark can be calculated using the following equation:

$$E = \frac{1}{2} CU^2 \quad (\text{H.1})$$

Where:

E is maximum discharge energy (Joules);

C is total capacitance of the rotor and bearings across which voltage U appears (Farads);
and

U is highest possible shaft peak voltage, including any transient effects (Volts).

The capacitance is based on the distributed area of the surfaces from the rotating assembly to grounded parts of the machine. These surfaces are typically between the rotor and stator and between the bearing surfaces at each end of the shaft. Each of those capacitance values is summed to form the overall capacitance value used to calculate the maximum discharge energy, E .

NOTE 1 For machines operated from a converter, U is conservatively estimated to be 10 % of the CMV of the converter. The shaft voltage can also be derived from the common-mode coupling effect between the winding/rotor capacitance to the rotor/frame capacitance..

Each contributing capacitor value can be determined using a suitable formula based on the geometry of the capacitor. For example, for a capacitor formed by concentric cylinders, either of the formulae below may be applied.

$$C = \frac{2\pi\epsilon l}{\ln \frac{b}{a}} \quad (\text{H.2})$$

Where:

C is capacitance (farads);

ϵ_0 is permittivity of air (farads per metre);

ϵ is permittivity of the material other than air between the surfaces (farads per metre);

l is length of the cylinder (meters);

a^* is OD (metres); and

b^* is ID (metres).

* Inner Diameter (ID) and Outer Diameter (OD) dimensions of the parts of the motor for which C is being calculated such as the stator, rotor, shaft, end shield, bearing, etc. A radius is permitted if used for both parts in place of diameters.

NOTE 2 For air the permittivity is $8,85 \times 10^{-12}$. For oil or grease the permittivity is in the range of 18×10^{-12} to 25×10^{-12} .

The risk of ignition is effectively mitigated when the determined maximum discharge energy, E , is lower than the MIE of a specific flammable material or for the equipment Group as shown in Table H.1. For practical assessment of capacitance in individual cases, the curves shown in Figure H.4 should be used.

Table H.1 – Maximum permitted energy

Group I	Group IIA	Group IIB	Group IIC	Group III
0,2 mJ	0,2 mJ	0,06 mJ	0,02 mJ	0,2 mJ

H.3 Shaft voltage determination for a rotating machine

It is well documented that the output voltage of an inverter has a measurable common mode (CMV) component. CMV induces a shaft voltage on the inverter-fed machine. While the CMV tends to average out to zero over a specific period of time, the peak excursions which occur are of interest.

An oscilloscope and a probe for the electrical connection to the spinning motor shaft by means of a small conductive brush mounted are needed. The reference contact of the probe is connected to ground at the machine frame. The shaft voltages and current spikes caused by the pulsewidth-modulated output of motor drives can be exceedingly brief, often in the microsecond measurement range. The scope settings will need to take this into account.

H.4 Capacitance “C” calculation for a rotating machine

The capacitance, C is based on the distributed area of the surfaces from the rotating assembly to grounded parts of the motor. Insulation separating these metal parts is either air, such as in the rotor to stator gap, or lubricants such as oil or grease in the shaft bearings. Each contributing capacitor value can be determined using a suitable formula based upon the geometry of the portion of the rotating machine which is contributing the capacitance.

For a rotating machine, capacitance contributed between the following parts is possible:

- 1) inner bearing housing and the shaft;
- 2) outer bearing housing and the shaft;
- 3) shaft and the bearings for a machine having plane bearings;
- 4) bearing inner and out race in contact with each ball for ball bearings;
- 5) rotor and stator;
- 6) stator and frame.

The detailed geometry of the rotating machine would need to be obtained from the manufacturer in order to use appropriate dimensions for the equations.

Each contributing capacitive value can be determined with the formula for a cylindrical part as shown in Equation (H.2). A depiction of a sleeve bearing is shown in Figure H.1. A rotor to stator gap is shown in Figure H.2.

A representation of a ball bearing is shown in Figure H.3. For ball bearings, the total capacitance is the sum of the capacitance calculated for each individual section of the ball bearing as shown in Equation (H.2).

$$C_b = \frac{N_b 4\epsilon_r \epsilon_0}{\frac{1}{R_b} - \frac{1}{R_b + R_c}} \quad (\text{H.3})$$

Where:

C_b = bearing capacitor in Farads


R_b = radius of bearing ball in metres

R_c = radial bearing clearance in metres

N_b = number balls

ϵ_0 = Permittivity of vacuum in farads/metres

ϵ_r = relative permittivity of the lubricant



**Figure H.1 – Capacitance stored in bearing clearance of sleeve bearing
Between journal and outer bearing housing**





Figure H.2 – Air-gap between stator and rotor

**Key**

- 1 Air gap
- 2 Bearing
- 3 Bearing caps

Figure H.3 – Typical surfaces that form capacitors from the motor shaft to ground

H.5 Energy “E” calculation for a rotating machine

Each of the capacitance values determined for the elements of the rotating machine is summed to form the overall capacitance value used to calculate the maximum discharge energy, E using Equation (H.1).

The calculated MIE needs to be lower than specified in Table H.1 above for the respective applicable gas in order to allow and validate shaft-grounding device in hazardous location.


H.6 Assessment using reference curves

Figure H.4 can be used in the assessment. Generally, the following procedure shall be applied:

- determine the worst-case situation to obtain the voltage and capacitance for the rotating machine under consideration;
- check that the parameters of the resultant circuit are acceptable according to the reference curves in Figure H.4.

Any point to the left of the curve where the worst-case voltage and capacitance intersect will not be ignition capable for the material group indicated.

The circuit derived for assessment purposes may be tested using the spark-test apparatus if testing is preferred to assessment.



Key

- 1 capacitance C (μF)
- 2 minimum ignition voltage U (v)

Figure H.4 – Capacitive ignition curves

Bibliography

IEC TS 60034-25, *Rotating electrical machines – Part 25: AC electrical machines used in power drive systems – Application guide*

IEC 60034-29, *Rotating electrical machines – Part 29: Equivalent loading and superposition techniques – Indirect testing to determine temperature rise*

IEC 60050-426, *International Electrotechnical Vocabulary – Part 426: Equipment for explosive atmospheres*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosure "p"*

IEC 60079-5, *Explosive atmospheres – Part 5: Equipment protection by powder filling "q"*

IEC 60079-6, *Explosive atmospheres – Part 6: Equipment protection by liquid immersion "o"*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Explosive dust atmospheres*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-13, *Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v"*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-17, *Explosive atmospheres – Part 17: Electrical installations inspection and maintenance*

IEC 60079-18, *Explosive atmospheres – Part 18: Equipment protection by encapsulation "m"*

IEC 60079-19, *Explosive atmospheres – Part 19: Equipment repair, overhaul and reclamation*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

IEC 60079-28, *Explosive atmospheres – Part 28: Protection of equipment and transmission systems using optical radiation*

IEC 60079-29-1, *Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases*

IEC 60079-29-4, *Explosive atmospheres – Part 29-4: Gas detectors – Performance requirements of open path detectors for flammable gases*

IEC/IEEE 60079-30-1, *Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements*

IEC 60079-31, *Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"*

IEC TS 60079-32-1, *Explosive atmospheres – Part 32-1: Electrostatic hazards, guidance*

IEC TS 60079-39, *Explosive atmospheres – Part 39: Intrinsically safe systems with electronically controlled spark duration limitation*

IEC 60095-1, *Lead-acid starter batteries – Part 1: General requirements and methods of test*

IEC 60254 (all parts), *Lead-acid traction batteries*

IEC 60622, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Sealed nickel-cadmium prismatic rechargeable single cells*

IEC 60623, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Vented nickel-cadmium prismatic rechargeable single cells*

IEC 60896-11, *Stationary lead-acid batteries – Part 11: Vented types – General requirements and methods of tests*

IEC 60896-21, *Stationary lead-acid batteries – Part 21: Valve regulated types – Methods of test*

IEC 60952 (all parts), *Aircraft batteries*

IEC 61056-1, *General purpose lead-acid batteries (valve-regulated types) – Part 1: General requirements, functional characteristics – Methods of test*

IEC 61427 (all parts), *Secondary cells and batteries for photovoltaic energy systems (PVES) – General requirements and methods of test*

IEC 61951-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary sealed cells and batteries for portable applications – Part 1: Nickel-Cadmium*

IEC 61951-2, *Secondary cells and batteries containing alkaline or other non acid electrolytes – Secondary sealed cells and batteries for portable applications – Part 2: Nickel-metal hydride*

IEC 61960 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary lithium cells and batteries for portable applications*

ISO/IEC 80079-20-2, *Explosive atmospheres – Part 20-2: Material characteristics – Combustible dusts test methods*

ISO/IEC 80079-34, *Explosive atmospheres – Part 34: Application of quality systems for equipment manufacture*

ISO 80079-36, *Explosive Atmospheres – Part 36: Non-electrical equipment for explosive atmospheres – Basic method and requirements*

ISO/IEC 17000, *Conformity assessment – General vocabulary and general principles*

ISO 4225: 1994, *Air quality – General aspects – Vocabulary*

ITU-R BS.561-2, *Definitions of radiation in LF, MF and HF broadcasting bands*

CLC/TR50427, *Assessment of inadvertent ignition of flammable atmospheres by radio-frequency radiation – Guide*

IEEE/PCIC-2002-08, *Inverter driven induction motor bearing current solutions*, 49th Annual IEEE Petroleum and Chemical Industry Conference, 23-25 Sept. 2002, pp. 67-75, R.F. Schiferl, M. J. Melfi, J. S. Wang

Linden's Handbook of Batteries, Thomas Reddy, McGraw Hill Professional, ISBN-13 978-0071624213

IEEE Trans. on Ind. Appl. 49 (6), 2451-2460 2013, *Are lithium ion cells intrinsically safe?*, Dubaniewicz, T.H., DuCarme, J.P.

Journal of Loss Prev. in the Proc. Ind. 32, 165-173 2014, *Further study of the intrinsic safety of internally shorted lithium and lithium-ion cells within methane-air*, Dubaniewicz, T.H., DuCarme, J.P.

Journal of Loss Prev. in the Proc. Ind. 43, 575-584, 2016, Dubaniewicz, T.H., DuCarme, J.P. *Internal short circuit and accelerated rate calorimetry tests of lithium-ion cells: Considerations for methane-air intrinsic safety and explosion proof/flameproof protection methods*

Can a shaft brush be safely applied on a motor in a Class I hazardous location?, Melfi, M.J., Ladonne, F.G., Ankele, D.W., *IEEE Petroleum and Chemical Industry Technical Conference (PCIC)*, 2014

Application considerations for class-1 div-2 inverter-fed motors, Paes, R.H., Lockley, B., Driscoll, T., Melfi, M.J., Rowe, V., Rizzo, S.C., *IEEE Transactions on Industry Applications*, Volume: 42, Issue: 1, 2006

Effect of PWM Inverters on AC Motor Bearing Currents and Shaft Voltages, Erdman, J. M. et al, *IEEE Transactions on Industry Applications*, Vol.32, No.2, pp.250-259, March/April 1996

System Electrical Parameters and Their Effects on Bearing Currents, Doyle Busse, Jay Erdman, Dave Schlegel, Gary Skibinski

IEEE Transactions on industry applications, Vol. 33 No. 2 March/April/1997; *PWM Drive Related Bearing Failures*, Don MacDonald and Will Gray; IEEE Pulp and Paper Industrial Technical Conference, 1998

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 60079-0 Edition 7.0 2017-12

ATMOSPHERES EXPLOSIVES –

Partie 0: Matériel – Exigences générales

FEUILLE D'INTERPRÉTATION 1

Cette feuille d'interprétation a été établie par le comité d'études 31 de l'IEC: Equipements pour atmosphères explosives.

Le texte de cette feuille d'interprétation est issu des documents suivants:

DISH	Rapport de vote
31/1455/DISH	31/1464/RVDISH

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de cette feuille d'interprétation.

Feuille d'interprétation du Paragraphe 16.6 de l'IEC 60079-0:2017

Le CAG du CE 31 a demandé (Résolution 2 du 19-04-2018) au GT22 de préparer une feuille d'interprétation fondée sur la Feuille de Décision DS2018/002 de l'IECEX, traitant de l'attribution de températures au point d'entrée et au point de branchement des machines électriques tournantes.

Détails de l'interprétation:

IEC 60079-0:2017 (Ed. 7), Atmosphères explosives – Partie 0: Matériel – Exigences générales

Interprétation du paragraphe 16.6: Température au point de branchement et au point d'entrée:

Question: Le Paragraphe 16.6 de l'IEC 60079-0:2017 (Ed 7) indique "Lorsque la température dans les conditions assignées est supérieure à 70 °C au point d'entrée, ou à 80 °C au point de branchement des conducteurs, les informations doivent être marquées à l'extérieur de

l'appareil afin de servir de recommandations pour le choix adéquat par l'utilisateur, du câble, de l'entrée de câble ou des conducteurs dans des conduits."

Il n'est pas courant que les machines électriques tournantes soient soumises à essai avec les dispositifs d'entrée de câble(s) et les câbles pouvant être utilisés dans une installation réelle, mais avec les câbles disponibles au niveau de l'emplacement d'essai du fabricant. Dans de nombreux cas, il n'y aura aucun dispositif d'entrée formel, dans la mesure où les câbles pénétreront au niveau de l'espace réservé pour la fixation d'une plaque passe-câble.

De quelle façon les températures au point d'entrée et au point de branchement correspondantes doivent-elles être déterminées?

Interprétation: *L'utilisation de la température maximale de l'air ambiant inter-espacements pour représenter la température de service maximale des garnitures et joints d'étanchéité de la boîte de connexion, la température au point de branchement du câble, et la température au point d'entrée, représente la pratique courante de réalisation des essais des machines électriques tournantes, sans connaissance préalable des entrées de câble(s) et des câbles réels à utiliser pour l'installation. La production de chaleur émise par les connexions de la machine électrique tournante est généralement insignifiante par rapport à la production de chaleur émise par les enroulements et les conducteurs de la machine.*

Renseignements complémentaires:

- 1) Il convient que le point d'entrée du câble où la température est mesurée soit étanche dans la mesure du possible afin de garantir une circulation d'air minimale, ce qui peut réduire la température mesurée.
- 2) Ceci n'est pas destiné à s'appliquer à toutes les garnitures entre la boîte de connexion et le châssis de la machine électrique tournante, où des températures plus élevées peuvent être enregistrées, mais uniquement à la garniture entre la boîte de connexion et son capot.

Bien que ce document soit rédigé dans le cadre des machines électriques tournantes, il peut exister d'autres types d'appareils pour lesquels une approche équivalente est applicable.

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 60079-0
Edition 7.0 2017-12

ATMOSPHÈRES EXPLOSIVES –

Partie 0: Matériel – Exigences générales

FEUILLE D'INTERPRÉTATION 2

Cette feuille d'interprétation a été établie par le comité d'études 31 de l'IEC: Equipements pour atmosphères explosives.

Le texte de cette feuille d'interprétation est issu des documents suivants:

DISH	Rapport de vote
31/1469/DISH	31/1486/RVDISH

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de cette feuille d'interprétation.

Question:

Comment doit se présenter le marquage pour les matériels couverts à la fois par des normes électriques et des normes non électriques (séries IEC 60079 et ISO 80079) ?

Réponse:

Les matériels qui comportent à la fois une partie électrique et une partie non électrique doivent posséder un marquage combiné. Par exemple:

Ex db h IIA T4 Gb

Ex h tb IIIC T135 °C Db

Le marquage sera plus clair pour l'utilisateur si le risque combiné de la partie électrique et de la partie non électrique, couvert par un seul et même certificat, a été évalué pour le matériel complet, et indique un EPL, un groupe d'appareils et une classe de températures pour les gaz et la même chose pour les poussières (mais mentionne une température maximale de surface à la place d'une classe de températures). Il est également noté que les composants Ex ne portent pas de marquage de classe de températures (Groupe II) ni de température maximale de surface (Groupe III).

Pour les matériels ayant fait l'objet de certificats distincts, l'un pour les parties électriques et l'autre pour les parties non électriques, il convient d'utiliser des fils de marquage distincts pour les parties électriques et les parties non électriques, associé chacun à leur numéro de certificat respectif.

NOTE Des recommandations concernant le marquage des ensembles de composants sont données dans l'IEC TS 60079-46.

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

SOMMAIRE

AVANT-PROPOS	141
1 Domaine d'application	149
2 Références normatives	150
3 Termes et définitions	152
4 Groupement d'appareils	171
4.1 Généralités	171
4.2 Groupe I	171
4.3 Groupe II	172
4.4 Groupe III	172
4.5 Appareil pour une atmosphère explosive gazeuse particulière	172
5 Températures	173
5.1 Influences environnementales	173
5.1.1 Température ambiante	173
5.1.2 Source externe de chaleur ou de refroidissement	173
5.2 Température de service	173
5.3 Températures maximales de surface	174
5.3.1 Détermination de la température maximale de surface	174
5.3.2 Limitation de la température maximale de surface	174
5.3.3 Température des petits composants des appareils du Groupe I et du Groupe II	175
5.3.4 Température de composants des surfaces lisses pour les appareils de Groupe I ou de Groupe II	176
6 Exigences pour tous les appareils	177
6.1 Généralités	177
6.2 Résistance mécanique de l'appareil	177
6.3 Temps d'ouverture	177
6.4 Courants de circulation dans les enveloppes (par exemple, de machines électriques de grandes dimensions)	178
6.5 Maintien des garnitures	178
6.6 Appareil émettant une énergie rayonnée électromagnétique ou ultrasonique	179
6.6.1 Généralités	179
6.6.2 Sources de radiofréquences	179
6.6.3 Sources d'ultrasons	180
6.6.4 Lasers, luminaires et autres sources optiques à ondes continues non divergentes	180
7 Enveloppes non métalliques ou parties non métalliques d'enveloppes	180
7.1 Généralités	180
7.1.1 Applicabilité	180
7.1.2 Spécification des matériaux	181
7.2 Endurance thermique	182
7.2.1 Essais pour l'endurance thermique	182
7.2.2 Sélection de l'appareil	182
7.2.3 Qualification alternative pour les joints toriques d'étanchéité en élastomère	182
7.3 Résistance à la lumière ultraviolette	183
7.4 Charges électrostatiques des matériaux externes non métalliques	183
7.4.1 Applicabilité	183

7.4.2	Évitement du développement d'une charge électrostatique pour le Groupe I ou le Groupe II	183
7.4.3	Évitement du développement d'une charge électrostatique pour le Groupe III	186
7.5	Parties conductrices externes fixées	187
8	Enveloppes métalliques et parties métalliques d'enveloppes	188
8.1	Composition de l'appareil	188
8.2	Groupe I	188
8.3	Groupe II	188
8.4	Groupe III	189
8.5	Alliages de cuivre	189
9	Fermetures	189
9.1	Généralités	189
9.2	Fermetures spéciales	190
9.3	Trous pour fermetures spéciales	190
9.3.1	Engagement du filetage	190
9.3.2	Tolérance et distance d'isolement dans l'air	190
9.4	Vis sans tête à six pans creux	191
10	Dispositifs de verrouillage	192
11	Traversées	192
12	(Réservé pour utilisation ultérieure)	192
13	Composants Ex	192
13.1	Généralités	192
13.2	Montage	192
13.3	Montage à l'intérieur de l'appareil	192
13.4	Montage à l'extérieur de l'appareil	192
13.5	Certificat pour les composants Ex	193
14	Éléments de raccordement	193
14.1	Généralités	193
14.2	Mode de protection	193
14.3	Lignes de fuite et distances d'isolement dans l'air	193
15	Éléments de raccordement des conducteurs de mise à la terre ou de liaison équipotentielle	193
15.1	Appareil exigeant une mise à la terre ou une liaison équipotentielle	193
15.1.1	Mise à la terre interne	193
15.1.2	Liaison équipotentielle externe	193
15.2	Appareil n'exigeant pas une mise à la terre	194
15.3	Dimension d'un élément de raccordement de conducteur de mise à la terre de protection	194
15.4	Dimension d'un élément de raccordement de conducteur de liaison équipotentielle	194
15.5	Protection contre la corrosion	194
15.6	Sécurisation des connexions électriques	195
15.7	Plaque interne de mise à la terre	195
16	Entrées dans les enveloppes	195
16.1	Généralités	195
16.2	Identification des entrées	195
16.3	Entrées de câbles	195
16.4	Dispositifs d'obturation	196

16.5	Adaptateurs filetés	196
16.6	Température au point de branchement et au point d'entrée	196
16.7	Charges électrostatiques des gaines de câbles	197
17	Exigences complémentaires pour machines électriques	197
17.1	Généralités	197
17.2	Ventilation	198
17.2.1	Orifices de ventilation	198
17.2.2	Matériaux pour les ventilateurs externes	198
17.2.3	Ventilateurs de refroidissement de machines électriques tournantes	198
17.2.4	Ventilateurs auxiliaires pour le refroidissement des moteurs	199
17.2.5	Ventilateurs d'aération de locaux	199
17.3	Paliers	200
18	Exigences complémentaires pour appareillage de connexion	200
18.1	Diélectrique inflammable	200
18.2	Sectionneurs	200
18.3	Groupe I – Dispositions de verrouillage	201
18.4	Portes et couvercles	201
19	Réservé pour utilisation ultérieure	202
20	Exigences complémentaires pour les prises de courant externes et les connecteurs pour raccordement à l'installation	202
20.1	Généralités	202
20.2	Atmosphères explosives gazeuses	202
20.3	Atmosphères explosives de poussière	202
20.4	Fiches sous tension	202
21	Exigences complémentaires pour les luminaires	203
21.1	Généralités	203
21.2	Couvercles des luminaires d'EPL Mb, EPL Gb ou EPL Db	203
21.3	Couvercles pour luminaires de EPL Gc ou EPL Dc	203
21.4	Lampes à vapeur de sodium	204
22	Exigences complémentaires pour lampes-chapeaux et lampes à main	204
22.1	Lampes-chapeaux du Groupe I	204
22.2	Lampes-chapeaux et lampes à main du Groupe II et du Groupe III	204
23	Appareil incorporant des éléments et des batteries	204
23.1	Généralités	204
23.2	Interconnexion d'éléments pour constituer des batteries	204
23.3	Types d'éléments	205
23.4	Éléments dans une batterie	207
23.5	Caractéristiques assignées des batteries	207
23.6	Interchangeabilité	207
23.7	Charge des piles	207
23.8	Fuite	207
23.9	Connexions	207
23.10	Orientation	208
23.11	Remplacement d'éléments ou de batteries	208
23.12	Ensemble de batteries remplaçable	208
24	Documentation	208
25	Conformité du prototype ou de l'échantillon aux documents	208
26	Essais de type	208

26.1	Généralités	208
26.2	Configuration d'essai	209
26.3	Essais en présence de mélanges d'essai explosifs	209
26.4	Essais des enveloppes	209
26.4.1	Ordre des essais	209
26.4.2	Résistance au choc mécanique.....	211
26.4.3	Essai de chute.....	213
26.4.4	Critères d'acceptation.....	213
26.4.5	Degré de protection (IP) par les enveloppes	213
26.5	Essais thermiques.....	214
26.5.1	Mesurage de la température	214
26.5.2	Essai de choc thermique.....	216
26.5.3	Essai d'inflammation de petits composants (Groupe I et Groupe II).....	217
26.6	Essai de torsion des traversées	218
26.6.1	Procédure d'essai.....	218
26.6.2	Critères d'acceptation.....	218
26.7	Enveloppes non métalliques ou parties non métalliques d'enveloppes	218
26.7.1	Généralités.....	218
26.7.2	Températures d'essai	218
26.8	Endurance thermique à la chaleur.....	219
26.9	Endurance thermique au froid	220
26.10	Résistance à la lumière UV	221
26.10.1	Généralités.....	221
26.10.2	Exposition à la lumière	221
26.10.3	Critères d'acceptation.....	221
26.11	Résistance aux agents chimiques de l'appareil du Groupe I.....	222
26.12	Continuité de terre	222
26.13	Vérification de la résistance de surface de parties d'enveloppes en matériaux non métalliques	223
26.14	Mesurage de la capacité	224
26.14.1	Généralités.....	224
26.14.2	Procédure d'essai.....	224
26.15	Vérification des caractéristiques assignées des ventilateurs d'aération	225
26.16	Qualification alternative pour les joints toriques d'étanchéité en élastomère	225
26.17	Essai de la charge transférée	226
26.17.1	Appareil d'essai.....	226
26.17.2	Échantillon d'essai.....	226
26.17.3	Procédure d'essai.....	227
27	Essais individuels de série	228
28	Responsabilité du constructeur.....	228
28.1	Conformité à la documentation.....	228
28.2	Certificat.....	228
28.3	Responsabilité du marquage.....	229
29	Marquage	229
29.1	Applicabilité	229
29.2	Emplacement.....	229
29.3	Généralités	229
29.4	Marquage Ex pour les atmosphères explosives gazeuses	230
29.5	Marquage Ex pour les atmosphères explosives de poussière.....	232

29.6	Modes de protection (ou niveaux) combinés	235
29.7	Modes de protection multiples.....	235
29.8	Appareil Ga utilisant deux modes (ou niveaux) de protection Gb indépendants	235
29.9	Paroi limite.....	235
29.10	Composants Ex.....	235
29.11	Petit appareil Ex et petits composants Ex	236
29.12	Appareil Ex extrêmement petit et composants Ex extrêmement petits	236
29.13	Marquages d'avertissement	236
29.14	Éléments et batteries	237
29.15	Machines électriques exploitées avec un convertisseur.....	237
29.16	Exemples de marquage	238
30	Instructions.....	241
30.1	Généralités	241
30.2	Éléments et batteries	243
30.3	Machines électriques	243
30.4	Ventilateurs d'aération	244
30.5	Entrées de câbles	244
Annexe A	(normative) Exigences complémentaires pour les entrées de câbles	245
A.1	Généralités	245
A.2	Exigences de construction	245
A.2.1	Étanchéité du câble	245
A.2.2	Composés de remplissage.....	246
A.2.3	Amarrage.....	246
A.2.4	Passage de câble	247
A.2.5	Débloccage avec un outil	247
A.2.6	Fixation	247
A.2.7	Degré de protection.....	247
A.3	Essais de type	248
A.3.1	Essais d'amarrage des câbles sans armure et des câbles tressés	248
A.3.2	Essais d'amarrage des câbles avec armure	251
A.3.3	Essai de type de résistance au choc mécanique	252
A.3.4	Essai portant sur le degré de protection (IP) des entrées de câbles.....	253
A.4	Marquage	254
A.4.1	Marquage des entrées de câbles	254
A.4.2	Identification des joints d'étanchéité des câbles.....	254
A.5	Instructions	255
Annexe B	(normative) Exigences pour les composants Ex	256
Annexe C	(informative) Exemple de dispositif d'essai pour l'essai de résistance au choc mécanique	259
Annexe D	(informative) Machines électriques raccordées à des convertisseurs	260
Annexe E	(informative) Évaluation de la température des machines électriques.....	262
Annexe F	(informative) Organigramme préconisé pour les essais des enveloppes non métalliques ou des parties non métalliques d'enveloppes (26.4)	266
Annexe G	(informative) Organigramme recommandé pour les essais des entrées de câbles.....	268
Annexe H	(informative) Tensions dans les arbres donnant lieu à des étincelles dans les paliers de moteurs ou les balais d'arbres Calcul de l'énergie de décharge	271
H.1	Généralités	271

H.2	Appréciation du risque d'inflammation par le biais du calcul de l'énergie d'inflammation	271
H.3	Détermination de la tension dans l'arbre d'une machine tournante	272
H.4	Calcul de la capacité «C» d'une machine tournante	273
H.5	Calcul de l'énergie «E» d'une machine tournante	275
H.6	Évaluation à l'aide de courbes de référence	275
	Bibliographie	277
	Figure 1 – Exemples typiques de batteries	154
	Figure 2 – Compartiment de batterie typique	156
	Figure 3 – Ensemble de batteries remplaçable typique	157
	Figure 4 – Tolérances et distance d'isolement dans l'air pour fermetures filetées	191
	Figure 5 – Surface en contact sous la tête d'une fermeture à tige réduite	191
	Figure 6 – Entrée de câble	197
	Figure 7 – Entrée de conduit	197
	Figure 8 – Assemblage d'échantillon d'essai pour l'essai de continuité de terre	223
	Figure 9 – Éprouvette avec électrodes peintes	224
	Figure 10 – Rémanence à la compression d'un joint torique	226
	Figure A.1 – Représentation des termes utilisés pour les entrées de câbles	246
	Figure A.2 – Arrondi du point d'entrée d'un câble souple	247
	Figure A.3 – Exemple de dispositif d'essai pour l'essai de résistance au choc mécanique	253
	Figure C.1 – Exemple de dispositif d'essai pour l'essai de résistance au choc mécanique	259
	Figure F.1 – Enveloppes non métalliques ou parties non métalliques d'enveloppes	267
	Figure H.1 – Capacité stockée dans la distance d'isolement dans l'air du palier à coussinet entre le tourillon et le logement externe du palier	274
	Figure H.2 – Espace d'air situé entre le stator et le rotor	274
	Figure H.3 – Surfaces types que représentent les condensateurs entre l'arbre du moteur et la terre	275
	Figure H.4 – Courbes d'inflammation capacitive	276
	Tableau 1 – Températures ambiantes d'utilisation et marquage additionnel	173
	Tableau 2 – Classement des températures maximales de surface pour les appareils du Groupe II	174
	Tableau 3 – Évaluation du classement en température, en fonction de la taille du composant	176
	Tableau 4 – Évaluation du classement en température, surface du composant $\geq 20 \text{ mm}^2$	176
	Tableau 5 – Puissance de seuil	179
	Tableau 6 – Énergie de seuil	179
	Tableau 7 – Limitations de surfaces	185
	Tableau 8 – Valeur maximale du diamètre ou de la largeur	185
	Tableau 9 – Limitation de l'épaisseur de la couche non métallique	186
	Tableau 10 – Charge transférée maximale acceptable	186
	Tableau 11 – Capacité maximale des parties conductrices non reliées à la terre	188

Tableau 12 – Section minimale des conducteurs de mise à la terre de protection	194
Tableau 13 – Piles	205
Tableau 14 – Accumulateurs.....	206
Tableau 15 – Essais de résistance au choc mécanique.....	212
Tableau 16 – Couple à appliquer à la tige des traversées utilisées comme éléments de raccordement.....	218
Tableau 17 – Essai d'endurance thermique.....	219
Tableau 18 – Texte de marquage d'avertissement	237
Tableau 19 – Exemple de paramètres de convertisseur d'essai de type	243
Tableau B.1 – Applicabilité des articles aux composants Ex	256
Tableau H.1 – Énergie maximale autorisée	272

IECNORM.COM : Click to view the full PDF of IEC 60079-0:2017

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

ATMOSPHÈRES EXPLOSIVES –

Partie 0: Matériel – Exigences générales

AVANT-PROPOS

- 1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets et de ne pas avoir signalé leur existence.

La Norme internationale IEC 60079-0 a été établie par le comité d'études 31 de l'IEC: Équipements pour atmosphères explosives.

Cette septième édition annule et remplace la sixième édition parue en 2011. Cette édition constitue une révision technique.

L'importance des modifications entre l'IEC 60079-0, Édition 6 (2011) et l'IEC 60079-0, Édition 7 (2017) est indiquée ci-dessous:

		Type		
Explication de l'importance des modifications	Article	Modifications mineures ou rédactionnelles	Extension	Modifications techniques majeures
«Appareil électrique» a été remplacé par «appareil» dans l'ensemble du document, le cas échéant.	Multiples	X		
Domaine d'application Les listes des normes relatives au «mode de protection» et des normes de «produit» ont été regroupées en une liste.	1	X		
Des définitions utilisées dans différentes sous-parties ont été ajoutées. Les définitions ont été harmonisées entre les différentes sous-parties et ajoutées à l'IEC 60079-0, le cas échéant. La définition des batteries a été mise à jour.	3	X		
Clarification de la manière dont les informations sur l'influence de la température de procédé peuvent être exprimées.	5.1.2	X		
Clarification concernant la détermination des températures de service en présence de couches de poussière	5.2	X		
Clarification sur le besoin de fournir des informations relatives à la température de service pour les composants Ex dans la Liste des limitations	5.2	X		
Intégration des exigences relatives aux couches de poussière EPL Da provenant de l'IEC 60079-18 & de l'IEC 60079-31	5.3.2.3.1	A1		
Clarification du fait que, pour EPL Db, une couche maximale de poussière spécifiée supérieure à 200 mm n'est pas permise étant donné que les couches plus épaisses n'ont pas d'effet supplémentaire sur la température maximale de surface.	b)	X		
Ajout, pour EPL Db, d'une couche de poussière dans une orientation spécifiée, marquée T_L	c)		X	
Clarification du fait que, pour EPL Dc, aucun essai n'est exigé pour les couches de poussière	5.3.2.3.3	X		
Clarification du fait que la «température» est la température de l'air environnant le composant	5.3.3	X		
Section sous-divisée traitant des températures de surface supérieures admises pour les surfaces «lisses». Surfaces corrigées de 1 000 mm ² à 10 000 mm ² .	5.3.4	X		
Clarification du fait que les exigences «Ex» de l'IEC 60079 viennent en complément de celles des normes industrielles applicables.	6.1	X		
Ajout d'une exigence selon laquelle un adhésif est utilisé afin de fixer une garniture; ledit adhésif doit être utilisé dans les limites de ses températures de fonctionnement continu (COT) et doit être conforme aux exigences relatives aux matériaux utilisés pour les scellements	6.5			C1
Exigences intégrées à l'IEC 60079-28	ancien 6.6.2	A2		
Exigences relatives aux ultrasons mises à jour d'après les travaux de recherches les plus récents	6.6.3		X	
Ajout d'une référence à l'IEC 60079-28	6.6.4	A2		

Explication de l'importance des modifications	Article	Type		
		Modifications mineures ou rédactionnelles	Extension	Modifications techniques majeures
Les paramètres d'identification des matériaux ont été révisés afin de refléter les informations pouvant être raisonnablement obtenues	7.1.2.2	X		
«IRT – choc mécanique» a été clarifié pour inclure «IRT – résistance mécanique» et «IRT – choc mécanique»	7.1.2.2	X		
Les paramètres d'identification des matériaux ont été révisés afin de refléter les informations pouvant être raisonnablement obtenues	7.1.2.3	X		
Intégration des informations relatives aux «matériaux utilisés pour les scellements» de l'Article 12.	7.1.2.4	X		
«IRT – choc mécanique» a été clarifié pour inclure «IRT – résistance mécanique» et «IRT – choc mécanique». Les exigences relatives aux matériaux utilisés pour les scellements sont en accord avec celles relatives aux élastomères.	7.2.2	X		
Intégration de la marge de 10 K pour EPL Gc ou Dc de l'IEC 60079-15, l'IEC 60079-18 & l'IEC 60079-31	7.2.2	A3		
Ajout de la clarification relative aux garnitures et aux joints d'étanchéité pour lesquels seul le bord extérieur est potentiellement exposé à la lumière.	7.3	X		
Ajout de la clarification du fait qu'une ou plusieurs des techniques décrites peuvent être utilisées	7.4.2	X		
Ajout d'une relaxation supplémentaire pour le cas dans lequel une surface est en contact avec une surface reliée à la terre de deux côtés sur quatre uniquement	7.4.2 b)		X	
Ajout d'une référence à l'IEC 60243-1 et à l'IEC 60243-2 relative aux méthodes d'essai exigeant un essai en courant continu de 4 kV	7.4.2 c)			C2
Ajout de recommandations supplémentaires concernant les conditions particulières d'utilisation	7.4.2 e)	X		
Ajout d'une nouvelle option pour les appareils portables, alimentés par le réseau ayant un dispositif de protection relié à la terre	7.4.2 f)		X	
Ajout d'une option pour la détermination de la charge maximale transférée	7.4.2 g) Tableau 10		X	
Ajout de limites manquantes (les mêmes qu'en 7.4.2)	7.4.3 a)	X		
Clarification du fait que l'essai réalisé est effectué en courant continu	7.4.3 b)	X		
Clarification du fait que l'exigence n'est pas appliquée à un appareil personnel ou portable	7.5	X		
Clarification des limites du Groupe I	8.2	X		
Clarification des limites du Groupe II, EPL Ga	8.3	X		
Ajout de la limitation des surfaces externes de >65 % de cuivre	8.5			C3
Ajout d'une clarification déterminant ce qui est considéré comme un outil	9.1	X		
Clarification du fait que la classe de tolérance de la vis sans tête n'est pas déterminante, dans la mesure où la vis ne dépasse pas du trou taraudé après le serrage	9.4	X		

Explication de l'importance des modifications	Article	Type		
		Modifications mineures ou rédactionnelles	Extension	Modifications techniques majeures
Informations relatives aux matériaux utilisés pour les scellements intégrés à l'Article 7	12	X		
Il est exigé que les certificats pour les composants Ex aient une Liste des limitations dans tous les cas	13.5		X	
Révision visant à clarifier le fait que tous les éléments de raccordement peuvent ne pas être des «logements».	14	X		
Segmentation de paragraphe afin de séparer les exigences relatives à la mise à la terre de protection et aux liaisons équipotentielles dans des sections respectives	15.3 15.4	X		
Segmentation de section afin de séparer la mise en sécurité des connexions électriques et la plaque interne de mise à la terre	15.6 15.7	X		
Il n'est plus exigé que les entrées de câbles non filetés du Groupe I soient des composants Ex	16.3		X	
Il n'est plus exigé que les dispositifs d'obturation non filetés du Groupe I soient des composants Ex	16.4		X	
Clarification du domaine d'application de l'Article 17 afin de définir l'applicabilité	17	X		
Ajout de recommandations en notes afin de traiter des paliers	17.3	X		
Clarification de l'applicabilité pour les sectionneurs, les dispositifs de verrouillage et les interrupteurs de maintenance	18.2	X		
Suppression des exigences relatives aux coupe-circuits à fusibles étant donné qu'elles sont traitées dans les sous-parties individuellement	19	X		
Ajout d'exigences pour EPL Gc et Dc	20.1			C4
Les exigences relatives aux circuits d'essai pour une connexion antidéflagrante ont été supprimées étant donné qu'elles sont spécifiées de manière plus exhaustive dans l'IEC 60079-1.	20.2	X		
Intégration des exigences relatives aux essais de choc mécanique pour les luminaires dans le Tableau 15	21.1 Tableau 16	X		
Clarification sur le fonctionnement du dispositif de sectionnement pour les luminaires antidéflagrants	21.2	X		
Clarification sur le fait que certains modes de protection permettent une connexion en parallèle des éléments	23.2	X		
Ajout de nouveaux types d'éléments et de données selon les données les plus récentes disponibles	Tableau 13		X	
Ajout de nouveaux types d'éléments et de données selon les données les plus récentes disponibles	Tableau 15			C5
Clarification sur le fait que la documentation doit être établie d'après les aspects de la sécurité de l'appareil vis-à-vis du risque d'explosion	24	X		
Clarification sur le fait que les essais de type doivent prendre en considération les instructions d'installation	26.2	X		
Clarification sur le fait que les exigences relatives aux parties en verre s'appliquent également aux parties en céramique	26.4.1.1	X		

		Type		
Explication de l'importance des modifications	Article	Modifications mineures ou rédactionnelles	Extension	Modifications techniques majeures
Ajout d'une permission concernant l'échange des essais à la «température d'essai inférieure» et à la «température d'essai supérieure»	26.4.1.2.2 26.4.1.2.3	X		
Clarification de la construction du montage d'essai de choc mécanique	26.4.2	X		
Clarification des essais de choc mécanique pour les parties en verre	26.4.2	X		
Ajout d'une clarification permettant de traiter des nouvelles caractéristiques assignées IPX9	26.4.5.1		X	
Clarification de la tension d'essai pour la température maximale de surface	26.5.1.3	X		
Intégration des exigences relatives aux couches de poussière EPL Da provenant de l'IEC 60079-18 & de l'IEC 60079-31	26.5.1.3	A1		
Intégration des exigences relatives à une couche de poussière EPL Db spécifique provenant de l'IEC 60079-31	26.5.1.3	A4		
Ajout, pour EPL Db, d'une couche de poussière dans une orientation spécifiée, marquée T_L	26.5.1.3		B1	
Clarification du fait que les essais des EPL Dc sont effectués sans couche de poussière	26.5.1.3	X		
Intégration de l'endurance thermique à la chaleur à une relaxation de 10 K pour l'appareil Gc de l'IEC 60079-15, l'IEC 60079-18, & de l'IEC 60079-31	Tableau 18	X		
Clarification d'une manière cohérente de traiter des élastomères exposés à la lumière ultraviolette	26.10	X		
Remplacement de «huile n° 2» par la désignation révisée «huile IRM 902».	26.11	X		
Ajout d'une option pour les essais aux tensions inférieures lorsque les matériaux de faible résistance sont pris en compte	26.13		X	
Ajout d'un essai de la charge transférée d'après l'IEC TS 60079-32-2	26.17		X	
Référence à un document d'instructions spécifique en lieu et place d'une condition «X» intégrée en e) à la place de la note donnant une permission	29.3 e)	X		
Mise à jour visant à refléter les niveaux supplémentaires de protection déjà présentés dans d'autres sous-parties: «da», «dc», «eb», «ec», «oc», «op is», «op pr», «op sh», «pxb», «pyb», «pzc», «qb», «sa», «sb», et «sc»	29.4 b)	X		
Ajout de texte visant à traiter du marquage de «l'appareil Ex associé»	29.4		X	
Mise à jour visant à refléter les niveaux supplémentaires de protection déjà présentés dans d'autres sous-parties: «ic», «op is», «op pr», «op sh», «pxb», «pyb», «pzc», «sa», «sb», et «sc»	29.5 b)	X		
Clarification du marquage pour EPL Da, EPL Db sans couche de poussière, EPL Db avec une couche de poussière spécifique, et EPL Dc	29.5 d)	X		
Introduction du marquage pour EPL Db avec une couche de poussière dans une orientation spécifique	29.5 d)		X	
Ajout de texte visant à traiter du marquage de «l'appareil Ex associé»	29.5		X	

		Type		
Explication de l'importance des modifications	Article	Modifications mineures ou rédactionnelles	Extension	Modifications techniques majeures
Ajout de texte visant à traiter du marquage de l'appareil destiné à une utilisation dans un mur de clôture	29.9		X	
Le marquage de l'enveloppe du composant Ex a été mis en concordance avec les exigences de marquage de l'IEC 60079-1 et de l'IEC 60079-7	29.10	X		
Le marquage alternatif des EPL a été supprimé.	ancien 29.13			C6
Clarification du marquage des machines électriques fonctionnant avec un convertisseur	29.15	X		
Clarification des recommandations concernant les documents d'instructions	30.1	X		
Ajout de documents d'instructions concernant les machines électriques	30.3			C7
Ajout de documents d'instructions concernant les entrées de câbles	30.5 A.5			C8
Autorisation d'utilisation des tuyauteries de l'ISO 10807 avec des entrées de câbles	A.1		X	
Clarification des essais avec des mandrins en acier inoxydable	A.3	X		
Réduction de la période / du glissement autorisé	A.3.1.1		X	
Clarification des essais de choc mécanique des entrées de câbles	A.3.3 Figure A.3	X		
Clarification de l'ordre des essais	A.3.4	X		
Clarification des remarques	Annexe B	X		
Mise en concordance de la Figure et du texte	Figure C.1	X		
Clarification du fonctionnement des machines électriques à partir de convertisseurs	Annexe D (informative)	X		
Clarification des essais de température des machines électriques	Annexe E (informative)	X		
Organigramme pour les essais des entrées de câbles	Annexe G (informative)	X		
Recommandations relatives aux tensions dans les arbres des machines électriques	Annexe H (informative)	X		

NOTE Les modifications techniques désignées incluent l'importance des modifications techniques apportées dans la version révisée de la Norme IEC, mais il ne s'agit pas d'une liste exhaustive de toutes les modifications apportées à la version précédente. Des recommandations supplémentaires peuvent être consultées dans la version Redline de la norme.

Explications:**A) Définitions****Modifications mineures et rédactionnelles**

clarification
réduction des exigences techniques
modification technique mineure
corrections rédactionnelles

Ces modifications portent sur les exigences et sont de nature rédactionnelle ou technique mineure. Elles comprennent des modifications de formulation destinées à clarifier les exigences techniques sans apporter de modification technique ni réduire le niveau actuel de l'exigence.

Extension

ajout d'options techniques

Ces modifications ajoutent de nouvelles exigences techniques ou modifient les exigences techniques existantes, de manière à fournir de nouvelles options sans toutefois augmenter les niveaux d'exigences pour tout appareil qui était totalement conforme à la norme précédente. Par conséquent, ces modifications ne devront pas être prises en compte dans le cas de produits conformes à l'édition précédente.

Modifications techniques majeures

ajout d'exigences techniques
augmentation des exigences techniques

Ces modifications sont apportées aux exigences techniques (ajout, augmentation du niveau ou suppression) de telle manière qu'un produit conforme à l'édition précédente ne sera pas toujours en mesure de satisfaire aux exigences indiquées dans la dernière édition. Ces modifications doivent être prises en compte pour les produits conformes à l'édition précédente. Des informations supplémentaires relatives à ces modifications sont données à l'Article B) ci-dessous.

NOTE Ces modifications représentent les connaissances technologiques actuelles. Toutefois, il convient qu'elles n'aient aucune influence sur l'appareil déjà présent sur le marché.

B) Informations relatives aux origines des modifications

- A1 Les exigences relatives aux couches de poussière pour EPL Da restent inchangées par rapport à celles précédemment établies dans l'IEC 60079-18, Éd. 4, et l'IEC 60079-31, Éd. 2. Cependant, elles ont été intégrées à l'IEC 60079-0 pour permettre une application cohérente avec tous les modes de protection.
- A2 L'IEC 60079-28 inclut désormais toutes les exigences relatives au rayonnement optique pour tous les EPL.
- A3 Les exigences relatives aux températures de fonctionnement continu (COT – *continuous operating temperature*) pour les EPL Gc ou Dc restent inchangées par rapport à celles précédemment établies dans l'IEC 60079-15, Éd. 4, l'IEC 60079-18, Éd. 4 et l'IEC 60079-31, Éd. 2. Cependant, elles ont été intégrées à l'IEC 60079-0 pour permettre une application cohérente avec tous les modes de protection.
- A4 Les exigences relatives aux couches de poussière pour EPL Db avec une profondeur de couche de poussière spécifique restent inchangées par rapport à celles précédemment établies dans l'IEC 60079-31, Éd. 2. Cependant, elles ont été intégrées à l'IEC 60079-0 pour permettre une application cohérente avec tous les modes de protection.
- B1 Des exigences relatives aux couches de poussière pour EPL Db avec une orientation spécifique ont été ajoutées.
- C1 Il est reconnu que les nouvelles exigences ont, dans de nombreux cas, déjà été appliquées. La modification doit garantir que ces exigences sont appliquées de manière uniforme et cohérente.

- C2 Il est exigé que l'essai soit effectué à 4 kV en courant continu.
- C3 La limitation s'applique aux surfaces externes autres que les entrées de câbles, les dispositifs d'obturation, les adaptateurs filetés et les traversées.
- C4 Les exigences ajoutées concernant la sécurité et le marquage des outils sont en cohérence avec l'approche de l'IEC 60079-15
- C5 Les valeurs de tension ont été modifiées par suite de recherches supplémentaires en raison de la complexité de l'évaluation des éléments Li/Ion et du fait que leur construction n'est pas toujours spécifiée. Il s'est avéré que certaines valeurs de tension précédemment indiquées étaient trop basses.
- C6 Désormais, le marquage exigé de l'EPL peut être différent de celui autorisé par le niveau de protection afin de prendre en compte les restrictions relatives aux matériaux ou aux surfaces en matières plastiques.
- C7 Des documents d'instructions supplémentaires pour les machines électriques sont exigés afin de faciliter le choix, l'installation et l'entretien.
- C8 Des documents d'instructions supplémentaires pour les entrées de câbles sont exigés afin de faciliter le choix et l'installation.

Le texte de cette Norme internationale est issu des documents suivants:

FDIS	Rapport de vote
31/1345/FDIS	31/1356/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de cette Norme internationale.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2.

Une liste de toutes les parties de la série IEC 60079, publiées sous le titre général *Atmosphères explosives*, peut être consultée sur le site web de l'IEC.

Le comité a décidé que le contenu de cette publication ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous "<http://webstore.iec.ch>" dans les données relatives à la publication recherchée. À cette date, la publication sera

- reconduite,
- supprimée,
- remplacée par une édition révisée, ou
- amendée.

Le contenu de la feuille d'interprétation 1 d'avril 2019 et la feuille d'interprétation 2 de juin 2019 a été pris en considération dans cet exemplaire.

Le contenu du corrigendum de janvier 2020 a été pris en considération dans cet exemplaire.

ATMOSPHÈRES EXPLOSIVES –

Partie 0: Matériel – Exigences générales

1 Domaine d'application

La présente partie de l'IEC 60079 spécifie les exigences générales de construction, d'essais et de marquage de l'appareil Ex et des Composants Ex destinés à être utilisés dans des atmosphères explosives.

Les conditions atmosphériques normales (relatives aux caractéristiques d'explosion de l'atmosphère) dans lesquelles, par hypothèse l'appareil Ex peut être utilisé, sont les suivantes:

- température de -20 °C à $+60\text{ °C}$;
- pression de 80 kPa (0,8 bar) à 110 kPa (1,1 bar); et
- air avec teneur normale en oxygène, typiquement 21 % v/v.

La présente partie de la norme IEC 60079 et les autres normes qui la complètent spécifient des exigences d'essai supplémentaires pour les appareils Ex fonctionnant hors de la plage normale de températures, une attention supplémentaire ultérieure et des essais complémentaires pouvant toutefois être exigés pour les appareils Ex fonctionnant hors de la plage normale de pressions atmosphériques et de la teneur normale en oxygène. De tels essais complémentaires peuvent se révéler pertinents, notamment pour les modes de protection qui dépendent de l'extinction d'une flamme, tels qu'une «enveloppe antidéflagrante «d»» (IEC 60079-1), ou de la limitation de l'énergie, tels que la «sécurité intrinsèque «i»» (IEC 60079-11).

NOTE 1 Bien que les conditions atmosphériques normales ci-dessus spécifient une plage de températures atmosphériques comprise entre -20 °C et $+60\text{ °C}$, la plage normale de températures ambiantes pour l'appareil Ex est comprise entre -20 °C et $+40\text{ °C}$, sauf spécification contraire dûment marquée. Voir 5.1.1. Il est considéré qu'une plage de températures comprise entre -20 °C et $+40\text{ °C}$ convient pour la plupart des appareils Ex et que la fabrication de tous les appareils Ex en vue de leur adaptation à une température ambiante supérieure normale de $+60\text{ °C}$ imposerait des contraintes de conception inutiles.

NOTE 2 Les exigences données dans la présente norme résultent d'une évaluation des dangers d'inflammation réalisée sur l'appareil. Les sources d'inflammation prises en compte sont celles associées à ce type d'appareil, telles que les surfaces chaudes, le rayonnement électromagnétique, les étincelles d'origine mécanique, les chocs mécaniques à l'origine de réactions thermiques, les arcs électriques et les décharges d'électricité statique dans des environnements industriels normaux.

NOTE 3 Lorsqu'une atmosphère explosive gazeuse et une atmosphère de poussières combustibles sont ou peuvent être présentes simultanément, la présence simultanée des deux atmosphères justifie souvent des mesures de protection supplémentaires. Des recommandations supplémentaires sur l'utilisation de l'appareil Ex dans les mélanges hybrides (mélange d'un gaz ou d'une vapeur inflammable et d'une poussière combustible ou de particules combustibles en suspension dans l'air) sont fournies dans l'IEC 60079-14.

L'IEC 60079 ne spécifie pas d'exigences de sécurité autres que celles directement liées au risque d'explosion.

Les sources d'inflammation, telles que la compression adiabatique, les ondes de choc, les réactions chimiques exothermiques, l'auto-inflammation des poussières, les flammes nues, les gaz et liquides chauds, ne sont pas traitées par la présente norme.

NOTE 4 Bien que cela ne relève pas du domaine d'application de la présente norme, de tels appareils seraient généralement soumis à une analyse des dangers qui identifie et dresse la liste de toutes les sources potentielles d'inflammation de l'appareil ainsi que les mesures à appliquer afin que celles-ci ne deviennent actives. Voir l'ISO/IEC 80079-36.

Le présent document est complété ou modifié par les parties et les spécifications techniques suivantes:

- IEC 60079-1: Gaz – Enveloppes antidéflagrantes «d»;
- IEC 60079-2: Gaz et poussières – Enveloppe à surpression interne «p»;
- IEC 60079-5: Gaz – Remplissage pulvérulent «q»;
- IEC 60079-6: Gaz – Immersion dans le liquide «o»;
- IEC 60079-7: Gaz – Sécurité augmentée «e»;
- IEC 60079-11: Gaz et poussières – Sécurité intrinsèque «i»;
- IEC 60079-13: Gaz et poussières – Protection du matériel par salle à surpression interne «p» & salle ventilée de façon artificielle «v»;
- IEC 60079-15: Gaz – Mode de protection «n»;
- IEC 60079-18: Gaz et poussières – Encapsulage «m»;
- IEC 60079-25: Gaz et poussières – Systèmes électriques de sécurité intrinsèque;
- IEC 60079-26: Gaz – Matériel d'un niveau de protection du matériel (EPL) Ga;
- IEC 60079-28: Gaz et poussières – Protection du matériel et des systèmes de transmission utilisant le rayonnement optique;
- IEC 60079-29-1: Détecteurs de gaz – Exigences d'aptitude à la fonction des détecteurs de gaz inflammables;
- IEC 60079-29-4: Détecteurs de gaz – Exigences d'aptitude à la fonction des détecteurs de gaz inflammables à chemin ouvert;
- IEC/IEEE 60079-30-1: Gaz et poussières – Traçage par résistance électrique – Exigences générales et d'essais;
- IEC 60079-31: Poussières – Protection par enveloppe «t»;
- IEC 60079-33: Gaz et poussières – Protection spéciale «s»;
- IEC 60079-35-1: Lampes-chapeaux utilisables dans les mines grisouteuses – Exigences générales – Construction et essais liés au risque d'explosion;
- IEC TS 60079-39: Explosive atmospheres – Intrinsically safe systems with electronically controlled spark duration limitation (disponible en anglais seulement);
- IEC TS 60079-40: Explosive atmospheres – Requirements for process sealing between flammable process fluids and electrical systems (disponible en anglais seulement);
- ISO 80079-36: Atmosphères explosives – Partie 36: Appareils non électriques destinés à être utilisés en atmosphères explosives – Méthodologie et exigences.

Le présent document et les parties complémentaires de l'IEC 60079 mentionnées ci-dessus ne s'appliquent pas à la construction:

- du matériel électromédical,
- de systèmes de mise à feu d'explosifs,
- de dispositifs d'essai pour détonateurs, et
- de circuits d'allumage d'explosifs.

2 Références normatives

Les documents suivants cités dans le texte constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 60034-1, *Machines électriques tournantes – Partie 1: Caractéristiques assignées et caractéristiques de fonctionnement*

IEC 60034-5, *Machines électriques tournantes – Partie 5: Degrés de protection procurés par la conception intégrale des machines électriques tournantes (code IP) – Classification*

IEC 60079-1, *Atmosphères explosives – Partie 1: Protection du matériel par enveloppes antidéflagrantes "d"*

IEC 60079-20-1, *Atmosphères explosives – Partie 20-1: Caractéristiques des substances pour le classement des gaz et des vapeurs – Méthodes et données d'essai*

IEC 60079-26, *Atmosphères explosives – Partie 26: Matériel d'un niveau de protection du matériel (EPL) Ga*

IEC 60079-35-1, *Atmosphères explosives – Partie 35-1: Lampes-chapeaux utilisables dans les mines grisouteuses – Exigences générales – Construction et essais liés au risque d'explosion*

IEC 60086-1, *Primary batteries – Part 1: General* (disponible en anglais seulement)

IEC 60192, *Lampes à vapeur de sodium à basse pression – Prescriptions de performance*

IEC 60216-1, *Matériaux isolants électriques – Propriétés d'endurance thermique – Partie 1: Méthodes de vieillissement et évaluation des résultats d'essai*

IEC 60216-2, *Matériaux isolants électriques – Propriétés d'endurance thermique – Partie 2: Détermination des propriétés d'endurance thermique de matériaux isolants électriques – Choix de critères d'essai*

IEC 60243-1, *Rigidité diélectrique des matériaux isolants – Méthodes d'essai – Partie 1: Essais aux fréquences industrielles*

IEC 60423, *Systèmes de conduits pour la gestion du câblage – Diamètres extérieurs des conduits pour installations électriques et filetages pour conduits et accessoires*

IEC 60529, *Degrés de protection procurés par les enveloppes (Code IP)*

IEC 60662, *Lampes à vapeur de sodium à haute pression – Spécifications de performance*

IEC 60664-1, *Coordination de l'isolement des matériels dans les systèmes (réseaux) à basse tension – Partie 1: Principes, exigences et essais*

IEC 60947-1, *Appareillage à basse tension – Partie 1: Règles générales*

IEC 62626-1, *Appareillage à basse tension sous enveloppe – Partie 1: Interrupteur-sectionneur en coffret, en dehors du domaine d'application de la norme CEI 60947-3, destiné à garantir l'isolation pendant les phases de maintenance*

ISO 48, *Caoutchouc vulcanisé ou thermoplastique – Détermination de la dureté (dureté comprise entre 10 DIDC et 100 DIDC)*

ISO 178, *Plastiques – Détermination des propriétés en flexion*

ISO 179 (toutes les parties), *Plastiques – Détermination de la résistance au choc Charpy*

ISO 262, *Filetages métriques ISO pour usages généraux – Sélection de dimensions pour la boulonnerie*

ISO 273, *Éléments de fixation – Trous de passage pour vis*

ISO 527-2, *Plastiques – Détermination des propriétés en traction – Partie 2: Conditions d'essai des plastiques pour moulage et extrusion*

ISO 965-1, *Filetages métriques ISO pour usages généraux – Tolérances – Partie 1: Principes et données fondamentales*

ISO 965-3, *Filetages métriques ISO pour usages généraux – Tolérances – Partie 3: Écarts pour filetages de construction*

ISO 3601-1, *Transmissions hydrauliques et pneumatiques – Joints toriques – Partie 1: Diamètres intérieurs, sections, tolérances et codes d'identification dimensionnelle*

ISO 3601-2, *Transmissions hydrauliques et pneumatiques – Joints toriques – Partie 2: Dimensions des logements pour applications générales*

ISO 4014, *Vis à tête hexagonale partiellement filetées – Grades A et B*

ISO 4017, *Fixations – Vis à tête hexagonale entièrement filetées – Grades A et B*

ISO 4026, *Vis sans tête à six pans creux, à bout plat*

ISO 4027, *Vis sans tête à six pans creux, à bout tronconique*

ISO 4028, *Vis sans tête à six pans creux, à téton*

ISO 4029, *Vis sans tête à six pans creux, à bout cuvette*

ISO 4032, *Écrous hexagonaux, style 1 – Grades A et B*

ISO 4762, *Vis à tête cylindrique à six pans creux*

ISO 4892-2, *Plastiques – Méthodes d'exposition à des sources lumineuses de laboratoire – Partie 2: Lampes à arc au xénon*

ISO 7380, *Vis à tête cylindrique bombée plate à six pans creux*

ISO 14583, *Vis à métaux à tête cylindrique bombée large à six lobes interne*

ANSI/UL 746B, *Polymeric Materials – Long-Term Property Evaluations*

ANSI/UL 746C, *Polymeric Materials – Used in Electrical Equipment Evaluations*

ASTM D5964, *Standard practice for rubber IRM 901, IRM 902, and IRM 903 replacement oils for ASTM No. 1, ASTM No. 2, and ASTM No. 3*

3 Termes et définitions

Pour les besoins du présent document, les termes et définitions suivants s'appliquent.

L'ISO et l'IEC tiennent à jour des bases de données terminologiques destinées à être utilisées en normalisation, consultables aux adresses suivantes:

- IEC Electropedia: disponible à l'adresse <http://www.electropedia.org/>
- ISO Online browsing platform: disponible à l'adresse <http://www.iso.org/obp>

NOTE D'autres définitions applicables aux atmosphères explosives peuvent être consultées dans l'IEC 60050-426.

3.1

température ambiante

température de l'air ou d'un autre milieu, dans l'environnement rapproché de l'appareil ou du composant

Note 1 à l'article: Cela ne se réfère pas à la température de tout milieu d'un procédé, à moins que l'appareil ou composant ne soit totalement immergé dans le milieu du procédé. Voir 5.1.1.

Note 2 à l'article: Si un appareil Ex ou un composant Ex se situe à l'intérieur d'une autre pièce de l'appareil ou est adjacente à celle-ci, la «température ambiante» est la température de l'air ou d'un autre milieu environnant de l'appareil Ex ou du composant Ex et peut être supérieure à la température de l'air ambiant aux alentours de l'appareil complet en raison de la chaleur dissipée supplémentaire à l'intérieur de l'appareil complet.

Note 3 à l'article: La température ambiante mentionnée dans la série IEC 60079 est uniquement liée à la sécurité vis-à-vis du risque d'explosion de l'appareil Ex ou du composant Ex.

3.2

emplacement, dangereux

emplacement dans lequel une atmosphère explosive est présente, ou dont la présence est prévisible, en quantité telle que des précautions spéciales sont exigées pour la construction, l'installation et l'utilisation d'appareils

3.3

emplacement, non dangereux

emplacement dans lequel la présence d'une atmosphère explosive n'est pas prévisible en quantité telle que des précautions spéciales seraient exigées pour la construction, l'installation et l'utilisation d'appareils

3.4

matériel associé

matériel électrique qui contient à la fois des circuits de sécurité intrinsèque et de sécurité non intrinsèque et qui est construit de telle sorte que les circuits de sécurité non intrinsèque ne peuvent pas altérer les circuits de sécurité intrinsèque

Note 1 à l'article: Le matériel associé est:

- a) soit équipé d'une protection supplémentaire fournie par un mode de protection adapté à une utilisation dans l'atmosphère explosive appropriée;
- b) soit non équipé d'une protection fournie par un mode de protection adapté à une utilisation dans l'atmosphère explosive appropriée et, par conséquent, ne doit pas être utilisé dans une atmosphère explosive.

3.5

appareil Ex associé

appareil auxiliaire utilisé conjointement avec l'appareil protégé contre les risques d'explosion afin de maintenir les aspects spécifiques du mode de protection de l'appareil protégé contre les risques d'explosion

Note 1 à l'article: Les exemples comprennent des relais temporisés/relais de courant pour les moteurs à sécurité augmentée, les systèmes de régulation de pressurisation, les limites de puissance pour les appareils Ex encapsulés et des dispositifs analogues.

Note 2 à l'article: L'appareil Ex associé est:

- a) soit équipé d'une protection supplémentaire fournie par un mode de protection adapté à une utilisation dans l'atmosphère explosive appropriée;
- b) soit non équipé d'une protection fournie par un mode de protection adapté à une utilisation dans l'atmosphère explosive appropriée et, par conséquent, ne doit pas être utilisé dans une atmosphère explosive.,

Note 3 à l'article: Un concept similaire est appliqué à la sécurité intrinsèque lorsqu'il est mentionné comme «matériel associé». Voir 3.4. Une seule partie de l'appareil peut inclure à la fois un appareil Ex associé et un matériel associé.

3.6

température d'auto-inflammation

AIT

température la plus faible (d'une surface) à laquelle, dans des conditions spécifiées (conformément à l'IEC 60079-20-1) se produit l'inflammation d'un gaz ou d'une vapeur inflammable mélangé(e) à l'air ou à un gaz ou à un gaz à l'air/inerte

Note 1 à l'article: L'abréviation «AIT» est dérivée du terme anglais développé correspondant «auto-ignition temperature».

3.7


éléments et batteries

3.7.1

batterie

un ou plusieurs éléments équipés des dispositifs nécessaires pour l'emploi, par exemple bornes, marquage et dispositifs de protection

Note 1 à l'article: Voir la Figure 1 pour des exemples typiques de construction de batteries.



IEC

Anglais	Français
Single Cell Battery	Batterie à un seul élément
Company XYZ 1.5V	Entreprise XYZ 1,5 V
Multiple Cell Battery	Batterie à plusieurs éléments
Company XYZ 9V	Entreprise XYZ 9 V
Key	Légende
1 Cell Case/Battery Case	1 Enveloppe d'élément/Enveloppe de batterie
2 Battery Case	2 Enveloppe de batterie

Figure 1 – Exemples typiques de batteries

3.7.2

capacité

charge électrique qu'une batterie ou un élément peut délivrer dans des conditions de décharge spécifiées

Note 1 à l'article: L'unité SI de la charge électrique, ou de la grandeur d'électricité, est le coulomb (1 C = 1 A·s), mais en pratique, la capacité est généralement exprimée en ampères heures (Ah).

3.7.3

élément

unité fonctionnelle de base, consistant en un assemblage d'électrodes, d'électrolyte, d'enveloppe, de bornes et généralement de séparateurs, qui est une source d'énergie électrique obtenue par transformation directe d'énergie chimique

Note 1 à l'article: Voir pile et accumulateur.

3.7.4

charge

opération pendant laquelle un accumulateur ou une batterie d'accumulateurs reçoit de l'énergie électrique d'un circuit extérieur, qui conduit à des modifications chimiques à l'intérieur de l'élément et ainsi au stockage de l'énergie sous forme d'énergie chimique

3.7.5

décharge sévère

se rapporte à un événement qui réduit la tension d'un élément en dessous de celle recommandée par le constructeur de l'élément ou de la batterie d'éléments

3.7.6

tension maximale en circuit ouvert

<élément ou batterie>

tension d'une pile neuve ou d'un accumulateur entièrement chargé lorsque le courant de décharge est de zéro

Note 1 à l'article: Voir le Tableau 13 et le Tableau 14 présentant la tension maximale en circuit ouvert pour les éléments acceptables.

3.7.7

tension nominale

<élément ou batterie>

valeur approchée appropriée d'une tension, utilisée pour désigner ou identifier un élément, une batterie, ou un système électrochimique

3.7.8

élément ou batterie ouvert(e)

accumulateur ou batterie, ayant un couvercle muni d'une ouverture par laquelle peuvent s'échapper les produits gazeux

3.7.9

pile

élément qui n'est pas conçu pour être rechargé électriquement

3.7.10

charge inversée

action de forcer le courant à travers une pile ou un accumulateur dans le même sens que le flux normal, généralement en raison de la polarité inverse dans un élément épuisé d'une batterie connectée en série

3.7.11

élément étanche

accumulateur fermé ne laissant échapper ni gaz ni liquide lorsqu'il fonctionne dans les limites spécifiées par le fabricant de l'élément

Note 1 à l'article: Un élément étanche est souvent muni d'un dispositif de sécurité destiné à assurer une protection contre toute pression interne dangereusement élevée et est conçu pour fonctionner toute sa vie dans ses conditions d'étanchéité initiales.

3.7.12

élément ou batterie régulé(e) par clapet hermétique

élément ou batterie fermé(e) dans des conditions normales mais qui comporte un dispositif qui permet l'échappement du gaz si la pression interne dépasse une valeur prédéterminée

Note 1 à l'article: Généralement, l'élément ne peut pas recevoir de complément d'électrolyte.

3.7.13

accumulateur ou batterie d'accumulateurs

élément qui est conçu pour être rechargé électriquement

Note 1 à l'article: La recharge est accomplie au moyen d'une réaction chimique réversible.

3.7.14

compartiment de batterie

compartiment de l'appareil qui loge un ou plusieurs éléments et batteries

Note 1 à l'article: Le compartiment de batterie fait partie intégrante de l'appareil.


Note 2 à l'article: Un compartiment de batterie peut être un container de batterie.

3.7.15

container de batterie

enveloppe qui contient un ou plusieurs éléments ou batteries

Note 1 à l'article: Voir la Figure 2 pour des exemples typiques de construction de batteries.



Anglais	Français
Key	Légende
1 Equipment	1 Appareil
2 Battery Compartment	2 Compartiment de batterie
3 Cell/Battery/Replaceable Battery Pack	3 Élément/Batterie/Ensemble de batteries remplaçable

Figure 2 – Compartiment de batterie typique

3.7.16

enveloppe de la batterie

enveloppe de l'élément

enveloppe de l'élément ou de la batterie faisant partie intégrante de la construction de l'élément ou de la batterie


Note 1 à l'article: L'enveloppe peut être étanche, régulée par clapet hermétique, ou ouverte.

3.7.17

ensemble de batteries remplaçable

ensemble consistant en un ou plusieurs éléments interconnectés avec tous composants de protection intégrés, qui constituent un ensemble complet remplaçable d'accumulateurs

Note 1 à l'article: Voir la Figure 3 pour des exemples typiques de construction d'ensemble de batteries remplaçable.



IEC

Anglais	Français
Company ABC	Entreprise ABC
Company XYZ	Entreprise XYZ
Key	Légende
1 Battery container	1 Container de batterie
2 Cell/Battery	2 Élément/Batterie

Figure 3 – Ensemble de batteries remplaçable typique

3.8

dispositif de respiration

dispositif qui permet un échange entre l'atmosphère dans l'enveloppe et l'atmosphère environnante et qui maintient l'intégrité du mode de protection

3.9

traversée

dispositif pour le passage d'un ou de plusieurs conducteurs, isolés ou nus, à travers une cloison intérieure ou extérieure d'une enveloppe

3.10

entrée de câble

dispositif permettant l'introduction d'un ou plusieurs câbles électriques ou optiques dans l'enveloppe d'un appareil Ex électrique tout en maintenant le mode de protection appliqué et de fournir un certain degré de protection des contraintes

Note 1 à l'article: Voir la Figure A.1 pour obtenir une représentation des termes utilisés pour les entrées de câbles.

3.10.1

dispositif d'attache

<entrée de câble>

élément d'une entrée de câble destiné à éviter qu'une tension ou une torsion d'un câble soit transmise aux connexions

3.10.2

dispositif de compression

<entrée de câble>

élément d'une entrée de câble compressant ou déplaçant le joint d'étanchéité

3.10.3

joint d'étanchéité

<entrée de câble>

élément utilisé dans une entrée de câble pour assurer l'étanchéité entre l'entrée de câble et le câble

3.10.4

entrée de câble pour appareil Ex

<entrée de câble>

entrée de câble soumise à l'essai séparément de l'enveloppe de l'appareil mais certifié comme appareil Ex et qui est prévu pour être monté sur l'enveloppe d'un appareil Ex

Note 1 à l'article: Cela n'exclut pas pour les entrées de câble un certificat de composant Ex.

3.10.5

dispositif de passage de câbles

<entrée de câble>

dispositif d'entrée, prévu pour un ou plusieurs câbles électriques ou optiques, muni d'un joint constitué d'un ou plusieurs modules élastomères ou parties de modules (joint interne modulaire), compressés les uns contre les autres lorsque le dispositif est assemblé et monté comme prévu

Note 1 à l'article: Les dispositifs de passage de câbles sont utilisés comme dispositifs d'obturation d'appareil Ex lorsque les modules élastomères installés le permettent.

3.11

moulage par coulée

<composé non métallique>

processus consistant à verser un composé liquide à la pression ambiante normale dans un moule

3.12

certificat

document qui atteste la conformité d'un produit, d'un procédé, d'un système, d'une personne ou d'une organisation à des exigences spécifiées

Note 1 à l'article: Le certificat est soit une déclaration de conformité du fournisseur, soit une reconnaissance de conformité ou de certification de l'acheteur (comme résultat de l'action d'une tierce partie) comme défini dans l'IEC/ISO 17000.

3.12.1

certificat de composant Ex

certificat élaboré pour un composant Ex (voir 3.36)

3.12.2

certificat d'appareil Ex

certificat élaboré pour un appareil Ex

3.13

revêtement

matériau appliqué sur une surface

3.14

revêtement conforme

revêtement isolant électrique appliqué comme revêtement aux cartes chargées de circuits imprimés pour produire une couche mince épousant la surface en vue de fournir une barrière de protection contre les effets préjudiciables des conditions ambiantes

3.15**composé**

<pour encapsulage>

tout matériau à l'état solide, therm durcissable, thermoplastique, de résine époxy ou élastomère avec ou sans charge et/ou additifs

3.16**entrée de conduit**

moyen d'introduire un conduit dans un appareil Ex de telle sorte que le mode de protection appliqué est maintenu

3.17**éléments de raccordement**

bornes, vis et autres pièces, utilisées pour le raccordement électrique aux conducteurs

3.18**connexions, usine**

terminaisons destinées à être connectées au cours d'un procédé de fabrication dans des conditions maîtrisées

3.19**connexions, câblage in situ**

terminaisons destinées à être connectées in situ par l'installateur

3.20**température de fonctionnement continu**

COT

plage de températures qui assure la stabilité et l'intégrité de l'appareil pour la durée de vie prévue pour l'appareil, ou la pièce, dans l'application à laquelle il est destiné

Note 1 à l'article: L'abréviation «COT» est dérivée du terme anglais développé correspondant «continuous operating temperature».

3.21**convertisseur**

<pour une utilisation avec des machines électriques>

élément de conversion d'électronique de puissance, modifiant une ou plusieurs caractéristiques électriques et comprenant un ou plusieurs dispositifs de commutation électronique et composants associés, tels que transformateurs, filtres, dispositifs d'aide à la conversion, commandes, protections et auxiliaires, lorsqu'ils existent

Note 1 à l'article: Un convertisseur est également désigné par d'autres termes comme un convertisseur de fréquence, mécanisme d'entraînement convertisseur, mécanisme d'entraînement onduleur, entraînement à vitesse variable, variateur de vitesse ou dispositif d'entraînement à fréquence variable (VFD – *variable frequency drive*).

3.21.1**convertisseur, à démarrage progressif**

<pour une utilisation avec des machines électriques>

convertisseur qui limite le courant à l'entrée de la machine électrique au cours du processus de démarrage

Note 1 à l'article: Il est prévu d'utiliser le convertisseur à démarrage progressif uniquement au cours du processus de démarrage, puis de l'isoler du système d'alimentation ou de le shunter lorsque la machine électrique est en fonctionnement.

3.22**degré de protection de l'enveloppe**

IP

classification numérique précédée par le symbole IP conformément à l'IEC 60529 ou à l'IEC 60034-2 (selon le cas), indiquant les mesures appliquées à l'enveloppe de l'appareil pour assurer

- la protection des personnes contre les contacts ou l'approche des parties actives et contre les contacts avec des pièces en mouvement (autres que les arbres lisses en rotation et analogues) intérieures à l'enveloppe,
- la protection de l'appareil contre la pénétration d'objets solides étrangers et
- si cela figure dans la classification, la protection de l'appareil contre les effets néfastes dus à la pénétration de l'eau

Note 1 à l'article: Les détails des exigences des essais portant sur les machines électriques tournantes sont donnés dans l'IEC 60034-5.

Note 2 à l'article: L'enveloppe qui assure le degré de protection IP n'est pas nécessairement la même que l'enveloppe de l'appareil qui assure le mode de protection mentionné à l'Article 1.

Note 3 à l'article: Une enveloppe qui assure un degré de protection exigé par l'un des modes de protection mentionnés à l'Article 1 a été soumise à d'autres essais avant d'être soumise aux essais correspondant au degré de protection. Voir 26.4.

3.23

dispositif de drainage

dispositif permettant l'écoulement des liquides hors de l'enveloppe et qui maintient l'intégrité du mode de protection

3.24

poussière

terme générique incluant les poussières combustibles et les fibres combustibles en suspension dans l'atmosphère

3.24.1

poussière combustible

particules solides fines, de taille nominale 500 µm ou moins, qui peuvent former des mélanges explosifs avec l'air dans des conditions de pression et de température normales

Note 1 à l'article: Ceci comprend tous les types de poussières comme définis dans l'ISO 4225.

Note 2 à l'article: Le terme de particules solides désigne les particules en phase solide et non les phases liquides ou gazeuses, mais n'exclut pas une particule creuse.

3.24.1.1

poussière conductrice

poussière ou fibres dont la résistivité électrique est égale ou inférieure à 1 kΩm

Note 1 à l'article: L'ISO/IEC 80079-20-2 contient la méthode d'essai pour déterminer la résistivité des poussières.

3.24.1.2

poussière non conductrice

poussière ou fibres dont la résistivité électrique est supérieure à 1 kΩ m

Note 1 à l'article: L'ISO/IEC 80079-20-2 contient la méthode d'essai pour déterminer la résistivité des poussières.

3.24.2

particules combustibles en suspension dans l'air

particules solides, y compris les fibres, dont une dimension présente une taille nominale supérieure à 500 µm, qui peuvent former un mélange explosif avec l'air dans des conditions de pression et de température normales

Note 1 à l'article: Une dimension présente un rapport élevé en comparaison avec les deux autres dimensions.

Note 2 à l'article: Exemples de particules combustibles en suspension dans l'air: la fibre de carbone, la soie artificielle, le coton (y compris peluches et résidus d'essuyage), le sisal, le jute, le chanvre, la fibre de coco, l'étaupe et les résidus de rembourrage.

3.25**enveloppe étanche à la poussière**

enveloppe capable d'éviter la pénétration de dépôts de particules de poussière observables

3.26**enveloppe protégée contre la poussière**

enveloppe dans laquelle la pénétration de poussière n'est pas totalement évitée, mais dans laquelle la poussière n'est pas susceptible d'entrer en quantité suffisante pour avoir un effet sur le fonctionnement en toute sécurité de l'appareil et ne s'accumule pas en un point à l'intérieur de l'enveloppe à un emplacement dans lequel elle serait susceptible d'engendrer un danger d'inflammation

3.27**cycle de service**

variation de charge répétitive dont la durée du cycle est insuffisante pour que l'équilibre thermique soit atteint lors du premier cycle

[SOURCE: IEC 60050-411:1996, 411-51-7]

3.28**élastomère**

matériau macromoléculaire qui retourne rapidement et approximativement à sa forme et à ses dimensions initiales après cessation d'une contrainte faible ayant produit une déformation importante

Note 1 à l'article: La définition s'applique pour des conditions d'essai à la température du laboratoire.

[SOURCE: IEC 60050-212:2010, 212-14-05]

3.29**encapsulage**

processus d'application d'un composé pour enfermer tout dispositif électrique par des moyens appropriés

3.30**enveloppe**

ensemble des parois, portes, couvercles, entrées de câbles, tiges, axes, arbres, etc. qui assurent le mode de protection ou le degré de protection IP de l'appareil

3.31**appareil**

terme général couvrant le matériel, les éléments de raccordement ou non, les dispositifs, les composants et autres, utilisés comme partie de, ou avec une installation électrique

3.31.1**appareil, électrique**

objets servant en tout ou en partie à la mise en jeu de l'énergie électrique

Note 1 à l'article: En font partie, entre autres, les objets destinés à la production, à la transmission, à la distribution, au stockage, au mesurage, à la régulation, à la transformation et à la consommation de l'énergie électrique, y compris les objets destinés aux télécommunications.

3.31.2**appareil, installé à poste fixe**

appareil scellé à un support ou fixé d'une autre manière à un endroit précis lorsqu'il est sous tension

3.31.3

appareil, personnel

appareil conçu pour être porté par une personne, ou entrer en contact avec le corps de celle-ci, pendant le fonctionnement

3.31.4

appareil, portable

appareil conçu pour être porté par une personne pendant le fonctionnement

Note 1 à l'article: Les appareils portables portés par une personne pendant le fonctionnement sont parfois appelés «appareils portatifs».

3.31.5

appareil, transportable

appareil qui n'est pas prévu pour être porté par une personne pendant le fonctionnement, ni destiné à une installation fixe

3.32

groupement d'appareils

système de classification des appareils, en relation avec les atmosphères explosives auxquelles ces appareils sont destinés

Note 1 à l'article: L'IEC 60079-0 identifie trois groupes d'appareils:

Groupe I, appareils destinés aux mines grisouteuses;

Groupe II, qui peut être divisé en sous-groupes, appareils pour tous les emplacements autres que les mines grisouteuses, où une atmosphère explosive gazeuse est présente;

Groupe III, qui peut être divisé en sous-groupes, appareils pour tous les emplacements autres que les mines grisouteuses, où une atmosphère explosive de poussière est présente.

3.33

niveau de protection de l'appareil

EPL

niveau de protection assigné à un appareil, basé sur sa probabilité de devenir une source d'inflammation et distinguant les différences entre les atmosphères explosives gazeuses, les atmosphères explosives de poussière et les atmosphères explosives dans les mines grisouteuses

Note 1 à l'article: L'abréviation «EPL» est dérivée du terme anglais développé correspondant «equipment protection level».

3.33.1

EPL Ma

appareil pour installation dans une mine grisouteuse, ayant un «très haut» niveau de protection, qui comporte une sécurité suffisante telle qu'il ne deviendra probablement pas une source d'inflammation dans des conditions normales de fonctionnement, des conditions de dysfonctionnement prévisible ou des conditions de dysfonctionnement rare, même s'il est laissé sous tension en présence d'une émanation de gaz

3.33.2

EPL Mb

appareil pour installation dans une mine grisouteuse, ayant un «haut» niveau de protection, qui comporte une sécurité suffisante telle qu'il ne deviendra probablement pas une source d'inflammation dans des conditions normales de fonctionnement ou des conditions de dysfonctionnement prévisible, dans le laps de temps entre une émanation de gaz et l'instant pendant lequel il est hors tension

3.33.3

EPL Ga

appareil pour atmosphères explosives gazeuses, ayant un «très haut» niveau de protection, qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement, des conditions de dysfonctionnement prévisible ou des conditions de dysfonctionnement rare

3.33.4**EPL Gb**

appareil pour atmosphères explosives gazeuses, ayant un «haut» niveau de protection, qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement ou des conditions de dysfonctionnement prévisible

3.33.5**EPL Gc**

appareil pour atmosphères explosives gazeuses, ayant un niveau de protection «renforcé», qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement, et qui peut comporter certaines protections complémentaires pour s'assurer qu'il restera inactif comme source d'inflammation dans des cas fréquents et réguliers (par exemple défaillance d'une lampe)

3.33.6**EPL Da**

appareil pour les atmosphères explosives de poussière, ayant un «très haut» niveau de protection et qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement, des conditions de dysfonctionnement prévisible ou des conditions de dysfonctionnement rare

3.33.7**EPL Db**

appareil pour les atmosphères explosives de poussière, ayant un «haut» niveau de protection et qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement ou des conditions de dysfonctionnement prévisible

3.33.8**EPL Dc**

appareil pour atmosphères explosives de poussière, ayant un niveau de protection «renforcé», qui n'est pas une source d'inflammation dans des conditions normales de fonctionnement, et qui peut comporter certaines protections complémentaires pour s'assurer qu'il restera inactif comme source d'inflammation dans des cas fréquents et réguliers (par exemple défaillance d'une lampe)

3.34**dispositif d'obturation d'appareil Ex**

dispositif d'obturation soumis à l'essai séparément de l'enveloppe de l'appareil Ex mais certifié comme appareil Ex et qui est prévu pour être monté sur l'enveloppe de l'appareil Ex

Note 1 à l'article: Cela n'exclut pas la certification de composant Ex des dispositifs d'obturation.

3.35**adaptateur fileté d'appareil Ex**

adaptateur fileté soumis à l'essai séparément de l'enveloppe de l'appareil Ex mais certifié comme appareil Ex et qui est prévu pour être monté sur l'enveloppe de l'appareil Ex

Note 1 à l'article: Cela n'exclut pas la certification de composant Ex des adaptateurs filetés.

3.36**composant Ex**

appareil conçu pour faire partie de l'appareil Ex, marqué avec le symbole «U», qui n'est pas destiné à être utilisé seul et qui exige des attentions complémentaires quand il est incorporé dans un appareil Ex

3.37**appareil Ex**

appareil équipé d'une protection contre l'explosion

Note 1 à l'article: Ce type d'appareils inclut souvent les composants Ex, mais une évaluation supplémentaire est toujours exigée dans le cadre de leur incorporation dans l'appareil.

3.38

atmosphère explosive

mélange avec l'air, sous conditions atmosphériques, de substances inflammables sous forme de gaz, de vapeur ou de poussières qui, après inflammation, permet une propagation autoentretenue

3.39

atmosphère explosive de poussière

mélange avec l'air, sous conditions atmosphériques, de substances inflammables sous forme de poussières, qui, après inflammation, permet une propagation autoentretenue

3.40

atmosphère explosive gazeuse

mélange avec l'air, sous conditions atmosphériques, de substances inflammables sous forme de gaz ou de vapeur qui, après inflammation, permet une propagation autoentretenue

3.41

mélange explosif d'essai

mélange explosif spécifié utilisé pour des essais d'appareil pour atmosphères explosives gazeuses

3.42

défaut, pris en compte

défaut qui se produit dans les parties d'appareils électriques répondant aux règles de construction de la norme applicable au mode de protection pris en considération

3.43

défaut, non pris en compte

défaut qui se produit dans les parties de matériels électriques ne répondant pas aux règles de construction de la norme applicable au mode de protection pris en considération

3.44

grisou

mélange inflammable de gaz naturels se produisant dans les mines

Note 1 à l'article: Le grisou est principalement constitué de méthane, mais il contient toujours d'autres gaz en faibles quantités, tels que l'azote, le dioxyde de carbone et l'hydrogène, et parfois de l'éthane et du monoxyde de carbone. Les termes «grisou» et «méthane» sont fréquemment utilisés comme synonymes dans la pratique des mines.

3.45

espace libre

espace créé intentionnellement autour de composants, ou espace à l'intérieur d'un composant

3.46

fusible

coupe-circuit à fusibles dispositif dont la fonction est d'ouvrir, par la fusion d'un ou de plusieurs de ses composants conçus et calibrés à cet effet et destinés à fondre lorsque le courant dépasse une valeur prédéfinie pendant un temps prédéfini, le circuit dans lequel il est inséré en coupant le courant lorsque ce dernier dépasse pendant un temps suffisant une valeur donnée

3.47

isolation galvanique

disposition d'un appareil qui permet le transfert de signaux ou de puissance entre deux circuits sans aucune connexion électrique directe entre eux

Note 1 à l'article: L'isolation galvanique utilise fréquemment des éléments magnétiques (transformateur ou relais) ou des éléments optocouplés.

3.48

garniture

élément compressible fourni dans un joint d'enveloppe pour offrir un degré de protection contre la pénétration de corps solides étrangers ou contre la pénétration de l'eau

3.49

gaz

état gazeux d'une substance ne pouvant pas atteindre l'équilibre avec son état liquide ou solide dans les plages de températures et de pressions prises en considération

Note 1 à l'article: Cette définition constitue une version simplifiée de la définition scientifique, et exige simplement que la substance dépasse son point d'ébullition ou son point de sublimation à la température et à la pression ambiantes.

3.50

mélange hybride

mélange de gaz ou de vapeur inflammable avec une poussière

Note 1 à l'article: Selon l'ISO/IEC 80079-20-2, le terme «poussière» comprend à la fois la poussière combustible et les particules combustibles en suspension dans l'air.

3.51

séparation infaillible

séparation entre des parties électriquement conductrices, qui est considérée comme n'étant pas sujette à des courts-circuits lorsqu'elle est conforme aux exigences de construction «infaillible» de la norme applicable au mode de protection pris en considération

3.52

joint

endroit où les surfaces correspondantes de deux éléments d'une enveloppe ou la partie commune d'enveloppes se rejoignent

3.53

niveau de protection

subdivision d'un mode de protection en relation avec le niveau de protection de l'appareil, qui différencie la probabilité pour l'appareil de devenir une source d'allumage

Note 1 à l'article: Par exemple, le mode de protection intrinsèque «i» est divisé en niveaux de protection «ia», «ib» et «ic», qui correspondent aux niveaux de protection de l'appareil Ga, Gb et Gc (pour les atmosphères explosives gazeuses).

3.54

température limite

température maximale admissible d'un appareil ou de parties constitutives d'un appareil égale à la plus basse des deux températures déterminées par:

- a) la température maximale de surface;
- b) la stabilité thermique des matériaux utilisés

3.55

limite inférieure d'inflammabilité

LFL

concentration de gaz ou de vapeur inflammable dans l'air, au-dessous de laquelle une atmosphère explosive gazeuse ne se forme pas (voir l'IEC 60079-20-1)

Note 1 à l'article: Pour les besoins de l'appareil Ex, cette limite était précédemment désignée comme la limite inférieure d'explosivité (LEL – Lower Explosive Limit).

Note 2 à l'article: La concentration peut être exprimée comme un rapport volumique ou une masse par unité de volume.

Note 3 à l'article: L'abréviation «LFL» est dérivée du terme anglais développé correspondant «lower flammable limit».

3.56

dysfonctionnement

situation dans laquelle l'appareil ou les composants n'assurent pas sa ou leur fonction prévue par rapport à la protection contre l'explosion

Note 1 à l'article: Dans le cadre de la présente norme, cela peut se produire pour différentes raisons, parmi lesquelles:

- défaillance d'un (ou de plusieurs) composants de l'appareil ou des composants;
- perturbations d'origine extérieure (par exemple des chocs, des vibrations, des champs électromagnétiques);
- erreur ou déficit de conception (par exemple, erreurs logicielles);
- perturbation de l'alimentation électrique ou d'autres services;
- perte du contrôle par l'opérateur (particulièrement pour l'appareil portable).

Note 2 à l'article: Dans certaines éditions précédentes des normes relatives aux modes de protection, «dysfonctionnement» était appelé «défaut».

3.56.1

dysfonctionnement, prévisible

perturbations ou dysfonctionnements d'un appareil qui apparaissent généralement dans la pratique

3.56.2

dysfonctionnement, rare

type de dysfonctionnement, pouvant se produire, mais uniquement dans de rares cas

Note 1 à l'article: Deux dysfonctionnements prévisibles et indépendants qui séparément, ne créeraient pas de source d'inflammation mais qui, ensemble, créent une source d'inflammation sont considérés comme un dysfonctionnement unique et rare

3.57

température maximale de surface

température la plus élevée, atteinte en service dans les conditions les plus défavorables (mais à l'intérieur des tolérances reconnues) par toute partie ou toute surface d'un appareil Ex

3.58

température minimale d'inflammation d'une atmosphère explosive gazeuse

température la plus basse d'une surface chaude qui, dans des conditions spécifiées conformément à l'IEC 60079-20-1, enflammera une substance inflammable sous la forme d'un mélange de gaz ou de vapeur avec l'air

Note 1 à l'article: Les termes «température minimale d'inflammation d'une atmosphère explosive gazeuse» et «température d'auto-inflammation» sont souvent employés de manière interchangeable.

3.59

température minimale d'inflammation d'une couche de poussière

température la plus basse d'une surface chaude à laquelle une inflammation se produit dans une couche de poussière dans des conditions d'essai spécifiées

Note 1 à l'article: La température d'inflammation d'une couche de poussière peut être déterminée par la méthode d'essai fournie dans l'ISO/IEC 80079-20-2.

3.60

température minimale d'inflammation d'un nuage de poussière

température la plus basse d'une surface chaude à laquelle le mélange le plus inflammable de poussière et d'air prend feu dans des conditions d'essai spécifiées

Note 1 à l'article: La température d'inflammation d'un nuage de poussière peut être déterminée par la méthode d'essai fournie dans l'ISO/IEC 80079-20-2.

3.61**brume**

liquide libéré au travers d'une petite ouverture, à des températures inférieures à son point d'éclair, donnant lieu à la formation de gouttelettes extrêmement petites formant un nuage

3.62**fonctionnement normal**

fonctionnement de l'appareil conforme électriquement et mécaniquement à la spécification de conception et utilisé dans les limites spécifiées par le constructeur

Note 1 à l'article: Les limites spécifiées par le constructeur peuvent inclure des conditions de fonctionnement continu, par exemple le fonctionnement dans un cycle de service.

Note 2 à l'article: La variation de la tension d'alimentation dans des limites établies et toute autre tolérance fonctionnelle, fait partie des conditions normales de fonctionnement.

Note 3 à l'article: Pour les machines électriques, le fonctionnement normal est spécifié en fonction du service type (S1...S10 selon l'IEC 60034-1).

3.63**catégorie de surtension**

chiffre définissant une condition de surtension transitoire

Note 1 à l'article: Les catégories de surtension I, II, III et IV sont utilisées, voir l'IEC 60664-1.

3.64**plastique, matière plastique**

matière qui contient, comme ingrédient essentiel, un liant polymère et qui, à une certaine étape de sa transformation en produit fini, peut être mise en forme par fluage

Note 1 à l'article: Les élastomères, qui sont aussi mis en forme par fluage, ne sont pas considérés comme des plastiques.

[SOURCE: IEC 60050-212:2010, 212-04-02]

3.65**degré de pollution**

chiffre caractérisant la pollution attendue du microenvironnement

Note 1 à l'article: Les degrés de pollution 1, 2, 3 et 4 sont utilisés. Voir l'IEC 60664-1.

3.66**décharge glissante de surface**

décharge électrostatique hautement énergétique provenant d'une feuille, d'une couche ou d'un revêtement isolant sur une surface conductrice mise à la terre, ou d'un matériau de haute résistivité et de haute tension de claquage, les deux surfaces étant fortement chargées (forte densité de charge en surface) mais de polarité opposée

3.67**dispositif de protection**

dispositif destiné à interrompre un circuit électrique dans le cas où le paramètre dépasse une valeur prédéterminée

Note 1 à l'article: Les paramètres incluent souvent le courant, la température, le débit de la pression, etc.

3.68**substance pyrophorique**

substance qui prend feu instantanément quand elle est exposée à l'air (par exemple: le phosphore) ou à l'eau (par exemple: potassium et sodium)

Note 1 à l'article: Les substances pyrophoriques sont hors du domaine d'application de l'IEC 60079-0.

3.69

radiofréquence

ondes électromagnétiques comprises entre 9 kHz et 60 GHz

3.69.1

transmission continue

transmission dont la durée de l'impulsion est supérieure à la moitié du temps d'initiation thermique

3.69.2

transmission à impulsions

transmission dont la durée de l'impulsion est plus courte que la moitié du temps d'initiation thermique, mais dont l'intervalle de temps entre deux impulsions consécutives est supérieur à trois fois le temps d'initiation thermique

3.69.3

temps d'initiation thermique

temps (intervalle de temps pendant lequel la puissance de seuil est intégrée) pendant lequel l'énergie déposée par l'étincelle s'accumule localement dans un petit volume de gaz sans dissipation thermique significative

Note 1 à l'article: Pour des temps inférieurs au temps d'initiation thermique, l'énergie totale déposée par l'étincelle détermine si l'inflammation se produit ou non. Pour des temps plus longs, la puissance ou la vitesse à laquelle l'énergie est déposée devient le facteur déterminant pour l'inflammation.

3.69.4

énergie de seuil

Z_{th}

pour une décharge radiofréquence pulsée, l'énergie maximale de l'impulsion unique qui peut être extraite du corps receveur

3.69.5

puissance de seuil

P_{th}

puissance effective de sortie de l'émetteur multipliée par le gain de l'antenne

Note 1 à l'article: Le gain est produit par une antenne qui concentre le rayonnement dans une direction particulière et est toujours associé à une antenne de référence spécifiée.

Note 2 à l'article: La puissance de seuil est considérée comme étant égale à la puissance isotrope rayonnée équivalente (PIRE), selon l'UIT-R BS.561-2.

3.69.6

gain d'antenne

gain produit par une antenne qui concentre un rayonnement dans une direction spécifique

Note 1 à l'article: Le gain des antennes est souvent inférieur à 1.

3.70

valeur assignée

valeur fixée généralement par le constructeur, pour des conditions de fonctionnement spécifiées pour un composant, un dispositif ou un matériel

3.71

tension assignée d'isolement

valeur de la tension de tenue efficace fixée par le constructeur aux appareils ou à une partie d'entre eux, caractérisant la capacité de tenue spécifiée (à long terme) de son isolation

Note 1 à l'article: La tension assignée d'isolement n'est pas nécessairement égale à la tension assignée de l'appareil, laquelle est principalement liée aux performances fonctionnelles.

3.72**caractéristiques assignées**

ensemble des valeurs assignées et des conditions de fonctionnement

3.73**tension de crête répétitive**

valeur de crête maximale des excursions périodiques de la forme d'onde de tension résultant des déformations d'une tension en courant alternatif ou de composants en courant alternatif superposés à la tension en courant continu

Note 1 à l'article: Les surtensions aléatoires dues par exemple à des manœuvres occasionnelles ne sont pas considérées comme des tensions de crête répétitive.

3.74**dessin connexe**

dessin ou document non répertorié dans le certificat, mais lié à un dessin annexé, et utilisé par exemple, pour la fabrication détaillée de composants

3.75**dispositif de sécurité**

dispositif destiné à un usage à l'intérieur ou à l'extérieur d'atmosphères explosives mais exigé pour assurer ou contribuer à assurer la sécurité de fonctionnement d'appareils et systèmes de protection, en ce qui concerne les risques d'explosion

3.76**dessin annexé**

dessin ou document répertorié dans le certificat ou dans le rapport d'essai

3.77**élément de séparation**

élément mécanique situé à l'intérieur d'un appareil, prévu pour séparer différentes parties de l'appareil de différents EPL

Note 1 à l'article: Un élément de séparation est constitué d'une cloison de séparation mécanique, qui peut être combinée avec un joint antidéflagrant ou une ventilation naturelle.

3.78**condition de remplacement**

condition qui autorise le remplacement d'un élément ou l'utilisation d'un composant remis en état sans altérer les caractéristiques de fonctionnement ou les aspects relatifs à la protection contre l'explosion de l'appareil dans lequel un tel composant est utilisé, particulièrement en ce qui concerne les dessins annexés

3.79**température de service**

température maximale ou minimale atteinte en des points spécifiques de l'appareil lorsque ce dernier fonctionne dans les conditions assignées, incluant la température ambiante et toutes sources externes de chaleur ou de refroidissement (voir 5.2)

Note 1 à l'article: Un appareil peut atteindre des températures de service différentes dans des parties différentes.

3.80**isolement solide**

matériau d'isolement qui est extrudé ou moulé, mais non coulé

Note 1 à l'article: Les isolateurs fabriqués à partir de deux ou de plusieurs pièces en matériau isolant qui sont solidement fixés ensemble, peuvent être considérés comme solides. Le terme «isolement solide» décrit la forme finale et pas nécessairement la forme dans laquelle les isolateurs sont initialement appliqués. Pour les enroulements des machines électriques, l'utilisation de vernis afin de consolider et d'isoler l'enroulement est considérée comme résultant en un isolement solide, quelle que soit la méthode d'application du vernis.

3.81

espacements, électriques

distances de séparation entre des éléments conducteurs à des potentiels électriques différents

3.81.1

distance d'isolement dans l'air

plus courte distance dans l'air entre deux pièces conductrices

3.81.2

ligne de fuite

plus courte distance sur la surface d'un matériau solide isolant en contact avec l'air entre deux parties conductrices

3.81.3

distance d'isolement dans un composé de moulage

plus courte distance dans un composé de moulage entre deux parties conductrices

3.81.4

distance d'isolement dans une isolation solide

plus courte distance dans un isolant solide entre deux parties conductrices

3.81.5

distance sous revêtement

plus courte distance entre parties conductrices sur la surface d'un élément isolant recouvert par un revêtement isolant

3.82

fermeture spéciale

forme spécifique de dispositif de fermeture conforme à l'IEC 60079-0

3.83

symbole «U»

suffixe du numéro de certificat utilisé pour désigner un composant Ex

Note 1 à l'article: Le symbole «U» est utilisé pour identifier le fait que l'appareil est incomplet et qu'il n'est pas adapté pour une installation sans une évaluation complémentaire.

3.84

Symbole «X»

suffixe du numéro de certificat utilisé pour désigner des conditions particulières d'utilisation de l'appareil Ex

Note 1 à l'article: Le symbole «X» est utilisé pour permettre d'identifier le fait que des informations essentielles pour l'installation, l'utilisation et la maintenance de l'appareil, sont données dans le certificat.

3.85

classe de température

système de classification des appareils Ex, basé sur leur température maximale de surface et en relation avec l'atmosphère explosive gazeuse spécifique pour laquelle l'appareil est destiné

3.86

logement de raccordement

logement contenant les éléments de raccordement

3.87**essai individuel de série**

essai auquel est soumis chaque dispositif en cours ou en fin de fabrication pour vérifier qu'il satisfait à des critères définis

3.88**essai de type**

essai effectué sur un ou plusieurs dispositifs d'une conception donnée pour vérifier que cette conception répond à certaines spécifications

3.89**mode de protection**

mesures particulières appliquées à un appareil pour empêcher l'inflammation d'une atmosphère explosive environnante

3.90**limite supérieure d'inflammabilité**

LSI

concentration de gaz ou de vapeur inflammable dans l'air, au-dessus de laquelle une atmosphère explosive gazeuse ne se forme pas (voir l'IEC 60079-20-1)

Note 1 à l'article: Pour les besoins de l'appareil Ex, cette limite était précédemment désignée comme la limite supérieure d'explosivité (UEL – *upper explosive limit*).

Note 2 à l'article: La concentration peut être exprimée comme un rapport volumique ou une masse par unité de volume.

3.91**vapeur**

état gazeux d'une substance pouvant atteindre l'équilibre avec son état liquide ou solide dans les plages de températures et de pressions prises en considération

Note 1 à l'article: Cette définition constitue une version simplifiée de la définition scientifique, et exige simplement que la substance n'atteigne pas son point d'ébullition ou son point de sublimation à la température et à la pression ambiantes.

3.92**vide**

interstice non intentionnel créé lors du procédé d'encapsulation ou de remplissage

3.93**tension de service**

valeur efficace la plus élevée de la tension en courant alternatif ou en courant continu à travers tout isolant particulier, pouvant se produire lorsque l'appareil est alimenté à la tension assignée

Note 1 à l'article: Les transitoires ne sont pas pris en compte.

Note 2 à l'article: Les deux conditions, circuit ouvert et fonctionnement normal, sont prises en compte.

4 Groupement d'appareils**4.1 Généralités**

L'appareil pour atmosphères explosives est réparti dans des groupes tels que représentés en 4.2, 4.3 et 4.4:

4.2 Groupe I

L'appareil du Groupe I est destiné à une utilisation dans les mines grisouteuses.

NOTE Les modes de protection pour le Groupe I prennent en compte l'inflammation du grisou et des poussières de charbon par la protection physique renforcée pour l'appareil en utilisation souterraine.

L'appareil destiné aux mines dans lesquelles l'atmosphère peut, en plus du grisou, contenir des proportions appréciables d'autres gaz inflammables (c'est-à-dire autres que le méthane) doit être construit et soumis à l'essai conformément aux exigences du Groupe I et également à celles de la subdivision du Groupe II qui correspond aux autres gaz inflammables significatifs.

4.3 Groupe II

L'appareil du Groupe II est destiné à une utilisation dans les emplacements dans lesquels il existe une atmosphère explosive gazeuse, autre que les mines grisouteuses.

L'appareil du Groupe II fait l'objet de subdivisions en fonction des caractéristiques de l'atmosphère explosive gazeuse à laquelle il est destiné.

Subdivisions du Groupe II:

- IIA, dont le propane est un gaz caractéristique;
- IIB, dont l'éthylène est un gaz caractéristique;
- IIC, dont l'hydrogène et l'acétylène sont des gaz caractéristiques.

NOTE 1 Cette subdivision est basée sur l'interstice expérimental maximal de sécurité (IEMS) ou sur le rapport de courant minimal d'inflammation (rapport CMI) de l'atmosphère explosive gazeuse dans laquelle l'appareil peut être installé. (Voir l'IEC 60079-20-1).

NOTE 2 Pour les matériaux non métalliques externes de l'appareil, la subdivision est basée sur le risque de charge électrostatique pour les surfaces externes (voir 7.4.2).

NOTE 3 Les appareils marqués IIB sont adaptés aux applications exigeant des appareils du Groupe IIA. De même, les appareils marqués IIC sont adaptés aux applications exigeant des appareils du Groupe IIA ou du Groupe IIB.

4.4 Groupe III

L'appareil du Groupe III est destiné à une utilisation dans les emplacements dans lesquels il existe une atmosphère explosive de poussière, autre que les mines grisouteuses.

L'appareil du Groupe III fait l'objet de subdivisions en fonction des caractéristiques de l'atmosphère explosive de poussière à laquelle il est destiné.

Subdivisions du Groupe III:

- IIIA: particules combustibles en suspension dans l'air;
- IIIB: poussière non conductrice;
- IIIC: poussière conductrice.

NOTE Les appareils marqués IIIB sont adaptés aux applications exigeant des appareils du Groupe IIIA. De même, les appareils marqués IIIC sont adaptés aux applications exigeant des appareils du Groupe IIIA ou du Groupe IIIB.

4.5 Appareil pour une atmosphère explosive gazeuse particulière

L'appareil peut être soumis à des essais pour une atmosphère explosive gazeuse particulière. Dans ce cas, les informations doivent être enregistrées sur le certificat et l'appareil doit être marqué en conséquence.

5 Températures

5.1 Influences environnementales

5.1.1 Température ambiante

L'appareil conçu pour une utilisation dans une plage normale de températures ambiantes comprise entre -20 °C et $+40\text{ °C}$ n'exige aucun marquage de la plage de températures ambiantes. Cependant, l'appareil conçu pour une utilisation dans une plage de températures autre que cette plage normale de températures ambiantes est considéré comme étant spécial. Le marquage doit donc comprendre le symbole T_a ou T_{amb} suivi des températures ambiantes supérieure et inférieure, ou, si cela n'est pas réalisable, le symbole «X» doit être utilisé pour indiquer les conditions particulières d'utilisation qui incluent les températures ambiantes supérieure et inférieure. Voir le point e) de 29.3 et le Tableau 1.

NOTE Une réduction de la plage de températures ambiantes est admise, par exemple, $-5\text{ °C} \leq T_{amb} \leq 15\text{ °C}$.

Tableau 1 – Températures ambiantes d'utilisation et marquage additionnel

Appareil	Température ambiante d'utilisation	Marquage additionnel
Normal	Maximale: $+40\text{ °C}$ Minimale: -20 °C	Aucun
Spécial	Spécifiée par le constructeur	T_a ou T_{amb} avec la plage spéciale, par exemple, $-30\text{ °C} \leq T_a \leq +40\text{ °C}$ ou le symbole «X»

5.1.2 Source externe de chaleur ou de refroidissement

Lorsque l'appareil est destiné à être physiquement relié à, ou influencé par, une source de chaleur ou de refroidissement externe séparée, telle qu'une cuve ou une canalisation chauffée ou refroidie, les caractéristiques assignées de cette source externe doivent être spécifiées dans le certificat et dans les instructions du constructeur.

NOTE 1 La source externe de chaleur ou de refroidissement est désignée fréquemment comme la «température de procédé».

NOTE 2 Ces caractéristiques assignées sont exprimées différemment en fonction de la nature de la source et de l'installation. Pour les sources généralement plus grandes que l'appareil, la température maximale ou minimale est généralement suffisante. Pour les sources généralement plus petites que l'appareil, ou pour la conduction de la chaleur à travers une isolation thermique, la vitesse du flux de chaleur peut être appropriée. En variante, les caractéristiques assignées sont souvent exprimées par la spécification d'une température à un point accessible défini sur l'appareil.

NOTE 3 Il peut être nécessaire de prendre en compte l'influence de la chaleur rayonnée sur l'installation finale. Voir l'IEC 60079-14.

5.2 Température de service

Lorsque la présente norme, ou la norme concernant le mode spécifique de protection, exige de déterminer la température de service pour tout emplacement dans l'appareil, la température doit être déterminée pour les caractéristiques assignées de l'appareil, lorsque ce dernier est soumis à la température ambiante maximale ou minimale et, le cas échéant, à la source externe de chaleur ou de refroidissement assignée maximale. Les essais de la température de service, le cas échéant, doivent être réalisés conformément à 26.5.1.

Pour l'appareil EPL Da, une couche de poussière identique à celle appliquée en 5.3.2.3.1 doit être appliquée lors de la détermination de la température de service.

Pour les appareils d'EPL Db avec une couche de poussière, des couches de poussière identiques à celles appliquées en b), ou c), de 5.3.2.3.2, selon le cas, doivent être appliquées lors de la détermination de la température de service.

Lorsque la plage de températures d'un composant Ex dépend de la plage de températures de service d'un ou de plusieurs matériaux de construction dont dépend le mode de protection, la plage de températures autorisée pour le composant Ex doit être indiquée dans la liste des limitations. Voir 13.5.

NOTE Les caractéristiques assignées de l'appareil comprennent la température ambiante, l'alimentation électrique et la charge, le cycle de service ou le service type, tels qu'assignés par le constructeur, en général tels qu'indiqués sur le marquage.

5.3 Températures maximales de surface

5.3.1 Détermination de la température maximale de surface

La température maximale de surface doit être déterminée conformément à 26.5.1 pour la température ambiante maximale et, le cas échéant, avec la source de chaleur externe assignée maximale.

5.3.2 Limitation de la température maximale de surface

5.3.2.1 Appareil du Groupe I

Pour les appareils du Groupe I, la température maximale de surface doit être spécifiée dans la documentation correspondante, conformément à l'Article 24.

Cette température maximale de surface ne doit pas être supérieure à:

- 150 °C pour toute surface sur laquelle une couche de poussière de charbon peut se former,
- 450 °C lorsque la formation d'une couche de poussière de charbon est peu probable (c'est-à-dire, à l'intérieur d'une enveloppe protégée contre la poussière).

5.3.2.2 Appareil du Groupe II

La température maximale de surface déterminée (voir 26.5.1) ne doit pas être supérieure à:

- la classe de température assignée (voir le Tableau 2), ou
- la température maximale de surface assignée, ou
- le cas échéant, la température d'inflammation du gaz particulier pour lequel il est prévu.

Tableau 2 – Classement des températures maximales de surface pour les appareils du Groupe II

Classe de températures	Température maximale de surface °C
T1	≤ 450
T2	≤ 300
T3	≤ 200
T4	≤ 135
T5	≤ 100
T6	≤ 85

Plusieurs classes de températures peuvent être établies pour différentes températures ambiantes et différentes sources externes de chaleur et de refroidissement.

5.3.2.3 Appareil du Groupe III

5.3.2.3.1 Température maximale de surface pour l'EPL Da

La température maximale de surface doit être déterminée **avec** une épaisseur de couche minimale de 200 mm de poussière entourant toutes les faces de l'appareil, conformément à 26.5.1.

NOTE Une épaisseur de couche de poussière supérieure à 200 mm ne donne pas lieu à une augmentation supplémentaire de la température, laquelle nécessiterait d'être prise en compte.

5.3.2.3.2 Température maximale de surface pour l'EPL Db

La température maximale de surface pour l'EPL Db peut être déterminée selon l'une des trois configurations suivantes.

- a) Température maximale de surface déterminée sans couche de poussière pour l'EPL Db.

La température maximale de surface déterminée sans couche de poussière conformément à 26.5.1 ne doit pas dépasser la température maximale de surface assignée.

- b) Température maximale de surface relative à une couche de poussière spécifiée pour l'EPL Db.

En plus de la température maximale de surface exigée en a) ci-dessus, la température maximale de surface peut également être déterminée, conformément à 26.5.1, pour une épaisseur de couche spécifiée (préfixe $T_{\text{épaisseur de couche spécifiée}}$ indiquant la température maximale de surface) de poussière entourant toutes les faces de l'appareil. L'épaisseur de couche maximale spécifiée ne doit pas dépasser 200 mm.

NOTE 1 Une épaisseur de couche de poussière supérieure à 200 mm ne donne pas lieu à une augmentation supplémentaire de la température.

- c) Température maximale de surface relative à une couche de poussière avec une orientation spécifiée de l'appareil pour l'EPL Db.

Si une ou plusieurs orientations spécifiques sont indiquées dans les instructions, des essais doivent être effectués conformément à 26.5.1 avec une couche de poussière sur les surfaces sur lesquelles de la poussière peut s'accumuler (pour chaque orientation, préfixe T_L indiquant la température maximale de surface) et le numéro de certification doit inclure le suffixe «X» pour indiquer cette condition particulière d'utilisation, conformément au point d) de 29.5.

NOTE 2 Des informations complémentaires sur l'application de l'appareil sur lequel des couches de poussière d'une épaisseur maximale de 50 mm peuvent s'accumuler sont données dans l'IEC 60079-14.

5.3.2.3.3 Température maximale de surface déterminée sans couche de poussière pour l'EPL Dc

La température maximale de surface déterminée **sans** couche de poussière, conformément à 26.5.1, ne doit pas être supérieure à la température maximale de surface assignée.

5.3.3 Température des petits composants des appareils du Groupe I et du Groupe II

NOTE Des preuves tant théoriques que pratiques montrent que plus la surface chauffée est petite, plus la température de surface exigée pour l'inflammation d'une atmosphère explosive donnée est élevée.

Les petits composants, par exemple, les transistors ou les résistances, dont la température dépasse la valeur permise par le classement en température, doivent être acceptables à condition qu'ils répondent à l'une des exigences suivantes:

- a) lorsqu'ils sont soumis à l'essai conformément à 26.5.3, les petits composants ne doivent pas provoquer l'inflammation du mélange inflammable, et aucune déformation ou détérioration due à une température plus élevée ne doit endommager le mode de protection; ou
- b) pour la classe T4 et le Groupe I, les petits composants doivent être conformes au Tableau 3 et au Tableau 4; ou

- c) pour la classe T5, la température de surface d'un composant dont la surface est inférieure à 1 000 mm² (en excluant les conducteurs de sortie) ne doit pas dépasser 150 °C.

Les points a), b) et c) ne s'appliquent pas aux petits composants produisant un échauffement de la surface du fait d'une réaction catalytique ou de toute autre réaction chimique. Les essais de 26.5.3 peuvent s'appliquer, mais les mélanges inflammables utilisés doivent être ceux qui produisent la température de composant la plus élevée due à la réaction chimique qui prend en compte le groupe d'appareils et la classe de température de l'application prévue.

Tableau 3 – Évaluation du classement en température, en fonction de la taille du composant

Surface totale (en excluant les conducteurs de sortie)	Appareil du Groupe II		Appareil du Groupe I	
	Avec classe de température T4		Exclusion de la poussière	
	Température maximale de surface	Puissance dissipée maximale	Température maximale de surface	Puissance dissipée maximale
	°C	W	°C	W
< 20 mm ²	275		950	
≥ 20 mm ² ≤ 1 000 mm ²	200, ou	selon le Tableau 4		selon le Tableau 4
> 1 000 mm ²		selon le Tableau 4		selon le Tableau 4

Tableau 4 – Évaluation du classement en température, surface du composant ≥ 20 mm²

Variation de la puissance dissipée maximale en fonction de la température

Température locale* maximale	°C	Groupe d'appareils	40	50	60	70	80
Puissance dissipée maximale	W	Groupe II	1,3	1,25	1,2	1,1	1,0
		Groupe I (exclusion de la poussière)	3,3	3,22	3,15	3,07	3,0

* La température locale est la température de l'air entourant le composant (mais pas la température de surface du composant). Elle prend en compte la chaleur émise par le composant et les autres composants à proximité, et, le cas échéant, les sources externes de chaleur, dans les conditions normales de fonctionnement.

Pour les potentiomètres, la surface à prendre en compte doit être celle de l'élément résistif et non la surface externe du composant. Les conditions d'implantation et l'effet de dissipation thermique et de refroidissement de toute la structure du potentiomètre doivent être pris en considération pendant l'essai. La température doit être mesurée sur la piste sur laquelle le courant circule, dans les conditions d'essai exigées par la norme applicable au mode de protection spécifique. Si cela entraîne une valeur de résistance inférieure à 10 % de la valeur de résistance de la piste, les mesurages doivent être effectués à 10 % de la valeur de résistance de la piste.

5.3.4 Température de composants des surfaces lisses pour les appareils de Groupe I ou de Groupe II

Pour les surfaces inférieures à 10 000 mm², la température de surface peut dépasser celle de la classe marquée pour les appareils du Groupe II ou la température maximale de surface correspondante pour les appareils du Groupe I, s'il n'y a pas de risque d'inflammation à partir de ces surfaces, avec une marge de sécurité de:

- 50 K pour les classes de température du Groupe II T1, T2 et T3;

- 25 K pour les classes de température du Groupe II T4, T5 et T6;
- 25 K pour le Groupe I.

Cette marge de sécurité doit être assurée par l'expérience basée sur des essais et acquise sur des composants similaires ou par des essais de l'appareil proprement dit, dans des mélanges explosifs représentatifs pour la classe de température spécifique.

NOTE Une surface lisse chauffée permet parfois une température de surface plus élevée avant l'apparition de l'auto-inflammation d'une atmosphère environnante. Pendant les essais, la marge de sécurité représentée est souvent simulée par un accroissement de la température ambiante ou par un accroissement de la puissance dissipée du composant. La deuxième option s'avère plus pratique dans le cas du méthane.

6 Exigences pour tous les appareils

6.1 Généralités

Les exigences de la présente norme ainsi qu'une ou plusieurs normes spécifiques citées à l'Article 1 viennent s'ajouter aux exigences de sécurité applicables des normes industrielles applicables.

NOTE 1 La vérification de la conformité aux normes industrielles applicables ne constitue pas une exigence de la présente norme.

NOTE 2 Si l'appareil Ex ou le composant Ex est destiné à supporter des conditions de service particulièrement défavorables (par exemple, manipulations brutales, effets de l'humidité, variations de température ambiante, effets d'agents chimiques, corrosion), l'utilisateur les spécifie généralement au constructeur. Si la certification est recherchée, le fait que l'organisme de certification confirme la pertinence des conditions défavorables ne constitue pas une exigence de la présente norme. Des mesures de prévention particulières sont généralement prises lorsque les effets de vibration sur les bornes, les supports de fusible, les douilles de lampes et les connexions porteuses de courant en général, peuvent altérer la sécurité, à moins qu'ils ne soient conformes aux normes spécifiques. Pour des informations complémentaires concernant l'application de l'appareil Ex dans des conditions de température basse en dessous de -20 °C, voir l'IEC TS 60079-43¹, Explosive atmospheres – Part 43: Equipment in adverse service conditions (disponible en anglais seulement).

NOTE 3 Les instructions sont souvent utilisées pour identifier les conditions défavorables spécifiques pour lesquelles l'appareil est adapté.

6.2 Résistance mécanique de l'appareil

L'appareil doit être soumis aux essais de 26.4. Des dispositifs de protection utilisés pour protéger contre les chocs ne doivent être détachables que par l'utilisation d'un outil et ils doivent être laissés en place pour les essais de choc exigés.

6.3 Temps d'ouverture

Les enveloppes qui peuvent être ouvertes en un temps plus court que:

- a) le temps de décharge de tous les condensateurs incorporés, lorsqu'ils sont chargés à une tension de 200 V ou plus, jusqu'à une valeur d'énergie résiduelle de:
 - 0,2 mJ pour des appareils du Groupe I ou du Groupe IIA,
 - 0,06 mJ pour des appareils du Groupe IIB,
 - 0,02 mJ pour des appareils du Groupe IIC, y compris les appareils marqués uniquement Groupe II,
 - 0,2 mJ pour des appareils du Groupe III,ou des niveaux d'énergie deux fois plus élevés que les niveaux d'énergie ci-dessus si la tension de charge est inférieure à 200 V, ou

¹ En cours d'élaboration

- b) le temps nécessaire pour que la température de surface de composants chauds à l'intérieur de l'enveloppe soit inférieure à la température maximale de surface assignée de l'appareil:

doivent comporter l'un des marquages d'avertissement suivants:

- un marquage indiquant le délai d'ouverture de l'enveloppe, comme spécifié au point a) de 29.13; ou
- un marquage indiquant le délai d'ouverture de l'enveloppe, comme spécifié au point b) de 29.13.

6.4 Courants de circulation dans les enveloppes (par exemple, de machines électriques de grandes dimensions)

Si nécessaire, des dispositions doivent être prises afin de se protéger contre tout effet dû à la présence de courants de circulation provoqués par des champs magnétiques parasites, contre des arcs ou des étincelles pouvant résulter de l'interruption de tels courants, ou contre des températures excessives provoquées par de tels courants.

NOTE 1 Les champs magnétiques parasites peuvent entraîner des courants significatifs circulant à la fois à l'intérieur et entre les sections boulonnées d'enveloppes à plusieurs sections souvent utilisées pour des machines électriques tournantes de grandes dimensions. Ces courants sont plus susceptibles de se produire au cours du démarrage des moteurs. Il est important d'éviter la formation d'étincelles lors d'interruptions intermittentes de ces courants.

NOTE 2 Bien que cela constitue la principale source de préoccupation avec les machines électriques tournantes de grande dimension, la même situation peut se produire avec d'autres appareils avec lesquels des champs magnétiques parasites importants interagissent avec les sections boulonnées d'enveloppes à plusieurs sections.

NOTE 3 Les exemples de mesures de prévention pouvant être prises comprennent:

- la mise en place de liaisons équipotentielle; ou
- la mise en place d'une configuration appropriée de fermetures.

Lorsque des conducteurs de liaison équipotentielle sont utilisés, ils doivent être assignés de manière appropriée pour les courants prévus, et doivent être disposés de telle sorte qu'ils assurent un transfert de courant sûr, sans risque de formation d'étincelles dans des conditions de fonctionnement défavorables, telles que la vibration ou la corrosion. Les connexions doivent être protégées contre la corrosion et le desserrement conformément à 15.5 et 15.6. Une attention toute particulière doit être portée aux conducteurs nus souples à proximité immédiate des parties connectées.

Les conducteurs de liaison ne sont pas exigés lorsque l'isolation assure que les courants de circulation ne peuvent pas circuler entre des parties. L'isolation de telles parties doit être capable de résister à une tension efficace de 100 V pendant 1 min. Cependant, des dispositions doivent être prises pour une mise à la terre adéquate des parties conductrices exposées isolées.

6.5 Maintien des garnitures

Lorsque le degré de protection procuré par l'enveloppe dépend d'un joint d'étanchéité prévu pour être ouvert pendant l'installation ou en fonctionnement normal, les garnitures doivent être fixées ou fixées à l'une des faces d'accouplement afin d'empêcher des pertes, des dommages ou des assemblages incorrects. Le matériau de la garniture ne doit pas adhérer lui-même à l'autre face de raccordement. Lorsque le joint de raccordement est ouvert puis refermé avant d'effectuer les essais portant sur le degré de protection procuré par l'enveloppe, il doit être vérifié que le matériau de la garniture reste attaché ou fixé et n'a pas adhéré à l'autre face de raccordement. (Voir 26.4.1.2).

Si un adhésif est utilisé pour fixer la garniture, il doit satisfaire aux exigences pour les matériaux de scellement données en 7.1.2.4 et être utilisé dans les limites de ses températures de fonctionnement continu (COT).

6.6 Appareil émettant une énergie rayonnée électromagnétique ou ultrasonique

6.6.1 Généralités

Les niveaux d'énergie ne doivent pas dépasser les valeurs données en 6.6.2 ou 6.6.3, selon le cas.

NOTE Des informations complémentaires pour l'application de sources rayonnant de plus fortes puissances, pour le Groupe I et le Groupe II, sont données dans le document CLC/TR50427. Les résultats du rapport technique sont fondés sur des conditions de champ lointain.

6.6.2 Sources de radiofréquences

La puissance de seuil de radiofréquence (9 kHz à 60 GHz) pour des transmissions continues et pour des transmissions à impulsions dont les durées d'impulsion sont supérieures au temps d'initiation thermique ne doit pas être supérieure aux valeurs données dans le Tableau 5. Les commandes par logiciel ou par programme permettant un réglage par l'utilisateur ne doivent pas être admises.

Tableau 5 – Puissance de seuil

Appareil pour	Puissance de seuil maximale	Temps d'initiation thermique maximal
	W	µs
Groupe I	6	200
Groupe IIA	6	100
Groupe IIB	3,5	80
Groupe IIC	2	20
Groupe III	6	200

Pour les radars à impulsions et d'autres transmissions dans lesquels les impulsions sont courtes par rapport au temps d'initiation thermique, les valeurs d'énergie de seuil Z_{th} ne doivent pas être supérieures à celles données dans le Tableau 6.

Tableau 6 – Énergie de seuil

Appareil pour	Énergie de seuil maximale Z_{th}
	µJ
Groupe I	1 500
Groupe IIA	950
Groupe IIB	250
Groupe IIC	50
Groupe III	1 500

NOTE 1 Dans le Tableau 5 et le Tableau 6, les mêmes valeurs sont appliquées pour les appareils Ma, Mb, Ga, Gb, Gc, Da, Db, ou Dc du fait de l'implication d'importants facteurs de sécurité.

NOTE 2 Dans le Tableau 5 et le Tableau 6, les valeurs pour le Groupe III adoptées proviennent du Groupe I et ne sont pas basées sur des résultats expérimentaux.

NOTE 3 Dans le Tableau 5 et le Tableau 6, les valeurs s'appliquent en fonctionnement normal, à condition que l'utilisateur de l'appareil n'ait pas accès au réglage de l'appareil dans le but d'obtenir des valeurs plus élevées. Il n'est pas nécessaire de prendre en compte la possibilité d'augmentations de puissance provoquées par des défauts, du fait de l'importance des marges de sécurité impliquées et de la forte probabilité que des amplificateurs RF soient rapidement défaillants si un défaut qui augmente significativement la puissance de sortie se produit.

6.6.3 Sources d'ultrasons

Les paramètres de sortie des sources uniques d'ultrasons des appareils d'EPL Ma, Mb, Ga, Gb, Gc, Da, Db ou Dc ne doivent pas dépasser les valeurs suivantes

Pour les gaz et les poussières:

- 10 MHz;
- pour les sources continues – Niveau de pression acoustique (SPL – Sound Pressure Level) 170 dB (réf. 20 µPa);
- pour les sources à impulsions (intégrées sur un intervalle de 1 s) – SPL moyen de 170 dB (réf. 20 µPa).

NOTE Un niveau de pression acoustique (SPL) de 170 dB (avec 20 µPa comme niveau de pression de référence) représente une intensité acoustique de 10 W/cm², donnant lieu à une relaxation importante par rapport à l'ancienne limite de 0,1 W/cm².

Pour les liquides:

- 10 MHz;
- pour les sources continues – Densité de puissance de 40 W/cm²;
- pour les sources à impulsions (intégrées sur un intervalle de 1 s) – Densité de puissance moyenne de 40 W/cm².

pour $D > \lambda$, utiliser $\frac{P}{\lambda^2}$ pour calculer la densité de puissance,

pour $D \leq \lambda$, utiliser $\frac{P}{D^2}$ pour calculer la densité de puissance.

où

P = puissance acoustique ou puissance électrique d'entrée

D = diamètre de la surface émettrice (ou la dimension mineure si la surface émettrice est rectangulaire)

λ = longueur d'onde dans le liquide

Lorsque plusieurs sources d'ultrasons se chevauchent, la somme des intensités doit satisfaire également aux seuils.

6.6.4 Lasers, luminaires et autres sources optiques à ondes continues non divergentes

Les exigences relatives aux lasers, luminaires et autres sources optiques à ondes continues non divergentes, comme les luminaires à LED, les lampes de poche et les émetteurs/récepteurs à fibre optique sont spécifiées dans l'IEC 60079-28.

7 Enveloppes non métalliques ou parties non métalliques d'enveloppes

7.1 Généralités

7.1.1 Applicabilité

Les exigences données dans le présent article et en 26.7 doivent s'appliquer aux enveloppes non métalliques et aux parties non métalliques d'enveloppes dont dépend le mode de protection.

NOTE 1 Certains exemples de parties non métalliques d'enveloppes dont dépend le mode de protection incluent les joints d'étanchéité des couvercles des enveloppes «e» ou «t», les composés de remplissage d'une entrée de

câble «d» ou «e», les joints d'étanchéité des entrées de câbles, les joints des organes de commande des commutateurs pour une enveloppe «e», etc.

NOTE 2 Certaines sous-parties de la présente norme rendent les exigences relatives aux «parties non métalliques d'enveloppes» spécifiées dans le présent article applicables à des parties, qui ne sont pas des enveloppes, mais dont dépend le mode de protection, par exemple, traversées «d», bornes «e».

7.1.2 Spécification des matériaux

7.1.2.1 Généralités

Les documents conformes à l'Article 24 doivent spécifier le matériau de l'enveloppe ou de la partie de l'enveloppe.

7.1.2.2 Matières plastiques

La spécification pour les matières plastiques doit inclure les informations suivantes:

- a) le nom ou la marque déposée du constructeur ou du formulateur de la résine;
- b) l'identification du matériau, y compris la désignation du type et la couleur;
- c) les traitements de surface possibles, tels que les vernis, etc.;
- d) l'indice de température IT, correspondant au point 20 000 h du graphique d'endurance thermique sans perte de la résistance à la flexion supérieure à 50 %, cet indice étant déterminé conformément à l'IEC 60216-1 et à l'IEC 60216-2 en prenant comme propriété de base la résistance à la flexion déterminée conformément à l'ISO 178. Si le matériau ne se rompt pas lors de cet essai avant l'exposition à la chaleur, l'indice doit être basé sur la résistance à la traction déterminée conformément à l'ISO 527-2 avec utilisation d'éprouvettes de Type 1A ou 1B. Comme variante à l'indice de température IT, l'indice relatif thermique (IRT – résistance mécanique ou IRT – choc mécanique) peut être déterminé conformément à ANSI/UL 746B.
- e) le cas échéant, les données conformes à 7.3 (résistance aux ultraviolets).

La source des données pour ces caractéristiques doit être identifiée.

NOTE 1 La vérification de la conformité à la spécification de la matière plastique ne constitue pas une exigence de la présente norme.

NOTE 2 Lors de la sélection des matières plastiques, certains constructeurs ont constaté que des variations du type et du pourcentage des matières de charge, des retardateurs de flamme, des stabilisants d'ultraviolets et analogues, peuvent avoir un effet significatif sur les propriétés de la matière plastique.

NOTE 3 Des recommandations relatives à la traçabilité des matières peuvent être consultées dans l'ISO/IEC 80079-34. Il est nécessaire que les constructeurs ayant l'intention d'utiliser une méthode «d'empreinte digitale», telle qu'un balayage infrarouge ou l'indice d'oxygène pour obtenir la traçabilité des plastiques, en soient conscients au moment des essais de type de manière à pouvoir obtenir les informations de référence.

7.1.2.3 Élastomères

La spécification des élastomères doit inclure les informations suivantes:

- a) le nom ou la marque déposée du constructeur ou du formulateur de la résine;
- b) l'identification du matériau, y compris la désignation du type et la couleur;
- c) les traitements de surface possibles, tels que les vernis, etc.;
- d) la température de fonctionnement continu (COT);
- e) le cas échéant, les données conformes à 7.3 (résistance aux ultraviolets).

La source des données pour ces caractéristiques doit être identifiée.

NOTE 1 La vérification de la conformité à la spécification du constructeur de l'élastomère ne constitue pas une exigence de la présente norme.

NOTE 2 Lors de la sélection des élastomères, certains constructeurs ont constaté que des variations du type et du pourcentage des matières de charge, des retardateurs de flamme, des stabilisants d'ultraviolets et analogues, peuvent avoir un effet significatif sur les propriétés de l'élastomère.

NOTE 3 Des recommandations relatives à la traçabilité des matières peuvent être consultées dans l'ISO/IEC 80079-34. Il est nécessaire que les constructeurs ayant l'intention d'utiliser une méthode «d'empreinte digitale», telle qu'un balayage infrarouge ou l'indice d'oxygène pour obtenir la traçabilité des élastomères, en soient conscients au moment des essais de type de manière à pouvoir obtenir les informations de référence.

7.1.2.4 Matériaux utilisés pour le scellement

La spécification relative au scellement doit inclure les informations suivantes:

- a) le nom ou la marque déposée du constructeur du matériau utilisé pour le scellement;
- b) l'identification du matériau, y compris la désignation du type;
- c) la température de fonctionnement continu (COT);

La source des données pour ces caractéristiques doit être identifiée.

NOTE La vérification de la conformité à la spécification du constructeur du matériau utilisé pour le scellement ne constitue pas une exigence de la présente norme.

7.2 Endurance thermique

7.2.1 Essais pour l'endurance thermique

Les essais d'endurance à la chaleur et au froid doivent être réalisés conformément à 26.8 et 26.9. Voir également l'Ordre des essais, 26.4.1.

7.2.2 Sélection de l'appareil

Les matières plastiques doivent avoir un indice de température «IT» ou «un indice IRT – résistance mécanique ou IRT – choc mécanique» (selon 7.1.2) supérieur d'au moins 20 K (ou 10 K pour les EPL Gc et Dc) à la température maximale de service de l'enveloppe ou de la partie d'enveloppe (voir 26.5.1).

Les élastomères et les matériaux utilisés pour le scellement doivent avoir une température de fonctionnement continu (COT) qui comprend une température minimale inférieure ou égale à la température minimale de service et une température maximale supérieure d'au moins 20 K (ou 10 K pour les EPL Gc et Dc) à la température maximale de service.

NOTE Un appareil peut atteindre des températures de service différentes dans des parties différentes. La sélection et les essais de chaque matériau sont généralement basés sur la température de service spécifique de la partie concernée, mais sont souvent basés sur la température maximale (ou minimale) de service de l'appareil complet afin de simplifier le programme d'essai.

7.2.3 Qualification alternative pour les joints toriques d'étanchéité en élastomère

Les joints toriques d'étanchéité en élastomère sont généralement qualifiés comme partie intégrante de l'enveloppe de l'appareil complet lorsque le mode de protection exige la protection de l'enveloppe contre la pénétration (IP). En variante, il est admis d'évaluer une enveloppe métallique comprenant des joints toriques d'étanchéité en élastomère, conformément à l'ISO 3601-1, utilisée dans des conditions de fixation définies conformément à l'ISO 3601-2, en utilisant un montage d'essai plutôt que de soumettre à l'essai le joint torique monté sur l'enveloppe de l'appareil complet. Le montage d'essai doit reproduire les dimensions du montage des joints toriques de l'enveloppe de l'appareil complet. Les essais doivent être effectués selon 26.16. Le joint torique est ensuite placé sur l'enveloppe de l'appareil complet, puis soumis aux essais IP exigés spécifiés en 26.4.5.

NOTE La valeur de rémanence à la compression déterminée après les essais de 26.16 est nécessaire pour la comparaison ultérieure avec les joints toriques de matériaux alternatifs pour la même application.

Les essais IP ne sont pas exigés pour la qualification de matériaux de joints toriques supplémentaires, si, après les essais de 26.16, la rémanence à la compression du joint torique alternatif est inférieure ou égale à celle du joint torique d'origine soumis à l'essai.

7.3 Résistance à la lumière ultraviolette

La résistance à la lumière ultraviolette (UV) des enveloppes ou des parties d'enveloppes, des matériaux non métalliques doit être respectée (voir 26.10). Les matériaux conformes aux exigences d'exposition à la lumière ultraviolette (f1) dans l'ANSI/UL 746C sont jugés satisfaisants.

Lorsqu'il n'y a pas de protection contre l'exposition à la lumière UV, un essai de résistance du matériau aux rayonnements ultraviolets doit être effectué si l'enveloppe ou des parties de l'enveloppe dont dépend le mode de protection sont en matériaux non métalliques. Pour les appareils du Groupe I, l'essai s'applique uniquement aux luminaires.

NOTE 1 Les parties internes des enveloppes, non exposées directement à la lumière UV, ne sont généralement pas sujettes à des effets préjudiciables.

Si l'appareil est protégé contre la lumière UV (par exemple, la lumière du jour ou la lumière artificielle) lorsqu'il est installé et si, de ce fait, l'essai n'est pas effectué, l'appareil doit être marqué avec le symbole «X» pour indiquer cette condition d'utilisation particulière, selon le point e) de 29.3.

Les garnitures et les joints, construits de sorte qu'un bord extérieur soit potentiellement exposé à la lumière, ne sont pas concernés par les exigences de résistance à la lumière ultraviolette.

NOTE 2 Il est généralement admis que les matériaux en verre et en céramique ne sont pas altérés par l'essai de résistance à la lumière UV, l'essai pouvant ne pas être nécessaire.

NOTE 3 Les essais de résistance à la lumière UV sont effectués sur des éprouvettes spéciales et non pas sur l'enveloppe. Par conséquent, il n'est pas exigé de soumettre les éprouvettes spéciales aux essais des enveloppes (26.4) préalablement aux essais de résistance à la lumière UV.

7.4 Charges électrostatiques des matériaux externes non métalliques

7.4.1 Applicabilité

Les exigences de 7.4 s'appliquent uniquement aux matériaux externes non métalliques d'appareils.

Les exigences de 7.4 s'appliquent également aux parties non métalliques qui sont disposées sur la surface externe d'une enveloppe.

NOTE 1 Des peintures, des films, des feuilles et des plaques non métalliques sont généralement fixés sur les surfaces externes des enveloppes pour assurer une protection environnementale supplémentaire. Leur aptitude à stocker des charges électrostatiques est traitée dans le présent article.

NOTE 2 Il est en général admis que les surfaces en verre et en céramique ne sont pas susceptibles de conserver une charge électrostatique.

NOTE 3 Des recommandations sur le risque d'inflammation provenant de décharges électrostatiques peuvent être consultées dans l'IEC TS 60079-32-1.

7.4.2 Évitement du développement d'une charge électrostatique pour le Groupe I ou le Groupe II

L'appareil est conçu de façon à éviter tout danger d'inflammation par des charges électrostatiques, dans les conditions normales d'utilisation, sur les surfaces externes des enveloppes. Cette exigence doit être satisfaite en employant une ou plusieurs des techniques suivantes:

NOTE 1 Il est souvent pratique d'employer différentes techniques d'atténuation sur les différentes parties de l'appareil.

- a) par un choix du matériau de sorte que la résistance de surface doit satisfaire au moins à l'un des critères indiqués ci-dessous mesurés conformément à 26.13;
 - $\leq 1 \text{ G}\Omega$ mesurée à $(50 \pm 5) \%$ d'humidité relative
 - $\leq 100 \text{ G}\Omega$ mesurée à $(30 \pm 5) \%$ d'humidité relative

- b) par la limitation de la surface des parties non métalliques d'enveloppes, comme indiqué au Tableau 7.

La surface est définie de la façon suivante:

- pour les matériaux en feuilles, la surface doit être la surface exposée (chargeable);
- pour les objets incurvés, la surface doit être la projection de l'objet donnant la surface maximale;
- pour les parties non métalliques individuelles, la surface doit être évaluée indépendamment si elles sont séparées par des cadres conducteurs mis à la terre.

Les valeurs admises de la surface peuvent être multipliées par un facteur de quatre si cette surface du matériau non métallique est entourée par et au contact d'une surface conductrice mise à la terre.

Les valeurs admises de la surface peuvent être multipliées par un facteur de deux si les côtés opposés les plus longs de cette surface sont au contact d'une surface conductrice mise à la terre.

En variante, pour les pièces longues avec des surfaces non métalliques, telles que les tubes, les barres ou les élingues, il n'est pas nécessaire de prendre en considération la surface, mais les diamètres ou les largeurs ne doivent pas dépasser les valeurs données dans le Tableau 8. Les câbles de raccordement aux circuits extérieurs ne sont pas concernés par cette exigence. Voir 16.7.

- c) par la limitation de l'épaisseur d'une couche non métallique recouvrant des surfaces conductrices ou dissipatives, reliées à la terre avec une résistance électrique inférieure à $1 \text{ G}\Omega$. Pour les besoins de la présente norme, les surfaces dissipatives sont celles qui sont conformes aux exigences de 7.4.2 a). L'épaisseur de la couche non métallique ne doit pas dépasser les valeurs données dans le Tableau 9 ou la tension de claquage doit être $\leq 4 \text{ kV}$ en courant continu (mesurée pour l'épaisseur du matériau isolant conformément à la méthode décrite dans l'IEC 60243-1 ainsi qu'aux exigences supplémentaires de l'IEC 60243-2 concernant les essais en courant continu);

NOTE 2 Une enveloppe peinte conforme uniquement à 7.4.2 c) et au Tableau 9 n'est pas conforme à 7.4.3 c).

- d) par un revêtement conducteur ou dissipatif. Les surfaces non métalliques peuvent être recouvertes par une couche conductrice ou dissipative permanente. La résistance entre le revêtement et le point de liaison (dans le cas d'un appareil pour des installations fixes) ou le point de contact potentiel avec l'enveloppe le plus éloigné (dans le cas d'un appareil portable) ne doit pas être supérieure à $1 \text{ G}\Omega$. La résistance doit être mesurée conformément à 26.13 mais en utilisant une électrode de 100 mm^2 à la position la plus défavorable de la surface et la liaison ou le point de contact potentiel le plus éloigné. L'appareil doit être marqué «X» conformément au point e) de 29.3 et la documentation doit fournir des recommandations concernant l'utilisation du moyen de liaison (pour un appareil installé à poste fixe) et des informations permettant à l'utilisateur de décider de la durabilité du matériau de revêtement compte tenu des conditions d'environnement;

NOTE 3 Les conditions d'environnement qui ont une influence sur le matériau de revêtement peuvent comprendre les influences exercées par les petites particules présentes dans un courant d'air, les vapeurs de solvants et analogues.

- e) pour les installations fixes lorsque l'installation est destinée à réduire le plus possible le risque provenant des décharges électrostatiques, par le marquage «X» de l'appareil conformément au point e) de 29.3. Les instructions doivent fournir des recommandations à l'utilisateur afin de réduire le plus possible le risque de décharge électrostatique. Lorsque la pratique le permet, l'appareil doit également être marqué avec l'avertissement de charge électrostatique donné au point g) de 29.13.

NOTE 4 Les exemples de recommandations possibles pour les conditions particulières d'utilisation comprennent:

- Le contrôle de l'humidité ambiante afin de réduire le plus possible la production d'électricité statique.
 - La protection contre les courants d'air directs, provoquant un transfert de charge.
 - Les contacts avec un objet isolant.
 - Les moyens d'évacuation continue des charges électrostatiques
- f) pour les appareils portables, alimentés par le réseau, lorsque des matériaux non métalliques sont protégés contre les charges ou les décharges par la mise en œuvre d'un dispositif de protection relié à la terre conducteur ou dissipatif, l'appareil doit être marqué avec un «X», conformément au point e) de 29.3. Les instructions doivent fournir des recommandations à l'utilisateur afin de réduire le plus possible le risque de décharge électrostatique. Lorsque la pratique le permet, l'appareil doit également être marqué avec l'avertissement de charge électrostatique donné au point g) de 29.13.
- g) en vérifiant par des essais que la charge maximale transférée, mesurée conformément à 26.17, est dans les limites de seuil du Tableau 10.

NOTE 5 Dans de nombreuses applications industrielles, y compris dans les mines de charbon, il est très fréquent que les panneaux d'avertissement puissent devenir illisibles du fait du dépôt de poussières. Si tel est le cas, il est possible que l'action de nettoyage du panneau puisse provoquer une décharge d'électricité statique.

NOTE 6 Une résistance minimale d'isolement pour les matériaux d'isolation électrique est généralement spécifiée afin d'éviter des problèmes résultant du toucher des parties exposées non métalliques qui sont en contact avec des parties actives.

Tableau 7 – Limitations de surfaces

Surface maximale mm ²				
Appareil du Groupe I	Appareil du Groupe II			
	Niveau de protection de l'appareil	Groupe IIA	Groupe IIB	Groupe IIC
10 000	EPL Ga	5 000	2 500	400
	EPL Gb	10 000	10 000	2 000
	EPL Gc	10 000	10 000	2 000

Tableau 8 – Valeur maximale du diamètre ou de la largeur

Valeur maximale du diamètre ou de la largeur mm				
Appareil du Groupe I	Appareil du Groupe II			
	Niveau de protection de l'appareil	Groupe IIA	Groupe IIB	Groupe IIC
30	EPL Ga	3	3	1
	EPL Gb	30	30	20
	EPL Gc	30	30	20

Tableau 9 – Limitation de l'épaisseur de la couche non métallique

Épaisseur maximale mm				
Appareil du Groupe I	Appareil du Groupe II			
	Niveau de protection de l'appareil	Groupe IIA	Groupe IIB	Groupe IIC
2	EPL Ga	2	2	0,2
	EPL Gb	2	2	0,2
	EPL Gc	2	2	0,2

NOTE 7 Ces limitations de l'épaisseur ne s'appliquent pas aux couches non métalliques ayant une résistance de surface inférieure à 1 GΩ ou 100 GΩ, selon le cas. Voir 7.4.2 a).

NOTE 8 L'une des raisons principales de la limitation de l'épaisseur réside dans le fait que l'épaisseur maximale d'une couche non métallique est conçue pour fixer la charge statique sur la surface. Ainsi, la charge statique n'est pas en mesure de donner lieu à des décharges d'inflammation.

Tableau 10 – Charge transférée maximale acceptable

Charge transférée maximale acceptable nC				
Appareil du Groupe I	Appareil du Groupe II			
	Appareil Niveau de protection	Groupe IIA	Groupe IIB	Groupe IIC
60	EPL Ga	60	25	10
	EPL Gb	60	25	10
	EPL Gc	60	25	10
NOTE Les limites garantissent l'absence de décharges d'inflammation.				

7.4.3 Évitement du développement d'une charge électrostatique pour le Groupe III

Les surfaces externes d'enveloppes en matière plastique et peintes/revêtues d'enveloppes métalliques sont conçues pour que, dans des conditions normales d'utilisation, le danger d'inflammation dû aux décharges glissantes de surface soit évité.

Les enveloppes en matière plastique ne peuvent pas être soumises à une telle densité de charge critique pouvant générer des décharges glissantes de surface. Toutefois, aucune surface conductrice plane étendue ne doit être placée à l'intérieur de l'enveloppe à moins d'une distance de 8 mm par rapport à la surface extérieure.

Une carte de circuit imprimé interne peut être considérée comme une surface conductrice plane étendue, bien qu'il ne soit pas nécessaire de l'appliquer dans de petits appareils portables ou personnels, à moins que l'appareil soit susceptible d'être soumis à un mécanisme générateur de charges prolifiques (tel que cela pourrait se produire dans le transfert pneumatique de poudres ou la pulvérisation de charges dans un processus de revêtement en poudre). La charge par manipulation normale d'appareil portable ou personnel n'est pas considérée comme menant à un mécanisme générateur de charges prolifiques et, par conséquent, ne conduit pas à une situation dans laquelle une décharge glissante de surface peut survenir.

NOTE 1 Une surface conductrice plane unique de 500 mm² au plus n'est pas considérée comme une surface plane étendue. Ceci permet d'utiliser les entretoises ou les supports pour l'installation de plaques conductrices plates à l'intérieur d'une enveloppe.

NOTE 2 Les décharges provenant des surfaces isolantes, non doublées d'un matériau conducteur, ne sont pas en mesure d'enflammer une atmosphère explosive de poussière.

NOTE 3 Les mécanismes de charge, comme le frottement manuel, ne représentent pas un risque d'inflammation pour les atmosphères explosives de poussière. Cependant, les mécanismes de charge tels que les déplacements rapides de particules sur une surface, le transfert pneumatique de poudres et la pulvérisation de charges dans un processus de revêtement électrostatique, se traduisent généralement par un risque de décharges inflammables provenant de surfaces isolantes supérieures à 500 mm², doublées d'un matériau conducteur et reliées à la terre, avec une résistance inférieure ou égale à 1 MΩ.

Si une matière plastique ou un élastomère d'une surface supérieure à 500 mm² est utilisée comme matériau recouvrant un matériau conducteur, une ou plusieurs des techniques de réduction suivantes doivent être employées:

NOTE 4 Il est souvent pratique d'employer différentes techniques d'atténuation sur les différentes parties de l'appareil.

- a) par un choix du matériau de sorte que la résistance de surface doit satisfaire au moins à l'un des critères indiqués ci-dessous mesurés conformément à 26.13:
 - $\leq 1 \text{ G}\Omega$ mesurée à $(50 \pm 5) \%$ d'humidité relative;
 - $\leq 100 \text{ G}\Omega$ mesurée à $(30 \pm 5) \%$ d'humidité relative.
- b) par un choix du matériau avec une tension de claquage $\leq 4 \text{ kV}$ en courant continu (mesurée pour l'épaisseur du matériau isolant conformément à la méthode décrite dans l'IEC 60243-1 ainsi qu'aux exigences supplémentaires de l'IEC 60243-2 concernant les essais en courant continu);
- c) en contrôlant l'épaisseur du matériau non métallique devant être $\geq 8 \text{ mm}$.

NOTE 5 Une enveloppe peinte conforme uniquement à 7.4.2 c) et au Tableau 9 n'est pas conforme à 7.4.3 c). Lors d'une application à la fois pour les atmosphères explosives gazeuses et les atmosphères explosives de poussière, l'application de 7.4.2 a) et de 7.4.3 a), ou de 7.4.2 c) et de 7.4.3 b), sont souvent utilisées.

NOTE 6 L'isolation externe de 8 mm et plus sur des parties métalliques telles que des sondes de mesure ou des composants similaires rend improbable les décharges glissantes de surface. Lors de l'évaluation de l'épaisseur minimale de l'isolation à utiliser ou à spécifier, il est courant de tenir compte des usures prévisibles en utilisation normale.

- d) par le marquage «X» d'un appareil conformément au point e) de 29.3. Ceci s'applique uniquement aux appareils destinés à des installations fixes, lorsque l'installation est destinée à réduire le plus possible le risque de décharge électrostatique. Les instructions doivent fournir des recommandations à l'utilisateur afin de réduire le plus possible le risque de décharge électrostatique.

7.5 Parties conductrices externes fixées

Les parties conductrices externes, comme les étiquettes, qui sont fixées à l'enveloppe non métallique ou qui font partie de l'enveloppe non métallique et qui ont une résistance à la terre supérieure à 1 GΩ mesurée à $(500 \pm 25) \text{ V}$ en courant continu, peuvent être susceptibles d'être soumises à des charges électrostatiques pouvant constituer une source d'inflammation. La capacité de ces parties doit être déterminée conformément à la méthode d'essai définie en 26.14.

Pour l'appareil:

- autre que portable ou personnel; et
- lorsque la capacité mesurée de toute partie conductrice dépasse la valeur indiquée dans le Tableau 11,

le marquage «X» doit être apposé sur l'appareil conformément au point e) de 29.3 et la condition particulière d'utilisation doit spécifier la valeur de la capacité définie pour permettre à l'utilisateur de déterminer l'adéquation de la capacité pour l'application spécifique. Il n'est pas nécessaire de soumettre à l'essai les parties conductrices externes situées de sorte que les décharges à l'approche d'objets reliés à la terre ne sont pas prévues.

Tableau 11 – Capacité maximale des parties conductrices non reliées à la terre

Capacité maximale pF				
Appareil du Groupe I ou du Groupe III	Appareil du Groupe II			
	Niveau de protection de l'appareil	Groupe IIA	Groupe IIB	Groupe IIC
10	EPL Ga	3	3	3
	EPL Gb	10	10	3
	EPL Gc	10	10	3

NOTE 1 Il est généralement admis qu'une fermeture métallique non reliée à la terre, telle qu'une vis d'obturation, présente une capacité maximale de 3 pF.

NOTE 2 Pour les appareils du Groupe III destinés à une utilisation dans des conduits ou des canalisations soumis à la présence de déplacements rapides de poussières, une valeur limite plus basse pour la capacité est à l'étude.

8 Enveloppes métalliques et parties métalliques d'enveloppes

8.1 Composition de l'appareil

Les documents conformes à l'Article 24 doivent spécifier le matériau de l'enveloppe ou de la partie de l'enveloppe.

NOTE 1 La vérification par essai de la composition chimique du matériau ne constitue pas une exigence de la présente norme.

NOTE 2 La peinture ou les revêtements appliqués sur les enveloppes métalliques sont des parties non métalliques d'une enveloppe, et les exigences de 7.4 s'appliquent.

NOTE 3 Le zinc et les alliages de zinc à 80 % de zinc ou plus ont tendance à se détériorer rapidement (en particulier leur résistance à la traction), surtout lorsque l'air est chaud et humide. Le zinc est également considéré comme étant plus réactif que la plupart des autres métaux. Certains modes de protection n'admettent pas l'utilisation du zinc pour les enveloppes.

8.2 Groupe I

Les matériaux utilisés pour la construction des enveloppes des appareils du Groupe I d'EPL Ma ou Mb ne doivent pas contenir, en masse, plus de:

- 15 %, au total, d'aluminium, magnésium, titane et zirconium, avec un maximum de 7,5 %, au total, de magnésium, titane et zirconium.

L'exigence ci-dessus n'est pas applicable aux appareils portables de mesure du Groupe I, mais cet appareil doit alors être marqué avec un «X» conformément au point e) de 29.3 et la condition particulière d'utilisation doit indiquer les mesures de prévention spéciales à prendre lors du stockage, du transport et de l'utilisation.

8.3 Groupe II

Les matériaux utilisés pour la construction des enveloppes des appareils du Groupe II pour les niveaux de protection identifiés des appareils ne doivent pas contenir, en masse, plus de:

- pour l'EPL Ga
10 %, au total, d'aluminium, magnésium, titane et zirconium, avec un maximum de 7,5 %, au total, de magnésium, titane et zirconium;
- pour l'EPL Gb
7,5 %, au total, de magnésium, titane et zirconium;
- pour l'EPL Gc

aucune exigence sauf pour les turbines de ventilateur et les capots de protection, ainsi que les orifices de ventilation, qui doivent être conformes aux exigences relatives à l'EPL Gb.

Lorsque les limites sont dépassées pour un appareil d'EPL Ga ou Gb, l'appareil doit être marqué avec un «X» conformément au point e) de 29.3 et les conditions particulières d'utilisation doivent comporter suffisamment d'informations pour permettre à l'utilisateur de déterminer l'adéquation de l'appareil à l'application particulière, par exemple, pour éviter un danger d'inflammation provoqué par un choc ou un frottement.

8.4 Groupe III

Les matériaux utilisés pour la construction des enveloppes des appareils du Groupe II pour les niveaux de protection identifiés des appareils ne doivent pas contenir, en masse, plus de:

- pour l'EPL Da
7,5 %, au total, de magnésium, titane et zirconium;
- pour l'EPL Db
7,5 %, au total, de magnésium, titane et zirconium;
- pour l'EPL Dc
aucune exigence sauf pour les turbines de ventilateur et les capots de protection, ainsi que les orifices de ventilation, qui doivent être conformes aux exigences relatives à l'EPL Gb.

Lorsque les limites sont dépassées pour un appareil d'EPL Ga ou Gb, l'appareil doit être marqué avec un «X» conformément au point e) de 29.3 et les conditions particulières d'utilisation doivent comporter suffisamment d'informations pour permettre à l'utilisateur de déterminer l'adéquation de l'appareil à l'application particulière, par exemple, pour éviter un danger d'inflammation provoqué par un choc ou un frottement.

8.5 Alliages de cuivre

Lorsque des enveloppes d'appareils et de composants Ex pour montage à l'extérieur de l'appareil sont conçues pour être utilisées dans des atmosphères contenant de l'acétylène, ces enveloppes, si elles sont en cuivre ou en alliages de cuivre:

- doivent être revêtues d'étain, de nickel ou d'autres types de revêtements; ou
- doivent être dans un alliage ayant une teneur maximale en cuivre limitée à 65 %.

Les entrées de câbles tels que définis à l'Annexe A, les dispositifs d'obturation, les adaptateurs filetés et les traverses ne sont pas considérés comme des surfaces d'enveloppes exigeant un revêtement ou une restriction quant à leur teneur en cuivre.

NOTE La restriction relative à l'utilisation de cuivre dans les atmosphères contenant de l'acétylène est due à la formation de potentiel des acétylures sur les surfaces externes, ce qui peut conduire à des inflammations par frottement ou par choc.

9 Fermetures

9.1 Généralités

Les éléments nécessaires à la réalisation d'un mode de protection spécifique ou qui empêchent l'accès aux parties actives non isolées ne doivent pouvoir être débloqués ou démontés qu'à l'aide d'un outil tel qu'une clé, un tournevis ou une clef de serrage.

Les vis de fixation pour les enveloppes en matériaux contenant de l'aluminium, du magnésium, du titane ou du zirconium, peuvent être réalisées en aluminium, magnésium, titane ou

zirconium ou en matériau non métallique si le matériau de ces vis de fixation (fermetures) est compatible avec celui de l'enveloppe.

Les trous taraudés pour les fixations des couvercles de protection destinés à être ouverts en service pour des opérations telles que les réglages, les inspections et autres motifs liés au fonctionnement, ne doivent être pratiqués dans le matériau de l'enveloppe que si le taraudage est compatible avec le matériau de l'enveloppe.

9.2 Fermetures spéciales

Lorsque l'une des normes concernant un mode de protection spécifique exige une fermeture spéciale, celle-ci doit être conforme à ce qui suit:

- le filetage doit être un filetage à pas métrique, conforme à l'ISO 262, avec une tolérance d'ajustement de 6g/6H conformément à l'ISO 965-1 et à l'ISO 965-3;
- la tête de la vis ou de l'écrou doit être conforme à l'ISO 4014, à l'ISO 4017, à l'ISO 4032, à l'ISO 4762, à l'ISO 7380 ou à l'ISO 14583 et, dans le cas de vis sans tête à six pans creux, à l'ISO 4026, à l'ISO 4027, à l'ISO 4028 ou à l'ISO 4029. D'autres têtes de vis ou d'écrous sont autorisées si l'appareil est marqué avec un «X» conformément au point e) de 29.3 et la condition particulière d'utilisation doit spécifier complètement les fermetures et indiquer qu'elles doivent être remplacées uniquement par des fermetures identiques;
- les trous pratiqués dans l'appareil doivent être conformes aux exigences de 9.3.

9.3 Trous pour fermetures spéciales


9.3.1 Engagement du filetage

Afin d'assurer une longueur d'engagement suffisante, h , les trous pour fermetures spéciales, comme spécifié en 9.2, doivent être taraudés sur une longueur au moins égale au diamètre le plus grand du filetage de la fermeture (voir la Figure 4 et la Figure 5).

9.3.2 Tolérance et distance d'isolement dans l'air

Le filetage interne doit avoir une classe de tolérance 6H conformément à l'ISO 965-1 et à l'ISO 965-3, et soit


- a) le trou sous la tête de la fermeture associée doit permettre une distance d'isolement dans l'air au plus égale à celle spécifiée pour la «série moyenne: H13» de l'ISO 273 (voir la Figure 4); ou
- b) le trou sous la tête (ou l'écrou) de la fermeture associée à tige réduite doit être taraudé afin de pouvoir retenir la fermeture. Les dimensions du trou taraudé doivent être telles que la surface qui l'entoure et qui est en contact avec la tête d'une telle fermeture doit être au moins égale à celle d'une fermeture sans tige réduite dans un trou de passage (voir la Figure 5).

**Légende**

h engagement du filetage $\geq$ diamètre principal du filetage de la fermeture

c $\leq$ distance d'isolement dans l'air maximale autorisée pour la «série moyenne: H13» de l'ISO 273

Figure 4 – Tolérances et distance d'isolement dans l'air pour fermetures filetées

**Légende**

$\varnothing$ trou de passage normalisé conforme au taraudage

h engagement du filetage $\geq$ diamètre principal du filetage de la fermeture

X dimension de la surface en contact avec une fermeture à tige réduite

$X \geq$ la dimension de la surface en contact de la tête normalisée d'une fermeture normalisée (sans tige réduite) filetée sur toute sa longueur et ayant la taille du filetage utilisé

Figure 5 – Surface en contact sous la tête d'une fermeture à tige réduite

9.4 Vis sans tête à six pans creux

Les vis sans tête à six pans creux, utilisées pour fixer les couvercles filetés, ne doivent pas dépasser du trou taraudé après serrage.

10 Dispositifs de verrouillage

Lorsqu'un dispositif de verrouillage est utilisé pour le maintien d'un mode spécifique de protection, ce dernier doit être réalisé de telle sorte que son efficacité ne peut être facilement annulée.

NOTE L'objectif est que le verrouillage soit conçu de telle sorte qu'il ne puisse pas être enlevé facilement avec un simple outil comme un tournevis, des pinces ou un outil similaire.

11 Traversées

Les traversées utilisées comme éléments de raccordement à l'installation, et qui peuvent être soumises à un couple pendant la connexion ou la déconnexion, doivent être fixées de telle sorte que toutes les parties soient protégées contre la rotation.

L'essai de torsion correspondant est spécifié en 26.6.

12 (Réservé pour utilisation ultérieure)

13 Composants Ex

13.1 Généralités

Les composants Ex doivent être conformes aux exigences données dans l'Annexe B. Des exemples de composants Ex sont les suivants:

- a) une enveloppe vide; ou
- b) des composants ou ensembles de composants destinés à être utilisés avec des appareils conformes aux exigences d'un ou de plusieurs des modes de protection cités à l'Article 1.

13.2 Montage

Les composants Ex peuvent être montés:

- a) complètement à l'intérieur de l'enveloppe de l'appareil (par exemple, une borne de mode de protection «e», un ampèremètre, une résistance ou un indicateur; un dispositif de coupure ou un thermostat de mode de protection «d», un dispositif de coupure ou un thermostat de mode de protection «m», une alimentation de mode de protection «i»); ou
- b) complètement à l'extérieur de l'enveloppe de l'appareil (par exemple, une borne de terre de mode de protection «e», un capteur de mode de protection «i»); ou
- c) partiellement à l'intérieur et partiellement à l'extérieur de l'enveloppe de l'appareil (par exemple, un interrupteur à bouton poussoir de mode de protection «d», un interrupteur à bouton poussoir de mode de protection «t», un interrupteur de fin de course ou une lampe de signalisation, un ampèremètre de mode de protection «e», un indicateur de mode de protection «i»).

13.3 Montage à l'intérieur de l'appareil

Lorsque le composant Ex est monté complètement à l'intérieur de l'enveloppe, les seules parties qui doivent être soumises à l'essai ou évaluées sont celles qui n'ont pas été soumises à l'essai et/ou évaluées comme composant distinct (par exemple, essai ou évaluation de la température de surface, des lignes de fuite et des distances d'isolement dans l'air entre le composant et les parties conductrices environnantes).

13.4 Montage à l'extérieur de l'appareil

Lorsque le composant Ex est monté extérieurement à l'enveloppe ou partiellement à l'intérieur et partiellement à l'extérieur de l'enveloppe, l'interface entre le composant Ex et l'enveloppe

doit être soumise à l'essai ou évaluée pour vérifier sa conformité au mode de protection concerné et avec les essais d'enveloppe spécifiés en 26.4.

13.5 Certificat pour les composants Ex

Étant donné que les composants Ex ne sont pas destinés à être utilisés seuls et exigent une réflexion supplémentaire lorsqu'ils sont incorporés dans des systèmes ou dans l'appareil, il n'existe pas de «conditions particulières d'utilisation» en plus du suffixe «X» associé au numéro de certificat. Lorsque la présente norme ou l'une de ses sous-parties spécifie «conditions particulières d'utilisation» ainsi que le suffixe «X» associé au numéro de certificat, une «liste des limitations» pour le certificat du composant Ex ainsi que le suffixe «U» associé au numéro du certificat de composant Ex doivent être substitués pour un composant Ex. Des informations nécessaires à l'application correcte du composant Ex doivent être incluses dans la liste des limitations du certificat. Voir également 28.2 et l'Annexe B.

NOTE 1 La liste des limitations comprend la plage de températures du composant Ex. Dans certains cas, les plages correspondant à plusieurs points sont définies afin d'obtenir une flexibilité maximale de l'application du composant Ex.

NOTE 2 Conformément à l'Annexe B, aucune classe de température n'est assignée aux composants Ex.

14 Éléments de raccordement

14.1 Généralités

Les appareils destinés à être raccordés à des circuits extérieurs doivent comporter des éléments de raccordement, à l'exception des appareils fabriqués avec un câble qui leur est solidaire en permanence.

14.2 Mode de protection

Les éléments de raccordement doivent être conformes à l'un des modes de protection spécifiques cités à l'Article 1.

14.3 Lignes de fuite et distances d'isolement dans l'air

Les éléments de raccordement doivent être conçus de telle sorte qu'après un raccordement correct des conducteurs, les lignes de fuite et les distances d'isolement dans l'air satisfont aux éventuelles exigences du mode de protection spécifique concerné.

15 Éléments de raccordement des conducteurs de mise à la terre ou de liaison équipotentielle

15.1 Appareil exigeant une mise à la terre ou une liaison équipotentielle

15.1.1 Mise à la terre interne

Un élément de raccordement permettant le raccordement d'un conducteur de mise à la terre doit être prévu à l'intérieur de l'appareil et à proximité des autres éléments de raccordement. Voir également 15.2 pour les appareils n'exigeant pas de mise à la terre interne.

15.1.2 Liaison équipotentielle externe

Les appareils à enveloppe métallique doivent comporter un élément de raccordement extérieur supplémentaire pour un conducteur de liaison équipotentielle, sauf les appareils prévus pour être:

- a) déplacés sous tension et alimentés par un câble comportant un conducteur de mise à la terre ou de liaison équipotentielle; ou

- b) installés uniquement avec des systèmes électriques n'exigeant pas de connexion externe à la terre, par exemple, un conduit métallique ou un câble blindé.

Le constructeur doit fournir dans les instructions, conformément à l'Article 30, les détails sur toute liaison de mise à la terre ou équipotentielle exigée pour l'installation dans les conditions définies en a) ou b) ci-dessus.

L'élément de raccordement extérieur supplémentaire doit être électriquement en contact avec l'élément de raccordement exigé en 15.1.1.

NOTE L'expression «électriquement en contact» n'implique pas nécessairement l'utilisation d'un conducteur.

15.2 Appareil n'exigeant pas une mise à la terre

Pour les appareils pour lesquels aucune mise à la terre n'est exigée, par exemple, dans certains types d'appareils à double isolation ou à isolation renforcée, ou pour lesquels une mise à la terre supplémentaire n'est pas nécessaire, l'utilisation d'un élément de mise à la terre interne conformément à 15.1.1 n'est pas nécessaire.

NOTE Bien que ne présentant pas de risque de choc électrique, certains appareils, tels que les appareils à double isolation, sont souvent liés par une liaison équipotentielle pour réduire le risque d'inflammation dû aux dangers électrostatiques.

15.3 Dimension d'un élément de raccordement de conducteur de mise à la terre de protection

Les éléments de raccordement des conducteurs de mise à la terre de protection (PE – *protective earthing*) doivent permettre le raccordement efficace d'au moins un conducteur de section donnée dans le Tableau 12. Les éléments de raccordement des conducteurs de mise à la terre de protection pour les machines électriques doivent être conformes à l'IEC 60034-1.

Tableau 12 – Section minimale des conducteurs de mise à la terre de protection

Section des conducteurs de phase, S mm ²	Section minimale du conducteur de mise à la terre de protection correspondant, S_p mm ²
$S \leq 16$	S
$16 < S \leq 35$	16
$S > 35$	$0,5 S$

15.4 Dimension d'un élément de raccordement de conducteur de liaison équipotentielle

Les éléments de raccordement des conducteurs de liaison équipotentielle (EP) situés à l'extérieur de l'appareil doivent permettre le raccordement efficace d'un conducteur d'au moins 4 mm² de section. Lorsque cet élément de raccordement est également destiné à être utilisé comme élément de raccordement de mise à la terre de protection, les exigences du Tableau 12 s'appliquent, mais avec une section d'au moins 4 mm².

15.5 Protection contre la corrosion

Les éléments de raccordement doivent être efficacement protégés contre la corrosion. Des mesures de prévention spéciales doivent être prises si l'un de ces composants en contact consiste en un matériau contenant de l'aluminium, du magnésium, du titane ou du zirconium, par exemple, en utilisant une pièce intermédiaire en acier lors de l'établissement d'une connexion avec un matériau contenant de l'aluminium, du magnésium, du titane ou du zirconium.

15.6 Sécurisation des connexions électriques

Les éléments de raccordement doivent être conçus de telle sorte que les conducteurs électriques ne puissent pas être facilement desserrés ou tordus. Sauf dans le cadre de l'autorisation accordée en 15.7, la pression de contact sur les connexions électriques doit être maintenue et ne pas être affectée par des variations dimensionnelles des matériaux d'isolement en service dues à des facteurs tels que la température ou l'humidité.

NOTE 1 Les rondelles de blocage sont souvent utilisées comme moyen d'éviter le desserrement du raccordement.

NOTE 2 Les moyens souvent utilisés pour éviter le torsadage des conducteurs électriques comprennent l'utilisation d'une barre de connexion fixe avec une bride ouverte, des niches ou des nervures antirotation sur l'enveloppe, et des moyens analogues.

15.7 Plaque interne de mise à la terre

Pour les enveloppes à parois non métalliques fournies avec une plaque interne de mise à la terre, l'essai de 26.12 doit être appliqué.

NOTE Une plaque interne de mise à la terre est souvent disposée, par exemple, pour permettre l'utilisation d'entrées de câbles métalliques sans cosses individuelles séparées de mise à la terre.

16 Entrées dans les enveloppes

16.1 Généralités

L'entrée dans l'appareil doit être réalisée soit par un trou taraudé, soit par un trou lisse, pratiqué dans:

- les parois de l'enveloppe, ou
- une plaque d'adaptation prévue pour être montée dans ou sur les parois de l'enveloppe.

NOTE Des informations complémentaires sur l'installation d'accessoires de conduits ou d'accessoires associés dans des trous taraudés ou dans des trous lisses peuvent être consultées dans l'IEC 60079-14.

16.2 Identification des entrées

Le constructeur doit spécifier, dans les documents présentés conformément à l'Article 24, les entrées, leur position ou emplacement/localisation sur l'appareil et le nombre autorisé. Le taraudage (par exemple, métrique ou NPT) des entrées filetées doit être indiqué sur l'appareil ou doit figurer dans les instructions d'installation (voir l'Article 30).

NOTE 1 Il n'est pas prévu que des entrées individuelles soient marquées, à moins que cela ne soit exigé par le mode spécifique de protection.

NOTE 2 Lorsque de nombreux emplacements pour les entrées sont possibles, des informations relatives à la surface des entrées, leur dimension et leur espacement sont généralement fournis dans les instructions.

16.3 Entrées de câbles

Les entrées de câbles qui sont installées conformément aux instructions exigées à l'Article 30 ne doivent pas altérer les propriétés spécifiques du mode de protection de l'appareil sur lequel elles sont montées. Cela doit s'appliquer pour toute la plage de câbles définie par le constructeur des entrées de câbles comme pouvant être utilisée avec ces entrées de câbles. Les entrées de câbles peuvent être solidaires de l'appareil lorsqu'un élément majeur ou une partie majeure est inséparable de l'enveloppe de l'appareil. Dans de tels cas, les entrées de câbles doivent être soumises à l'essai avec l'appareil.

Les entrées de câbles non filetées du Groupe I, doivent être:

- des entrées de câble pour appareil Ex;
- des composants Ex; ou

- incluses à part entière dans le certificat de l'appareil complet.

Les entrées de câbles non filetés du Groupe II ou du Groupe III, doivent être:

- des composants Ex; ou
- incluses à part entière dans le certificat de l'appareil complet.

Les entrées de câbles filetés et les dispositifs de passage de câbles du Groupe I, du Groupe II ou du Groupe III, doivent être:

- des entrées de câble pour appareil Ex;
- des composants Ex; ou
- inclus à part entière dans le certificat de l'appareil complet.

Les entrées de câbles et les dispositifs de passage de câbles, qu'ils soient solidaires ou séparés, doivent satisfaire aux exigences correspondantes de l'Annexe A.

NOTE Toutes les exigences relatives aux entrées de câbles de niveau de protection «eb» sont indiquées dans l'IEC 60079-0.

16.4 Dispositifs d'obturation

Les dispositifs d'obturation, destinés à fermer des orifices inutilisés pratiqués dans les parois d'enveloppes de l'appareil, doivent être conformes aux exigences du mode de protection spécifique concerné. Le dispositif d'obturation ne doit pouvoir être démonté qu'à l'aide d'un outil.

Les dispositifs d'obturation filetés doivent être des dispositifs d'obturation d'appareil Ex, des composants Ex ou inclus à part entière dans le certificat de l'appareil complet.

Les dispositifs d'obturation non filetés du Groupe I doivent être des dispositifs d'obturation d'appareil Ex, des composants Ex ou inclus à part entière dans le certificat de l'appareil complet.

Les dispositifs d'obturation non filetés du Groupe II ou du Groupe III doivent être des composants Ex ou inclus à part entière dans le certificat de l'appareil complet.

16.5 Adaptateurs filetés

Les adaptateurs filetés doivent satisfaire aux exigences du mode de protection spécifique concerné.

Les adaptateurs filetés doivent être des adaptateurs filetés Ex, des composants Ex ou inclus à part entière dans le certificat de l'appareil complet.

16.6 Température au point de branchement et au point d'entrée

Lorsque la température de service est supérieure à 70 °C au point d'entrée, ou à 80 °C au point de branchement des conducteurs, les informations doivent être marquées à l'extérieur de l'appareil afin de servir de recommandations pour le choix adéquat par l'utilisateur, du câble, de l'entrée de câble ou des conducteurs dans des conduits. Voir la Figure 6 et la Figure 7.

Dans les cas où les informations pour la sélection correcte des câbles, des entrées de câbles et des conducteurs dans les conduits sont importantes, il est nécessaire que le marquage consiste uniquement en une référence aux informations détaillées données dans les instructions de l'appareil.

16.7 Charges électrostatiques des gaines de câbles

Pour les besoins de la présente norme, les gaines de câbles ne sont pas considérées comme des enveloppes non métalliques ou des parties d'enveloppes, comme décrit à l'Article 7, et ne nécessitent aucune évaluation par rapport à ces exigences.





Figure 6 – Entrée de câble



Légende

- 1 point d'entrée (là où se trouve le joint d'étanchéité du câble, le cas échéant)
- 2 point de branchement

Figure 7 – Entrée de conduit

17 Exigences complémentaires pour machines électriques

17.1 Généralités

Les exigences du présent article s'appliquent aux machines électriques tournantes qui relèvent du domaine d'application de l'IEC 60034-1.

Pour les autres dispositifs tournants, par exemple les servomoteurs, les exigences de la présente norme, y compris celles du présent article, doivent s'appliquer lorsqu'elles sont appropriées.

Pour les machines non tournantes, par exemple les moteurs linéaires, les exigences de la présente norme, y compris celles du présent article, doivent s'appliquer lorsqu'elles sont appropriées.

17.2 Ventilation

17.2.1 Orifices de ventilation

Le degré de protection (IP) des orifices de ventilation doit être au moins:

- IP20 du côté de l'entrée d'air,
- IP10 du côté de la sortie d'air,

conformément à l'IEC 60034-5.

La chute de corps étrangers dans les orifices de ventilation des machines électriques tournantes verticales et des ventilateurs tournants en position verticale doit être empêchée. Pour les machines électriques du Groupe I, le degré de protection IP10 ne peut être considéré comme suffisant que si les orifices sont conçus ou disposés de manière à empêcher que des objets étrangers de dimensions supérieures à 12,5 mm puissent être entraînés sur les parties mobiles de la machine, soit par chute verticale, soit par vibration.

Pour les ventilateurs destinés à être installés sur des réseaux de gaines de ventilation, les exigences relatives à la protection IP et les autres exigences relatives aux éléments assurant cette même protection (par exemple, essai de choc, matériau) peuvent être satisfaites à l'entrée et à la sortie de la gaine. Dans ce cas, le ventilateur doit être marqué avec un «X» conformément au point e) de 29.3 et la condition particulière d'utilisation doit spécifier les critères de sélection de la protection à l'entrée et à la sortie.

17.2.2 Matériaux pour les ventilateurs externes

Les turbines de ventilateur externes, les capots de protection et les orifices de ventilation externes constitués de matériaux non métalliques doivent satisfaire à l'Article 7. Pour les machines électriques tournantes du Groupe II, il n'est pas nécessaire que les turbines de ventilateurs externes dont la vitesse périphérique est inférieure à 50 m/s satisfassent aux exigences de 7.4.

Les turbines de ventilateur externes et les capots de protection, ainsi que les orifices de ventilation externes constitués de matériaux contenant de l'aluminium, du magnésium, du titane ou du zirconium doivent satisfaire à l'Article 8.

17.2.3 Ventilateurs de refroidissement de machines électriques tournantes

NOTE Les ventilateurs de refroidissement externes mentionnés dans le présent paragraphe sont les ventilateurs utilisés pour le refroidissement de la machine électrique tournante elle-même, pas pour le refroidissement des autres appareils.

17.2.3.1 Ventilateurs et capots de protection

Les ventilateurs de refroidissement externes de machines électriques tournantes doivent être protégés par un capot de protection et doivent satisfaire aux exigences de 17.2.3.2 et de 17.2.3.3.

17.2.3.2 Construction et montage des systèmes de ventilation

Les ventilateurs, capots de protection et orifices de ventilation doivent être construits de façon à satisfaire aux exigences de l'essai de résistance au choc mécanique conformément à 26.4.2 et aux critères d'acceptation donnés en 26.4.4

17.2.3.3 Distances d'isolement dans l'air dans le système de ventilation

Dans les conditions normales de fonctionnement, les distances d'isolement dans l'air, compte tenu des tolérances de conception, entre la turbine du ventilateur et son capot de protection, et les orifices de ventilation et leurs fermetures, doivent être au moins égales à un centième du diamètre maximal de la turbine du ventilateur, à l'exception du fait qu'il n'est pas

nécessaire que les distances d'isolement dans l'air dépassent 5 mm, ces valeurs pouvant être réduites à 1 mm lorsque les parties en regard sont usinées de manière à assurer des dimensions et une concentricité précises et stables (par exemple, pièces usinées en métal fondu). En aucun cas les distances d'isolement dans l'air ne doivent être inférieures à 1 mm.

17.2.4 Ventilateurs auxiliaires pour le refroidissement des moteurs

Les ventilateurs de refroidissement qui ne sont pas installés sur l'arbre du moteur à refroidir, et qui exigent une contre-pression minimale afin de ne pas dépasser les caractéristiques assignées du moteur du ventilateur, doivent être soumis à l'essai comme partie du moteur à refroidir ou doivent comporter le marquage «X» conformément au point e) de 29.3, et la condition particulière d'utilisation doit spécifier les mesures à prendre en considération pour ne pas dépasser les caractéristiques assignées. Si les limites applicables à la contre-pression sont spécifiées comme des conditions de cette nature, elles doivent être vérifiées par essais selon 26.15.

17.2.5 Ventilateurs d'aération de locaux

17.2.5.1 Applicabilité

Les exigences spécifiées en 17.2.5 doivent s'appliquer aux ventilateurs d'aération jusqu'à une puissance de 5 kW, la turbine du ventilateur étant montée directement sur l'arbre du moteur électrique. Les ventilateurs d'aération de l'appareil d'EPL Ma, Ga ou Da ne sont pas admis.

NOTE 1 Ces exigences s'appliquent aux ventilateurs d'aération (par exemple, ventilateurs de locaux) avec le même EPL placé à l'intérieur et à l'extérieur de l'enveloppe du ventilateur, destinés à être utilisés avec la surface à l'intérieur et à l'extérieur de l'enveloppe. Lorsque les enveloppes de ventilateurs sont destinées à séparer un emplacement dangereux à l'intérieur de l'enveloppe d'un autre emplacement dangereux à l'extérieur de l'enveloppe, il n'est pas nécessaire de prendre en considération d'autres exigences, par exemple, exigences relatives à l'étanchéité de l'enveloppe.

NOTE 2 Le présent paragraphe traite des exigences de protection contre l'explosion pour les ventilateurs d'aération destinés à être utilisés dans des emplacements dangereux, et non pas des exigences fonctionnelles relatives aux mêmes ventilateurs.

NOTE 3 L'utilisation de ventilateurs d'aération dans les appareils d'EPL Ma, Ga et Da n'est pas admise dans la mesure où ces applications sont considérées comme constituant un support de transfert de substances inflammables et non pas comme une fonction de ventilation de transmission de l'air.

17.2.5.2 Généralités

Les exigences spécifiées en 17.2.5 doivent s'appliquer, ainsi que toute autre exigence applicable de la présente norme. Les caractéristiques assignées du ventilateur ne doivent pas dépasser les caractéristiques assignées du moteur. Les ventilateurs qui exigent une contre-pression minimale afin de ne pas dépasser les caractéristiques assignées du moteur, doivent comporter le marquage «X» conformément au point e) de 29.3, et la condition particulière d'utilisation doit spécifier les mesures à prendre en considération pour ne pas dépasser les caractéristiques assignées. Si les limites applicables à la contre-pression sont spécifiées comme des conditions de cette nature, elles doivent être vérifiées par essais selon 26.15.

17.2.5.3 Ventilateurs et capots de protection

Les parties tournantes du ventilateur doivent être protégées par un capot de protection qui n'est pas considéré comme faisant partie de l'enveloppe de tout appareil utilisé dans le ventilateur, par exemple, le moteur électrique. Le ventilateur et le capot de protection doivent satisfaire aux exigences de 17.2.5.4 et de 17.2.5.5.

17.2.5.4 Construction et montage

Les parties du ventilateur susceptibles de provoquer un contact entre les parties tournantes et les parties fixes (par exemple, capots de protection et orifices de ventilation) doivent satisfaire aux exigences de l'essai de résistance au choc mécanique conformément à 26.4.2 et aux critères d'acceptation donnés en 26.4.4.

Pour éviter des températures excessives au niveau des joints d'arbre, les appariements de matériaux utilisés pour le carter de l'arbre et des joints doivent satisfaire à 17.2.2 et les distances d'isolement dans l'air entre ces parties doivent satisfaire à 17.2.5.5.

17.2.5.5 Distances d'isolement dans l'air pour les pièces en rotation

Compte tenu des tolérances de conception, les distances d'isolement dans l'air dans les conditions normales de fonctionnement entre la turbine du ventilateur et le capot de protection, et les orifices de ventilation et leurs fermetures, doivent être au moins égales à un centième du diamètre de la turbine du ventilateur. Toutefois, la distance d'isolement dans l'air ne doit pas être inférieure à 2,0 mm, à l'exception du fait que l'exigence de 2,0 mm peut être réduite à 1,0 mm lorsque les parties en regard sont usinées de manière à assurer des dimensions et une concentricité précises et stables (par exemple, pièces usinées en métal fondu). Il n'est pas nécessaire que les distances d'isolement dans l'air soient supérieures à 5,0 mm pour les ventilateurs dont les dimensions et la concentricité sont aussi précises et stables.

17.3 Paliers

Les lubrifiants et les joints utilisés dans les paliers doivent être adaptés à la température de service maximale des paliers.

NOTE 1 Des recommandations supplémentaires sont généralement fournies dans les instructions afin de traiter les conditions d'installation et de fonctionnement pouvant avoir un effet direct sur la machine tournante, telles que le graissage, les paliers, les courants induits dans les arbres, les vibrations, et les conditions analogues. Voir 30.3.

NOTE 2 Les courants induits dans les arbres et les paliers peuvent constituer une source principale d'inflammation, et peuvent également influencer de manière considérable la durée de vie des paliers. La pratique montre que la durée de vie peut se résumer à quelques semaines seulement et qu'il est, de ce fait, virtuellement impossible de la déterminer par des méthodes de contrôle de conditionnement classiques. L'Annexe D et l'Annexe H fournissent des recommandations supplémentaires concernant l'analyse des courants induits dans les arbres du système et la conception du système afin de réduire toute probabilité d'endommagement intempestif des paliers.

NOTE 3 Actuellement, il n'existe aucun essai expérimental démontrant qu'un type donné de palier présente un faible risque de devenir une source d'inflammation en service. Les constructeurs de paliers à roulement à billes et de paliers à rouleaux mentionnent, cependant, une durée de vie assignée de base, qui correspond à la probabilité qu'une défaillance mécanique se produise en cours d'exploitation (par exemple, défaillance par déformation d'un élément, exfoliation ou écaillage causé(e) par la fatigue, se produisant sur l'un des éléments). Cette valeur assignée de base peut être utilisée pour estimer le risque de dysfonctionnement des paliers pouvant donner lieu à la production d'une surface chaude propagatrice de flamme ou d'étincelles. La durée de vie assignée de base d'un palier à roulement à billes ou d'un palier à rouleaux est basée sur la charge radiale et la charge axiale qu'un palier à roulement à billes/palier à rouleaux peut théoriquement supporter pendant un million de tours. Elle est généralement exprimée par une valeur «L» en termes de tours de fonctionnement au cours de la durée de vie prévisible, ou d'heures de service au cours de la durée de vie prévisible. Afin de réduire le plus possible le risque de dysfonctionnement en service, il est primordial que le constructeur veille à ce que la conception soit bonne, prête attention au rapport entre les charges axiales et radiales, à la construction, au graissage, au refroidissement et aux procédures de maintenance. Procéder à des examens réguliers pendant le fonctionnement constitue une manière de détecter les dysfonctionnements imminents. Si les paliers servent d'isolateurs, des mesures constructives sont appliquées afin de lier efficacement les autres parties de l'appareil.

NOTE 4 La durée de vie en service des paliers dépend grandement des conditions de service. Par conséquent, il n'est pas possible de calculer leur durée de vie en service de manière fiable en absence de connaissance des conditions de service auxquelles ils sont soumis.

18 Exigences complémentaires pour appareillage de connexion

18.1 Diélectrique inflammable

L'appareillage de connexion ne doit pas avoir de contacts immergés dans un diélectrique inflammable.

18.2 Sectionneurs

Lorsque l'appareillage de connexion contient un sectionneur, il doit être omnipolaire. L'appareillage de connexion doit être conçu de telle sorte que:

- la position des contacts du sectionneur est visible, ou
- sa position «ouvert» est indiquée sans ambiguïté (voir l'IEC 60947-1).

Si un dispositif de verrouillage est fourni pour le couvercle ou la porte de l'appareillage de connexion, ce dispositif doit permettre d'assurer que l'ouverture de ce couvercle ou de cette porte ne peut être effectuée que lorsque les contacts du sectionneur sont ouverts.

En l'absence de dispositif de verrouillage pour le couvercle ou la porte de l'appareillage de connexion, un avertissement conforme au point d) de 29.13 doit être apposé sur l'appareil.

Pour un «interrupteur de maintenance» conforme à l'IEC 62626-1, l'interrupteur doit être équipé d'un système de verrouillage par cadenas qui bloque l'interrupteur en position OFF (arrêt) à l'aide d'un cadenas. L'enveloppe peut uniquement être ouverte en mettant l'interrupteur en position ON (marche).

NOTE 1 Une enveloppe fournie avec un dispositif de verrouillage et comportant un sectionneur et un «interrupteur de maintenance» ne peut être ouverte que lorsque le sectionneur est en position OFF et «l'interrupteur de maintenance» en position ON.

NOTE 2 Un interrupteur unique servant à la fois de sectionneur et «d'interrupteur de maintenance» peut uniquement porter un marquage d'avertissement conforme au point d) de 29.13 étant donné qu'il n'est pas possible de se conformer à la fois aux exigences de verrouillage d'un sectionneur et aux exigences de verrouillage d'un «interrupteur de maintenance».

Les sectionneurs, qui ne sont pas conçus pour être manœuvrés sous la charge prévue, doivent

- être asservis électriquement ou mécaniquement à un organe de coupure approprié à la charge, ou
- pour les appareils du Groupe II uniquement, porter une inscription placée près de l'organe de commande du sectionneur avec l'avertissement «fonctionnement sous charge» donné au point c) de 29.13.

18.3 Groupe I – Dispositions de verrouillage

Le dispositif de manœuvre des sectionneurs de l'appareillage du Groupe I doit pouvoir être bloqué en position ouverte à l'aide d'un cadenas. Des dispositions doivent être prises pour permettre aux relais de protection contre les courts-circuits et de mise à la terre, s'ils sont utilisés, de se déclencher. Si l'appareillage a un dispositif de réarmement local accessible depuis l'extérieur de l'enveloppe, son couvercle d'accès doit comporter une fermeture spéciale conforme à 9.2.

18.4 Portes et couvercles

Les portes et couvercles donnant accès à l'intérieur d'enveloppes contenant des circuits fonctionnant à distance avec des contacts de coupure qui peuvent être fermés ou ouverts par action non manuelle (telle qu'électrique, mécanique, magnétique, électromagnétique, électro-optique, pneumatique, hydraulique, acoustique ou thermique), doivent

- a) être verrouillés avec un sectionneur qui empêche l'accès à l'intérieur tant que son fonctionnement n'a pas mis hors tension les circuits intérieurs non protégés; ou
- b) porter le marquage indiquant d'ouverture de l'enveloppe mentionné au point d) de 29.13.

Dans le cas a) ci-dessus, lorsqu'il est prévu que certaines parties intérieures doivent rester sous tension après fonctionnement du sectionneur, ces parties sous tension doivent, afin de réduire le plus possible le risque d'explosion, être protégées:

- 1) par un des modes de protection appropriés cités à l'Article 1; ou
- 2) par une des protections indiquées ci-après:
 - les distances d'isolement dans l'air et lignes de fuite entre phases (pôles) et à la terre sont conformes aux exigences de l'IEC 60079-7; et

- une ou des enveloppes intérieures supplémentaires contenant les parties sous tension et assurant un degré de protection d'au moins IP20, conformément à l'IEC 60529; et
- un marquage sur l'enveloppe supplémentaire intérieure comme exigé au point h) de 29.13.

NOTE Les appareils pouvant rester sous tension après la manœuvre du sectionneur comprennent les appareils alimentés par des éléments et des batteries internes à l'appareil.

19 Réserve pour utilisation ultérieure

20 Exigences complémentaires pour les prises de courant externes et les connecteurs pour raccordement à l'installation

20.1 Généralités

Ces exigences pour les prises de courant doivent également s'appliquer aux connecteurs.

Les prises de courant doivent être:

- a) verrouillées mécaniquement ou électriquement ou de façon telle qu'elles ne puissent être séparées lorsqu'elles sont sous tension et que les contacts ne puissent être mis sous tension lorsqu'elles sont séparées, ou
- b) pour les EPL Gb, Db, ou Mb, assemblées au moyen de fermetures spéciales conformément à 9.2, l'appareil portant le marquage d'indication de séparation exigé au point e) de 29.13;
- c) pour les EPL Gc ou Dc, assemblées conformément à 9.1, l'appareil portant le marquage d'indication de séparation exigé au point e) de 29.13.

Dans le cas où elles ne peuvent pas être mises hors tension avant séparation du fait qu'elles sont connectées à une batterie, le marquage doit comporter l'indication de séparation exigée au point f) de 29.13.

20.2 Atmosphères explosives gazeuses

Il n'est pas nécessaire que les prises de courant d'EPL Gb ou Gc répondent aux exigences de 20.1 si toutes les conditions ci-après sont respectées:

- la partie qui reste sous tension est le socle;
- il y a une temporisation pour la séparation de la fiche et du socle de telle sorte que la circulation du courant assigné s'interrompt, afin qu'aucun arc ne se produise lors de la séparation;
- la fiche et le socle restent antidéflagrants conformément à l'IEC 60079-1 pendant la période d'extinction de l'arc tout en ouvrant le circuit d'essai spécifié dans l'IEC 60079-1;
- les contacts qui restent sous tension après la séparation sont protégés selon l'un des modes de protection spécifiques cités à l'Article 1.

20.3 Atmosphères explosives de poussière

Les exigences de 20.1 s'appliquent dans tous les cas.

20.4 Fiches sous tension

Les fiches et les composants restant sous tension lorsqu'ils ne sont pas introduits dans un socle ne sont pas autorisés.

21 Exigences complémentaires pour les luminaires

21.1 Généralités

La source lumineuse des luminaires doit être protégée par un couvercle translucide qui peut être équipé d'un dispositif de protection supplémentaire.

Un boulon unique à œil vissé peut être utilisé comme moyen de montage d'un luminaire conçu pour installations fixes uniquement s'il fait partie intégrante du luminaire, par exemple par moulage par coulée ou soudage à l'enveloppe ou, s'il est fileté, le boulon à œil vissé doit être fixé par des moyens séparés qui l'empêchent de se desserrer lors d'une torsion.

21.2 Couvercles des luminaires d'EPL Mb, EPL Gb ou EPL Db

Les couvercles donnant accès aux douilles de lampes ou autres pièces internes des luminaires à des fins de remplacement des lampes doivent:

- a) être verrouillés avec un dispositif qui assure automatiquement la séparation omnipolaire de la douille pendant la procédure d'ouverture; ou
- b) porter le marquage d'indication d'ouverture comme exigé par le point d) de 29.13.

Dans le cas a) ci-dessus, lorsqu'il est prévu que certaines parties autres que la douille restent sous tension après le fonctionnement du dispositif de sectionnement, ces parties sous tension doivent, afin de réduire le plus possible le risque d'explosion, être protégées:

- a) par un des modes de protection appropriés (pour l'EPL exigé) cités à l'Article 1, ou
- b) par la protection indiquée ci-après:
 - le dispositif de sectionnement doit être disposé de telle manière qu'il ne puisse pas être actionné manuellement et mettre sous tension, de manière intempestive, les parties non protégées; et
 - les distances d'isolement dans l'air et les lignes de fuite entre phases (pôles) et à la terre doivent être conformes aux exigences de l'IEC 60079-7; et
 - une enveloppe supplémentaire intérieure qui peut être le réflecteur de la source lumineuse doit contenir les parties sous tension et doit fournir un degré de protection d'au moins IP20, conformément à l'IEC 60529; et
 - un marquage sur l'enveloppe supplémentaire intérieure comme exigé au point h) de 29.13.
 - pour les luminaires de mode de protection «d», les luminaires doivent rester antidéflagrants, conformément à l'IEC 60079-1, jusqu'à l'ouverture de l'interrupteur, et l'interrupteur ne doit pas être fermé jusqu'au rétablissement du mode de protection «d».

NOTE Pour le mode de protection «t», le remplacement des lampes n'est pas destiné à être effectué en présence d'un nuage de poussière.

21.3 Couvercles pour luminaires de EPL Gc ou EPL Dc

Les couvercles donnant accès aux douilles de lampes ou autres pièces internes des luminaires à des fins de remplacement des lampes doivent:

- a) être verrouillés avec un dispositif qui assure automatiquement la séparation omnipolaire de la douille pendant la procédure d'ouverture, ou,
- b) porter le marquage d'indication d'ouverture comme exigé par le point d) de 29.13.

Dans le cas a) ci-dessus, lorsqu'il est prévu que certaines parties autres que la douille restent sous tension après le fonctionnement du dispositif de sectionnement, ces parties sous tension doivent, afin de réduire le plus possible le risque d'explosion, être protégées par:

- les distances d'isolement dans l'air et les lignes de fuite entre les phases (pôles) et à la terre conformément aux exigences de l'IEC 60664-1 avec une catégorie de surtension II et un degré de pollution 3; et
- une enveloppe supplémentaire intérieure qui peut être le réflecteur de la source lumineuse, qui contient les parties sous tension et fournit un degré de protection d'au moins IP20, conformément à l'IEC 60529; et
- un marquage sur l'enveloppe supplémentaire intérieure comme exigé au point h) de 29.13.

21.4 Lampes à vapeur de sodium

Les lampes contenant du sodium métallique à l'état libre (par exemple, les lampes à vapeur de sodium à basse pression conformes à l'IEC 60192) ne sont pas autorisées.

Les lampes à vapeur de sodium à haute pression (par exemple, conformes à l'IEC 60662) peuvent être utilisées.

NOTE L'utilisation de lampes contenant du sodium métallique à l'état libre n'est pas admise en raison du risque d'inflammation dû à une lampe cassée (pouvant se produire, par exemple, lors du remplacement de la lampe) si le sodium métallique à l'état libre devait entrer en contact avec de l'eau.

22 Exigences complémentaires pour lampes-chapeaux et lampes à main

22.1 Lampes-chapeaux du Groupe I

Les exigences pour les lampes-chapeaux destinées à être utilisées dans les mines grisouteuses sont données dans l'IEC 60079-35-1.

22.2 Lampes-chapeaux et lampes à main du Groupe II et du Groupe III

La fuite d'électrolyte doit être empêchée, quelle que soit la position de l'appareil.

Lorsque la source lumineuse et son alimentation sont disposées dans des enveloppes distinctes qui ne sont pas mécaniquement associées autrement que par un câble électrique, les entrées de câbles et le câble de liaison doivent être soumis à l'essai selon A.3.1 ou A.3.2, selon le cas. L'essai doit être réalisé avec le câble à utiliser pour connecter les deux parties. Le type, les dimensions et autres informations pertinentes concernant le câble à utiliser doivent être spécifiés dans la documentation du constructeur.

NOTE Les lampes à main comprennent les lampes alimentées par batterie, également appelées «lampes de poche».

23 Appareil incorporant des éléments et des batteries

23.1 Généralités

Les exigences de 23.2 à 23.12 doivent s'appliquer à tous les éléments et batteries incorporés dans les appareils protégés contre les risques d'explosion.

23.2 Interconnexion d'éléments pour constituer des batteries

Sauf indication contraire dans la norme relative au mode de protection spécifique, les batteries intégrées dans un appareil protégé contre les explosions doivent être constituées uniquement d'éléments connectés en série.

NOTE Les exigences relatives au mode de protection spécifique peuvent permettre la connexion d'éléments en parallèle.

23.3 Types d'éléments

Seuls les types d'éléments du Tableau 13 ou du Tableau 14 doivent être utilisés.

Tableau 13 – Piles

Code alphabétique IEC 60086-1	Électrode positive	Électrolyte	Électrode négative	Tension nominale ¹ V	Tension maximale de circuit ouvert ² V
-	Dioxyde de manganèse (MnO ₂)	Chlorure d'ammonium, chlorure de zinc	Zinc (Zn)	1,5	1 725
A	Oxygène (O ₂)	Chlorure d'ammonium, chlorure de zinc	Zinc (Zn)	1,4	1,55
B	Monofluorure de carbone (CF) _x	Électrolyte organique	Lithium (Li)	3	3,7
C	Dioxyde de manganèse (MnO ₂)	Électrolyte organique	Lithium (Li)	3	3,7
E	Chlorure de thionyle (SOCl ₂)	Inorganique non aqueux	Lithium (Li)	3,6	3,9
F	Bisulfure de fer (FeS ₂)	Électrolyte organique	Lithium (Li)	1,5	1,83
G	Oxyde de cuivre (II) (CuO)	Électrolyte organique	Lithium (Li)	1,5	2,3
L	Dioxyde de manganèse (MnO ₂)	Hydroxyde alcalin	Zinc (Zn)	1,5	1,65
P	Oxygène (O ₂)	Hydroxyde alcalin	Zinc (Zn)	1,4	1,68
S	Oxyde d'argent (Ag ₂ O)	Hydroxyde alcalin	Zinc (Zn)	1,55	1,63
W	Dioxyde de soufre (SO ₂)	Sel organique non aqueux	Lithium (Li)	3,0	3,0
Y	Chlorure de sulfuryle (SO ₂ Cl ₂)	Non aqueux	Lithium (Li)	3,9	4,1
Z	Oxyde-hydroxyde de nickel (NiOOH)	Hydroxyde alcalin	Zinc (Zn)	1,5	1,78

¹ Essais d'augmentation de la température de surface effectués à cette tension.

² Tension utilisée pour l'évaluation du danger d'étincelle.

NOTE 1 Toutes les constructions d'éléments ne sont pas adaptées à tous les modes de protection. Se référer à la norme relative au mode de protection spécifique.

NOTE 2 Les éléments en dioxyde de zinc/manganèse sont énumérés dans l'IEC 60086-1, mais ne font pas l'objet d'un classement par code alphabétique.

NOTE 3 Les informations électrochimiques du présent tableau proviennent de l'IEC 60086-1:2011.

NOTE 4 La valeur de la tension nominale n'est pas vérifiable. Par conséquent, elle est uniquement fournie à titre de référence.

NOTE 5 Des recherches récentes ont montré que certaines piles au Lithium de capacité suffisante, en particulier les piles spiralées, peuvent être considérées comme étant des sources potentiellement exothermiques d'inflammation par réaction chimique.

Tableau 14 – Accumulateurs

Type Système de ~Lettre~	Électrode positive	Électrolyte	négatif	Tension ¹ (par élément) V	Tension maximale de circuit ouvert ² (par élément) V
Plomb (arrosé) ~Aucune ~	Oxyde de plomb	Acide sulfurique (SG 1,25 à 1,32)	Plomb	2,2	2,67 ^a 2,35 ^b
Plomb (VRLA) ~Aucune ~	Oxyde de plomb	Acide sulfurique (SG 1,25 à 1,32)	Plomb	2,2	2,35 ^b
Nickel- cadmium ³ ~K~&~KC~	Oxyde-hydroxyde de nickel	Hydroxyde de potassium (SG 1,3)	Cadmium	1,3	1,55
Nickel-métal hydrure ³ ~H~	Oxyde-hydroxyde de nickel	Hydroxyde de potassium	Hydrure métallique	1,3	1,55
Ion lithium	(LCO) LiCoO ₂ Dioxyde de cobalt et de lithium	Solution liquide contenant un sel de lithium et un ou plusieurs solvants organiques ou gel électrolyte, c'est-à- dire une solution liquide mélangée à un polymère	Carbone	3,6	4,2
	(LCO) LiCoO ₂ Dioxyde de cobalt et de lithium		(LTO) Li ₄ Ti ₅ O ₁₂ Oxyde de titane et de lithium	2,3	2,7
	(LFP) LiFePO ₄ Lithium fer phosphate		Carbone	3,3	3,6
	(LFP) LiFePO ₄ Lithium fer phosphate		(LTO) Li ₄ Ti ₅ O ₁₂ Oxyde de titane et de lithium	2,0	2,1
	(NCA) Li(NiCoAl)O ₂ Nickel dopé avec de l'aluminium et du cobalt		Carbone	3,6	4,2
	(NCA) Li(NiCoAl)O ₂ Nickel dopé avec de l'aluminium et du cobalt		(LTO) Li ₄ Ti ₅ O ₁₂ Oxyde de titane et de lithium	2,3	2,7
	(NMC) Li(NiMnCo)O ₂ Nickel Manganèse Cobalt		Carbone	3,7	4,35
	(NMC) Li(NiMnCo)O ₂ Nickel Manganèse Cobalt		(LTO) Li ₄ Ti ₅ O ₁₂ Oxyde de titane et de lithium	2,4	2,85
	(LMO) LiMn ₂ O ₄ Oxyde de manganèse et de lithium		Carbone	3,6	4,3
	(LMO) LiMn ₂ O ₄ Oxyde de manganèse et de lithium		(LTO) Li ₄ Ti ₅ O ₁₂ Oxyde de titane et de lithium	2,3	2,8

^a	élément humide – élément qui contient un électrolyte liquide pouvant être réapprovisionné
^b	élément sec – élément qui contient un électrolyte immobile
¹	Le chiffre indiquant la tension est utilisé pour toutes les évaluations (par exemple, température, ligne de fuite et distance d'isolement dans l'air) autres que l'évaluation du danger d'étincelle.
²	Tension utilisée pour l'évaluation du danger d'étincelle. Si les données du constructeur des éléments donnent une tension de charge supérieure à la valeur indiquée, la valeur du constructeur doit être utilisée.
³	L'industrie chimique utilise une technique d'usage courant constante de charge.
NOTE 1 Toutes les constructions d'éléments ne sont pas adaptées à tous les modes de protection. Se référer à la norme relative au mode de protection spécifique.	
NOTE 2 Les informations électrochimiques relatives au plomb proviennent de Linden's Handbook of Batteries, 4 ^e édition.	
NOTE 3 Les informations électrochimiques relatives au nickel-cadmium et au nickel-métal hydrure proviennent de l'IEC 61951-1, l'IEC 61951-2, l'IEC 60622, l'IEC 600623, et Linden's Handbook of Batteries, 4 ^e édition.	
NOTE 4 Les informations électrochimiques relatives aux ion-lithium et métal lithium proviennent de l'IEC 61960 et Linden's Handbook of Batteries, 4 ^e édition.	
NOTE 5 Des recherches récentes ont montré que certains accumulateurs ion-lithium de capacité suffisante, en particulier les accumulateurs avec une électrode positive LiCoO ₂ et des piles spirales, peuvent être considérés comme étant des agents oxydants potentiellement puissants et comme des sources potentiellement exothermiques d'inflammation par réaction chimique.	

23.4 Éléments dans une batterie

Tous les éléments d'une batterie doivent avoir le même système électrochimique, la même conception des éléments et la même capacité assignée, et doivent être fabriqués par le même constructeur.

23.5 Caractéristiques assignées des batteries

Toutes les batteries doivent être disposées et utilisées de façon à respecter les limites admissibles définies par le constructeur de l'élément ou de la batterie.

23.6 Interchangeabilité

Les piles et accumulateurs ou batteries ne doivent pas être utilisés à l'intérieur de la même enveloppe d'un appareil s'ils sont facilement interchangeables.

23.7 Charge des piles

Les piles ne doivent pas être rechargées. Lorsqu'il existe une autre source de tension à l'intérieur de l'appareil contenant des piles et qu'il y a possibilité d'interconnexion, des mesures de prévention doivent être prises pour empêcher le courant de charge de les traverser.

23.8 Fuite

Tous les éléments doivent être fabriqués ou disposés de façon à éviter toute fuite d'électrolyte qui altérerait le mode de protection ou les composants dont dépend la sécurité.

23.9 Connexions

Seules la ou les méthodes recommandées par le constructeur de la batterie pour établir les connexions électriques à une batterie doivent être utilisées.

23.10 Orientation

Lorsqu'une batterie est montée à l'intérieur d'un appareil et que l'orientation de la batterie est importante pour un fonctionnement sûr, l'orientation correcte de l'appareil doit être indiquée à l'extérieur de l'enveloppe de l'appareil.

NOTE L'orientation correcte des batteries est souvent importante pour prévenir toute fuite d'électrolyte.

23.11 Remplacement d'éléments ou de batteries

Lorsqu'il est nécessaire que l'utilisateur remplace des éléments ou des batteries contenus dans une enveloppe, les paramètres pertinents pour permettre un remplacement correct doivent être marqués lisiblement et durablement sur l'enveloppe ou à l'intérieur de celle-ci, comme spécifié en 29.14, ou détaillés dans les instructions du constructeur conformément à 30.2. À savoir, soit le nom et la référence du constructeur de l'élément ou de la batterie, soit le système électrochimique, la tension nominale et la capacité assignée.

23.12 Ensemble de batteries remplaçable

Lorsqu'il est prévu que l'utilisateur remplace l'ensemble de batteries, ce dernier doit être marqué lisiblement et durablement à l'extérieur de l'ensemble de batteries, comme détaillé en 29.14. Les détails relatifs au remplacement de l'ensemble de batteries doivent être inclus dans les instructions du constructeur, conformément à 30.2.

Les ensembles de batteries remplaçables doivent répondre à l'une des dispositions suivantes:

- être logés complètement dans l'enveloppe de l'appareil;
- être connectés à l'appareil et être conformes aux exigences du mode de protection applicable lorsqu'ils sont déconnectés de l'appareil et doivent être marqués selon b) de 29.13;
- être connectés à l'appareil et utiliser un dispositif de sectionnement conforme aux exigences de l'Article 20.

24 Documentation

Le constructeur doit élaborer une documentation qui détaille les aspects de la sécurité de l'appareil vis-à-vis du risque d'explosion nécessaires à la détermination de la conformité à la présente norme et à toute autre norme applicable relative à la sécurité contre les explosions.

NOTE Ladite documentation est généralement appelée «dessins annexés».

25 Conformité du prototype ou de l'échantillon aux documents

Les prototypes ou échantillons de l'appareil soumis aux vérifications et aux essais de type doivent être conformes aux documents du constructeur auxquels il est fait référence à l'Article 24.

26 Essais de type

26.1 Généralités

Les prototypes ou échantillons doivent être soumis aux essais conformément aux exigences relatives aux essais de type de la présente norme et aux normes spécifiques des modes de protection concernés. Cependant, certains essais jugés inutiles peuvent être retirés du programme d'essais. La justification du renoncement à certains essais doit être documentée au même titre que l'enregistrement de tous les essais effectués.

Il n'est pas nécessaire de répéter les essais déjà effectués sur un composant Ex.

NOTE Du fait des facteurs de sécurité introduits dans les modes de protection, l'incertitude de mesure inhérente à un appareil de mesure de bonne qualité et régulièrement étalonné, est considérée comme n'ayant aucun effet préjudiciable significatif et ne nécessite pas d'être prise en compte lors de la réalisation des mesurages nécessaires pour vérifier la conformité de l'appareil aux exigences de la partie appropriée de l'IEC 60079.

26.2 Configuration d'essai

Chaque essai doit être effectué dans la configuration de l'appareil qui est considérée comme la plus défavorable en tenant compte des instructions d'installation.

26.3 Essais en présence de mélanges explosifs

Les essais en présence de mélanges explosifs doivent être effectués comme spécifié dans les normes correspondantes citées à l'Article 1.

NOTE Les gaz et vapeurs disponibles dans le commerce ayant une pureté de 95 % ou plus sont en général satisfaisants pour ces essais. Les effets des variations normales de la température du laboratoire et de la pression atmosphérique ainsi que ceux de la variation de l'humidité du mélange d'essai explosif sont acceptables parce qu'il a été constaté qu'ils ont un effet négligeable.

26.4 Essais des enveloppes

26.4.1 Ordre des essais

26.4.1.1 Enveloppes métalliques, parties métalliques d'enveloppes et parties en verre ou en céramique d'enveloppes

Les essais des enveloppes métalliques, parties métalliques d'enveloppes et parties en verre ou en céramique d'enveloppes doivent être réalisés dans l'ordre suivant:

- les essais de résistance au choc mécanique (voir 26.4.2);
- l'essai de chute, si applicable (voir 26.4.3);
- les essais pour degrés de protection (IP) (voir 26.4.5);
- les autres essais éventuels exigés par la présente norme;
- tout autre essai spécifique du mode de protection concerné.

Les essais doivent être réalisés sur le nombre d'échantillons spécifié par chaque méthode d'essai.

NOTE Lorsque le mode de protection du degré de protection IP est assuré par des matériaux d'étanchéité non métalliques, autres que le verre ou la céramique, les exigences de 26.4.1.2 s'appliquent.

26.4.1.2 Enveloppes non métalliques ou parties non métalliques d'enveloppes

26.4.1.2.1 Généralités

Les essais des enveloppes non métalliques et parties non métalliques d'enveloppes doivent être réalisés dans l'ordre indiqué ci-après. Voir l'Annexe F pour l'organigramme qui fournit des recommandations sur l'ordre des essais.

Lorsqu'un appareil non métallique est en verre ou en céramique, les essais de 26.4.1.2 ne s'appliquent pas.

26.4.1.2.2 Appareil du Groupe I

Les essais doivent être réalisés sur des échantillons de la façon suivante:

- Quatre échantillons doivent être utilisés. Les quatre échantillons doivent tous être soumis successivement aux essais d'endurance thermique à la chaleur (voir 26.8) puis aux essais d'endurance thermique au froid (voir 26.9). Deux échantillons doivent alors être soumis aux essais de résistance au choc mécanique (voir 26.4.2), les essais étant réalisés à la «température d'essai supérieure» (voir 26.7.2). Les deux autres échantillons doivent

également être soumis aux essais de résistance au choc mécanique (voir 26.4.2) puis à l'essai de chute si applicable (voir 26.4.3), les essais étant toutefois réalisés à la «température d'essai inférieure» (voir 26.7.2). Tous les joints destinés à être ouverts pendant l'installation ou le fonctionnement normal doivent être ouverts puis refermés conformément aux instructions du constructeur. Ensuite, les quatre échantillons doivent tous être soumis aux essais de degré de protection par les enveloppes (voir 26.4.5), puis aux essais appropriés spécifiques au mode de protection concerné.

- En variante, deux échantillons uniquement peuvent être utilisés. Dans ce cas, les deux échantillons doivent être soumis aux essais d'endurance thermique à la chaleur (voir 26.8) puis aux essais d'endurance thermique au froid (voir 26.9). Les deux échantillons doivent alors être soumis aux essais de résistance au choc mécanique (voir 26.4.2), les essais étant réalisés à la «température d'essai supérieure» (voir 26.7.2). Ensuite, les deux échantillons doivent également être soumis aux essais de résistance au choc mécanique (voir 26.4.2) puis à l'essai de chute si applicable (voir 26.4.3), les essais étant toutefois réalisés à présent à la «température d'essai inférieure» (voir 26.7.2). Tous les joints destinés à être ouverts pendant l'installation ou le fonctionnement normal doivent être ouverts puis refermés conformément aux instructions du constructeur. Ensuite, les deux échantillons doivent être soumis aux essais de degré de protection par les enveloppes (voir 26.4.5) puis aux essais appropriés spécifiques au mode de protection concerné. L'ordre des essais à la «température d'essai inférieure» et à la «température d'essai supérieure» peut être échangé.

NOTE Comme résultat de l'essai d'endurance thermique de chacune des séquences d'essai décrites ci-dessus, une condensation peut se produire à l'intérieur de l'enveloppe. Une telle condensation nécessite d'être retirée avant l'essai de protection contre la pénétration (IP) afin de garantir des résultats valides.

- Deux échantillons doivent être soumis aux essais de résistance aux huiles et graisses (voir 26.11), puis aux essais de résistance au choc mécanique (voir 26.4.2), puis à l'essai de chute, si applicable (voir 26.4.3), aux essais de degré de protection (IP) si applicable (voir 26.4.5), et enfin aux essais spécifiques au mode de protection concerné.
- Deux échantillons doivent être soumis aux essais de résistance aux liquides hydrauliques pour applications minières (voir 26.11), puis aux essais de résistance au choc mécanique (voir 26.4.2), puis à l'essai de chute si applicable (voir 26.4.3), aux essais de degré de protection (IP) si applicable (voir 26.4.5), et enfin aux essais spécifiques au mode de protection concerné.

Dans les procédures et les séquences d'essais décrites ci-dessus, l'objectif est de démontrer l'aptitude des matériaux non métalliques à maintenir le mode de protection spécifique cité à l'Article 1 après une exposition aux températures extrêmes et aux substances nocives susceptibles d'être rencontrées en service. Dans le but de maintenir le nombre d'essais au minimum, il n'est pas nécessaire d'effectuer tous les essais spécifiques du mode de protection sur chaque échantillon s'il est évident qu'un échantillon n'a pas subi de dommages tels qu'ils puissent compromettre le mode de protection fourni. De même, le nombre d'échantillons peut être réduit s'il est possible de réaliser en parallèle sur les deux mêmes échantillons les essais d'exposition et les essais démontrant la protection.

26.4.1.2.3 Appareil du Groupe II et du Groupe III

Quatre échantillons doivent être utilisés. Les quatre échantillons doivent tous être soumis successivement aux essais d'endurance thermique à la chaleur (voir 26.8) puis aux essais d'endurance thermique au froid (voir 26.9). Deux échantillons doivent alors être soumis aux essais de résistance au choc mécanique (voir 26.4.2), les essais étant réalisés à la «température d'essai supérieure» (voir 26.7.2). Les deux autres échantillons doivent également être soumis aux essais de résistance au choc mécanique (voir 26.4.2) puis à l'essai de chute si applicable (voir 26.4.3), les essais étant toutefois réalisés à la «température d'essai inférieure» (voir 26.7.2). Tous les joints destinés à être ouverts pendant l'installation ou le fonctionnement normal doivent être ouverts puis refermés conformément aux instructions du constructeur. Ensuite, les quatre échantillons doivent tous être soumis aux essais de degré de protection par les enveloppes (voir 26.4.5), puis aux essais appropriés spécifiques au mode de protection concerné.

En variante, deux échantillons uniquement peuvent être utilisés. Dans ce cas, les deux échantillons doivent être soumis aux essais d'endurance thermique à la chaleur (voir 26.8) puis aux essais d'endurance thermique au froid (voir 26.9). Les deux échantillons doivent alors être soumis aux essais de résistance au choc mécanique (voir 26.4.2), les essais étant réalisés à la 'température d'essai supérieure' (voir 26.7.2). Ensuite, les deux échantillons doivent également être soumis aux essais de résistance au choc mécanique (voir 26.4.2) puis à l'essai de chute si applicable (voir 26.4.3), les essais étant toutefois réalisés à présent à la «température d'essai inférieure» (voir 26.7.2). Tous les joints destinés à être ouverts pendant l'installation ou le fonctionnement normal doivent être ouverts puis refermés conformément aux instructions du constructeur. Ensuite, les deux échantillons doivent être soumis aux essais de degré de protection par les enveloppes (voir 26.4.5) puis aux essais appropriés spécifiques au mode de protection concerné. L'ordre des essais à la «température d'essai inférieure» et à la «température d'essai supérieure» peut être échangé.

NOTE 1 Comme résultat de l'essai d'endurance thermique de chacune des séquences d'essai décrites ci-dessus, une condensation peut se produire à l'intérieur de l'enveloppe. Une telle condensation nécessite d'être retirée avant l'essai de protection contre la pénétration (IP) afin de garantir des résultats valides.

NOTE 2 Lorsque deux échantillons uniquement sont utilisés et que l'appareil comprend une pièce translucide en verre, le verre de chaque échantillon est soumis à un essai de choc mécanique à basse température et soumis à un autre essai de choc mécanique à haute température, ce qui donne lieu à deux chocs sur le verre de chaque échantillon.

NOTE 3 Les pièces de l'enveloppe en verre avec des joints scellés sont soumises à un choc afin de confirmer l'adhérence du matériau de scellement au verre et à l'enveloppe. Il n'est pas exigé que le verre soit soumis au choc à haute et à basse température, mais il n'existe aucun moyen de soumettre le matériau utilisé pour le scellement à l'essai sans que le verre ne soit en place. Le nombre minimal d'essais de choc sur la pièce en verre est obtenu si l'utilisation de quatre échantillons au lieu de deux est choisie.

26.4.2 Résistance au choc mécanique

L'appareil doit être soumis à l'effet de la chute verticale d'une masse de 1 kg, tombant d'une hauteur h . La hauteur h est spécifiée dans le Tableau 15 selon l'application de l'appareil. La masse doit être équipée d'une pièce de frappe en acier trempé, de forme hémisphérique de $(25 \pm 0,5)$ mm de diamètre.

Il convient que le diamètre de la masse d'essai ne dépasse pas de manière significative la pièce de frappe de 25 mm de sorte que rien n'empêche la pièce de frappe d'entrer en contact avec des parties de l'appareil en essai.

Si un tube de guidage est utilisé pour la masse d'essai, le diamètre du tube ou les trous de décompression doivent être tels que rien ne limite les mouvements de la masse d'essai en raison de la compression d'air engendrée par la chute de la masse.

Avant chaque essai, il est nécessaire de s'assurer du bon état de surface de la pièce de frappe.

L'essai de résistance au choc mécanique doit être réalisé sur l'appareil entièrement monté et prêt à l'utilisation; néanmoins, si cela n'est pas possible (par exemple, pour les parties translucides), l'essai doit être réalisé sur les parties appropriées démontées mais fixées dans leur cadre ou dans un cadre équivalent. Les essais sur une enveloppe vide sont autorisés avec justification appropriée dans la documentation (voir Article 24).

L'essai doit être effectué sur au moins deux échantillons d'appareil, voir 26.4.1. L'essai doit être effectué sur chaque échantillon, à deux emplacements distincts. Pour les appareils comportant des pièces translucides en verre, seul l'un de ces deux essais doit être effectué sur le verre.

Les points d'impact doivent être les emplacements considérés comme étant susceptibles d'être les plus faibles et doivent être situés sur les parties externes qui peuvent être exposées au choc. Si l'enveloppe est protégée par une autre enveloppe, seules les parties externes de l'assemblage doivent être soumises aux essais de résistance au choc mécanique. Pour les

appareils comportant plusieurs matériaux ou emplacements d'intérêt, il peut être nécessaire de prendre en considération plus de deux échantillons ou lieux de chocs afin d'évaluer de manière appropriée la résistance au choc mécanique de l'appareil.

L'appareil doit être disposé sur un socle en acier, de telle sorte que la direction du choc soit perpendiculaire à la surface en essai si elle est plane ou perpendiculairement à la tangente au point d'impact si elle ne l'est pas. Le socle doit avoir une masse d'au moins 20 kg, ou être immobilisé rigidement ou inséré dans le sol, par exemple, fixé dans du béton. L'Annexe C donne un exemple de montage d'essai approprié.

Lorsque la pièce de frappe heurte l'échantillon d'essai, elle peut «rebondir» une ou plusieurs fois. La pièce de frappe ne doit pas être retirée de la surface de l'échantillon d'essai avant son immobilisation.

Tableau 15 – Essais de résistance au choc mécanique

	Hauteur de chute h $\begin{smallmatrix} 0 \\ +0,01 \end{smallmatrix}$ avec une masse de 1 $\begin{smallmatrix} 0 \\ +0,01 \end{smallmatrix}$ kg m			
Groupement d'appareils	Groupe I		Groupe II ou III	
Risque de danger mécanique	Élevé	Faible	Élevé	Faible
a) Enveloppes et parties externes accessibles d'enveloppes (autres que parties translucides)	2	0,7	0,7 ^d	0,4 ^{b d}
b) Dispositifs de protection, couvercles protecteurs, capots de protection, entrées de câbles	2	0,7	0,7	0,4 ^b
c) Parties translucides de luminaires portables ou transportables ou lampes à main qui ont une surface inférieure ou égale à 5 000 mm ² et qui sont protégées par un rebord saillant indépendant d'une hauteur minimale de 2 mm ^c	0,7	0,4	0,4	^b
d) Parties translucides de luminaires portables ou transportables ou lampes à main sans dispositif de protection ou parties translucides ayant une surface supérieure à 5 000 mm ²	2	0,7	0,7	^b
e) Parties translucides sans dispositif de protection	0,7	0,4	0,4 ^d	0,2 ^{b d}
f) Parties translucides avec dispositif de protection ayant des ouvertures individuelles de 625 mm ² à 2 500 mm ² (essais à effectuer sans le dispositif de protection) ^a	0,4	0,2	0,2	0,1 ^b
^a Un dispositif de protection pour les parties translucides ayant des ouvertures individuelles de 625 mm ² à 2 500 mm ² réduit le risque de choc, mais ne prévient pas le choc. Ces exigences sont également applicables aux luminaires fixes, transportables ou portables. ^b Les luminaires ou lampes à main portables ou transportables du Groupe II ou du Groupe III doivent uniquement être soumis à l'essai pour un risque de danger mécanique «élevé». ^c Un rebord saillant qui fait partie de l'enveloppe et ne fait pas partie de la partie translucide réduit le risque de choc, mais ne prévient pas le choc. ^d Lorsqu'une partie de l'appareil (telle qu'un revêtement non métallique de tablette tactile) remplit de multiples fonctions, comme une zone translucide, et fait également partie de l'enveloppe, la fonction couvrant la zone la plus grande est utilisée pour déterminer le niveau de risque de danger mécanique appliqué.				

Lorsque, à la demande du constructeur, un appareil est soumis aux essais qui correspondent au risque de danger mécanique faible, il doit être marqué du symbole «X» pour indiquer cette condition particulière d'utilisation conformément au point e) de 29.3.

L'essai doit être effectué à une température ambiante de $(20 \pm 5) ^\circ\text{C}$, sauf si la feuille de caractéristiques matérielles du métal montre qu'il y a une réduction de la résistance au choc mécanique aux températures les plus basses à l'intérieur de la plage spécifiée de températures ambiantes. Dans ce cas, l'essai doit être effectué à la température d'essai la plus basse, conformément à 26.7.2.

NOTE Il est généralement admis que la résistance au choc mécanique des parties en verre et en céramique n'est pas altérée par la température.

Lorsque l'appareil comporte une enveloppe ou une partie d'enveloppe en matériau non métallique autre que le verre ou la céramique, y compris les capots de protection et les orifices de ventilation non métalliques dans des machines électriques tournantes, l'essai doit être effectué aux températures d'essai supérieure et inférieure, conformément à 26.7.2.

26.4.3 Essai de chute

En plus de l'essai de résistance au choc mécanique spécifié conformément à 26.4.2, chaque échantillon d'appareil portable ou personnel prêt à l'emploi, doit être laissé tomber quatre fois d'une hauteur d'au moins 1 m sur une surface horizontale en béton. La position de l'échantillon pour l'essai de chute doit être celle considérée comme étant la plus défavorable.

L'essai de chute doit être réalisé avec tous les ensembles de batteries remplaçables connectés à l'appareil.

Pour les appareils dont l'enveloppe est constituée de matériau métallique, l'essai doit être effectué à une température de $(20 \pm 5) ^\circ\text{C}$, sauf si les fiches techniques du matériau montrent qu'il y a une réduction de la résistance au choc mécanique aux températures les plus basses à l'intérieur de la plage spécifiée de températures ambiantes. Dans ce cas, l'essai doit être effectué à la température d'essai la plus basse, conformément à 26.7.2.

Pour les appareils qui ont des enveloppes ou des parties d'enveloppes en matériau non métallique, les essais doivent être effectués à la température d'essai la plus basse conformément à 26.7.2.

26.4.4 Critères d'acceptation

La résistance aux essais de choc mécanique et aux essais de chute ne doit pas provoquer de dommages susceptibles de compromettre le mode de protection de l'appareil.

Les détériorations superficielles, les éclatements de peinture, les bris de radiateurs ou autres éléments analogues de l'appareil ainsi que les marques de coups de faibles dimensions ne doivent pas être pris en considération.

Les capots de protection externes et les orifices de ventilation doivent résister aux essais sans subir de déplacement ou de déformation entraînant le frottement des pièces mobiles.

26.4.5 Degré de protection (IP) par les enveloppes

26.4.5.1 Procédure d'essai

Lorsqu'un degré de protection est exigé par la présente norme ou par d'autres parties de la présente série pour un mode de protection spécifique, les procédures d'essai doivent être conformes à l'IEC 60529, à l'exception des machines électriques tournantes, qui doivent être conformes à l'IEC 60034-5.

Si les essais sont réalisés conformément à l'IEC 60529,

- les enveloppes doivent être considérées comme appartenant à la Catégorie 1, comme spécifié dans l'IEC 60529,
- l'appareil ne doit pas être sous tension,
- s'il est applicable, l'essai diélectrique spécifié dans l'IEC 60529 doit être effectué sous une tension de valeur efficace $[(2 U_n + 1\,000) \pm 10\, \%]$ V, appliquée pendant un temps compris entre 10 s et 12 s, où U_n est la tension maximale, assignée ou interne, de l'appareil.

NOTE 1 «L'enveloppe de Catégorie 1» est définie dans l'IEC 60529 et n'a aucune relation avec la «catégorie 1» définie dans la Directive européenne 2014/34/UE (ATEX).

Une évaluation du premier chiffre caractéristique, jusqu'à 6 inclus, implique également la conformité aux exigences applicables à tous les chiffres caractéristiques inférieurs. Pour le deuxième chiffre caractéristique, jusqu'à 6 inclus, l'évaluation implique également la conformité aux exigences applicables à tous les chiffres caractéristiques inférieurs. Les évaluations des deux chiffres caractéristiques 7, 8, et 9 n'impliquent pas la conformité aux deuxièmes chiffres caractéristiques 5 et 6.

NOTE 2 Une erreur à ce sujet est admise dans l'IEC 60529, Éd. 2.2.

Si les essais sont réalisés conformément à l'IEC 60034-5, la machine électrique tournante ne doit pas être sous tension.

NOTE 3 Le document IECEx ExtAG DS 2012/005 fournit des informations générales sur les essais afin de confirmer les marquages IP autres que les caractéristiques assignées minimales exigées par les normes correspondant au(x) mode(s) de protection. À noter qu'un marquage IP n'est pas exigé dans le cadre du marquage de protection contre les risques d'explosion, mais est souvent présent en retrait du fil de marquage Ex.

26.4.5.2 Critères d'acceptation

Pour les appareils soumis aux essais conformément à l'IEC 60529, les critères d'acceptation doivent être conformes à l'IEC 60529, sauf si le constructeur spécifie des critères d'acceptation plus sévères que ceux décrits dans l'IEC 60529, par exemple, ceux spécifiés dans une norme de produit appropriée. Dans ce cas, les critères d'acceptation de la norme de produit appropriée doivent être appliqués, sauf s'ils altèrent la protection contre les risques d'explosion.

Les critères d'acceptation de l'IEC 60034-5 doivent être appliqués aux machines électriques tournantes dans la mesure où la conformité à une norme de l'IEC de protection contre les risques d'explosion est applicable en plus des conditions spécifiées dans l'IEC 60034-5.

Lorsqu'une norme relative à un appareil pour atmosphères explosives spécifie des critères d'acceptation pour IPXX, ceux-ci doivent être appliqués à la place de ceux de l'IEC 60529 ou de l'IEC 60034-5.

26.5 Essais thermiques

26.5.1 Mesurage de la température

26.5.1.1 Généralités

Pour les appareils pouvant normalement être utilisés dans différentes positions, la température dans chaque position doit être prise en considération. Lorsque la température n'est déterminée que pour certaines positions, l'appareil doit être marqué du symbole «X» pour indiquer cette condition particulière d'utilisation, conformément au point e) de 29.3.

NOTE 1 L'utilisation du symbole «X» n'est pas appropriée pour les appareils susceptibles de fonctionner dans des positions non maîtrisées. Par exemple, les lampes-chapeaux peuvent fonctionner pendant une certaine durée à des angles non prévus dans des conditions normales de fonctionnement (à la verticale) et peuvent atteindre des températures excessives.

Les essais de température doivent être effectués à une température égale ou inférieure à la température ambiante maximale assignée et les résultats doivent être corrigés linéairement pour la température ambiante maximale assignée. Les mesures de température prescrites dans le présent document et dans les normes spécifiques aux modes de protection concernés doivent être réalisés sans courant d'air.

Les dispositifs de mesure (thermomètres, thermocouples, etc.) et les câbles de raccordement doivent être choisis et disposés de façon à ne pas influencer sensiblement sur le comportement thermique de l'appareil.

La température finale doit être considérée comme atteinte lorsque la vitesse d'échauffement ne dépasse pas 2 K/h. Si la température de service ou de surface est déterminée avec la couche de poussière exigée pour l'EPL Da ou avec une épaisseur de poussière spécifiée pour l'EPL Db, la température finale doit être considérée comme atteinte lorsque la vitesse d'échauffement n'excède pas une vitesse de 1 K/24 h.

Sauf si le constructeur a spécifié une plage de fréquences d'alimentation, des tolérances normales à la fois pour l'alimentation en utilisation et pour l'alimentation à des fins d'essai sont, par hypothèse, suffisamment faibles pour être ignorées.

NOTE 2 Certains appareils peuvent exiger la fourniture de dispositifs intégrés sensibles à la température pour limiter les températures.

26.5.1.2 Température de service

L'essai consistant à déterminer les températures de service doit être effectué à la tension assignée de l'appareil, sans toutefois tenir compte des dysfonctionnements.

La température du point le plus chaud de toute partie dont dépend le mode de protection doit être déterminée.

Lorsque la tension d'entrée n'affecte pas directement l'échauffement de l'appareil ou du composant Ex, comme une borne ou un interrupteur, le courant d'essai doit être porté à 100 % du courant assigné.

Lorsque la caractéristique assignée de l'appareil constitue une plage (par exemple, 100 V-250 V ou $240\text{ V} \pm 10\%$), les essais doivent être effectués avec la valeur la plus élevée ou la plus faible de la plage, selon la valeur qui entraîne l'échauffement le plus élevé.

26.5.1.3 Température maximale de surface

L'essai pour déterminer la température maximale de surface doit être réalisé sous les caractéristiques assignées les plus défavorables avec une tension d'entrée de 90 % de la tension assignée ou à 110 % de la tension assignée de l'appareil, selon la valeur qui donne la température maximale de surface.

Pour les machines électriques, la détermination de la température maximale de surface peut également être réalisée sous la tension d'essai la plus défavorable dans la «Zone A» définie par l'IEC 60034-1. Dans ce cas, l'appareil doit être marqué avec le symbole «X» conformément au point e) de 29.3 et la condition particulière d'utilisation doit indiquer que la détermination de la température maximale de surface est basée sur le fonctionnement dans la «Zone A» (IEC 60034-1), généralement $\pm 5\%$ de la tension assignée. Pour les machines électriques fonctionnant avec un convertisseur, la variation de la tension d'essai, pour la détermination de la température maximale de surface, doit être appliquée au système moteur-convertisseur dans son ensemble, c'est-à-dire appliquée à l'entrée du convertisseur, et non à l'entrée du moteur. Voir l'Annexe E pour des informations complémentaires concernant les essais d'échauffement des machines électriques.

Lorsque la tension d'entrée n'affecte pas directement l'échauffement de l'appareil ou du composant Ex, comme une borne ou un interrupteur, le courant d'essai doit être porté à 110 % du courant assigné.

Les essais pour déterminer la température maximale de surface doivent être effectués sans tenir compte des dysfonctionnements, à moins que des dysfonctionnements spécifiques soient spécifiés par les exigences relatives au mode de protection spécifique.

Lorsque la caractéristique assignée de l'appareil constitue une plage (par exemple, 100 V – 250 V, ou $240\text{ V} \pm 10\%$), l'essai doit être effectué avec une valeur égale à 90 % de la valeur

la plus faible de la plage ou avec une valeur égale à 110 % de la valeur la plus élevée de la plage, selon la valeur qui entraîne l'échauffement le plus élevé.

Sauf si le constructeur a spécifié une plage de fréquences d'alimentation, des tolérances normales à la fois pour l'alimentation en utilisation et pour l'alimentation à des fins d'essai sont, par hypothèse, suffisamment faibles pour être ignorées.

NOTE 1 En raison des propriétés de régulation de la tension d'un convertisseur, les variations de la tension à l'entrée du convertisseur n'entraînent pas directement de variations de la tension à la sortie du convertisseur.

Pour les appareils du Groupe III, d'EPL Da, l'essai est réalisé avec une couche minimale de 200 mm de poussière entourant toutes les faces de l'appareil. Les mesurages de température doivent être effectués à l'aide d'une poussière d'essai de conductivité thermique inférieure ou égale à $0,10 \text{ W}/(\text{m} \times \text{K})$ mesurée à $(100 \pm 5) ^\circ\text{C}$.

NOTE 2 Les poussières susceptibles d'être conformes à la conductivité thermique utilisée pour cet essai comprennent certains types de farines de bois, de poudres de cacao, de terres de diatomées, de billes de polystyrène expansible et de matériaux analogues.

NOTE 3 En raison des propriétés d'isolement de la couche de poussière, les puissances dissipées de plus de quelques watts ne sont généralement pas possibles.

Pour les appareils du Groupe III, d'EPL Db, évalués avec une couche de poussière spécifiée (préfixe $T_{\text{épaisseur de couche spécifiée}}$ indiquant la température maximale de surface), conformément à 5.3.2.3.2 b), toutes les faces de l'appareil à soumettre à l'essai doivent être entourées d'une épaisseur de couche au moins égale à l'épaisseur de couche spécifiée. Les mesurages de température doivent être effectués à l'aide d'une poussière d'essai de conductivité thermique inférieure ou égale à $0,10 \text{ W}/(\text{m} \times \text{K})$ mesurée à $(100 \pm 5) ^\circ\text{C}$.

Pour les appareils du Groupe III, d'EPL Db, évalués avec une couche de poussière conforme à 5.3.2.3.2 c) (préfixe T_L indiquant la température maximale de surface), avec la ou les orientations spécifiques données pour les conditions particulières d'utilisation, l'essai doit être réalisé avec la couche maximale que l'appareil supporte, selon l'orientation spécifiée de l'appareil, en reconnaissant que l'épaisseur de la couche de poussière n'est pas uniforme. La poussière doit être appliquée en la déposant avec précaution, à l'aide d'un tamis ou d'un moyen similaire, sur la ou les surfaces, sans compactage supplémentaire, jusqu'à ce que la poussière cesse de s'accumuler. Les mesurages de température doivent être effectués à l'aide d'une poussière d'essai de conductivité thermique inférieure ou égale à $0,10 \text{ W}/(\text{m} \times \text{K})$ mesurée à $(100 \pm 5) ^\circ\text{C}$.

La température maximale de surface mesurée ne doit pas dépasser:

- pour un appareil du Groupe I, les valeurs données en 5.3.2.1,
- pour un appareil du Groupe II soumis aux essais de type de détermination de la température maximale de surface, la température ou la classe de température marquée, diminuée de 5 K pour les classes de température T6, T5, T4 et T3 (ou températures marquées $\leq 200 ^\circ\text{C}$) et diminuée de 10 K pour les classes de température T2 et T1 (ou températures marquées $> 200 ^\circ\text{C}$). En variante, pour un appareil de Groupe II soumis à des essais individuels de série de détermination de la température maximale de surface, la température ou la classe de température marquée sur l'appareil,
- pour un appareil du Groupe III, les valeurs assignées, voir 5.3.2.3.

26.5.2 Essai de choc thermique

Les parties en verre des luminaires et des regards en verre de l'appareil doivent résister sans dommage visible à un choc thermique provoqué par un jet d'eau de 1 mm de diamètre environ, l'eau étant à une température de $(10 \pm 5) ^\circ\text{C}$ et la température des parties étant au moins égale à la température maximale de service. L'essai doit être effectué sur au moins un échantillon.

NOTE Ce «jet d'eau» est fréquemment appliqué à l'aide d'une petite seringue (~10 cm³), la température de l'eau étant de 10 °C. Il est considéré que ni la distance d'application du jet, ni la pression d'application n'ont une influence significative sur les résultats.

26.5.3 Essai d'inflammation de petits composants (Groupe I et Groupe II)

26.5.3.1 Généralités

Pour démontrer qu'un petit composant ne doit pas provoquer par échauffement l'inflammation d'un mélange inflammable conformément au point a) de 5.3.3, ledit composant doit être soumis à l'essai en présence d'un mélange gaz/air spécifié comme décrit en 26.5.3.2.

26.5.3.2 Procédure

L'essai doit être effectué avec le composant

- monté sur l'appareil comme prévu et des mesures de prévention doivent être prises pour s'assurer que le mélange d'essai est en contact avec le composant, ou
- monté sur un modèle qui garantit des résultats représentatifs. Dans ce cas, la simulation doit tenir compte de l'effet des autres parties de l'appareil aux alentours du composant en essai et qui modifient la température du mélange et de l'écoulement du mélange autour du composant par suite de la ventilation et des effets thermiques.

Le composant doit être soumis à l'essai dans des conditions normales de fonctionnement, ou dans les conditions de dysfonctionnement spécifiées dans la norme applicable au mode de protection, qui conduit à la valeur la plus élevée de température de surface. L'essai doit être prolongé soit jusqu'à ce que l'équilibre thermique du composant et des parties environnantes soit atteint, soit jusqu'à ce que la température du composant chute. Lorsque la défaillance du composant produit une chute de température, l'essai doit être répété cinq fois en utilisant cinq échantillons supplémentaires du composant. Lorsque, dans des conditions normales de fonctionnement ou dans les conditions de dysfonctionnement spécifiées dans la norme applicable au mode de protection, la température de plus d'un composant dépasse la classe de température de l'appareil, l'essai doit être effectué avec tous ces composants à leur température maximale.

La marge de sécurité exigée en 5.3.3 doit être obtenue soit en augmentant la température ambiante de l'essai en cours, soit, lorsque cela est possible, en augmentant de la marge exigée la température du composant en essai et des autres surfaces adjacentes concernées.

Pour le Groupe I, le mélange d'essai doit être homogène et compris entre 6,2 % et 6,8 % en volume de méthane et d'air.

Pour le classement en température T4, le mélange doit être

- a) un mélange homogène compris entre 22,5 % et 23,5 % en volume d'éther diéthylique et d'air, ou
- b) un mélange d'éther diéthylique et d'air obtenu en permettant à une petite quantité d'éther diéthylique de s'évaporer dans une chambre d'essai pendant que l'essai d'inflammation est en cours de réalisation.

Pour les autres classes de température, le choix de mélanges d'essai appropriés doit être laissé à l'initiative de l'organisme d'essai.

Si aucune inflammation ne se produit au cours d'un essai, la présence du mélange inflammable doit être vérifiée en enflammant le mélange par tout autre moyen.

26.5.3.3 Critères d'acceptation

Le composant n'a pas causé l'inflammation de l'atmosphère inflammable, et le mélange d'essai s'est révélé être inflammable.

L'apparition d'une flamme froide doit être considérée comme une inflammation. L'inflammation doit être détectée visuellement ou par un mesurage de la température, par exemple, à l'aide d'un thermocouple.

26.6 Essai de torsion des traversées

26.6.1 Procédure d'essai

Les traversées utilisées comme éléments de raccordement et qui sont soumises à un couple lors du raccordement ou de la déconnexion des conducteurs doivent être soumises à un essai de torsion.

Une fois montée, la tige de la traversée, ou la traversée proprement dite, doit être soumise à un couple dont la valeur est donnée dans le Tableau 16.

Tableau 16 – Couple à appliquer à la tige des traversées utilisées comme éléments de raccordement

Diamètre de la tige des traversées	Couple Nm
M 4	2,0
M 5	3,2
M 6	5
M 8	10
M 10	16
M 12	25
M 16	50
M 20	85
M 24	130
Les valeurs de couple pour les dimensions autres que celles spécifiées ci-dessus peuvent être déterminées à partir d'un graphique dont le tracé utilise ces valeurs. De plus, le graphique peut être extrapolé pour permettre de déterminer des valeurs de couple pour des tiges de traversées de plus grandes dimensions que celles spécifiées.	

26.6.2 Critères d'acceptation

Une fois montées, ni la tige de la traversée ni la traversée proprement dite ne doivent tourner lorsque la tige est soumise à un couple.

26.7 Enveloppes non métalliques ou parties non métalliques d'enveloppes

26.7.1 Généralités

Outre les essais pertinents spécifiés de 26.1 à 26.6, les enveloppes non métalliques doivent également satisfaire aux exigences de 26.8 à 26.15, selon le cas. Les essais spécifiés de 26.10 à 26.15 sont des essais indépendants effectués sur des échantillons distincts dont il n'est pas exigé qu'ils fassent partie intégrante de la séquence d'essais dédiés aux enveloppes, voir 26.4. Les parties non métalliques des enveloppes doivent être soumises aux essais avec la totalité de l'enveloppe ou avec un modèle représentatif de l'enveloppe.

26.7.2 Températures d'essai

Lorsque, conformément à la présente norme ou aux normes spécifiques citées à l'Article 1, des essais doivent être effectués en fonction des températures de service supérieure et inférieure, ces températures d'essai doivent être:

- pour la température supérieure, la température maximale de service (voir 5.2) augmentée d'au moins 10 K et d'au plus 15 K,
- pour la température inférieure, la température minimale de service (voir 5.2) diminuée d'au moins 5 K et d'au plus 10 K.

26.8 Endurance thermique à la chaleur

L'endurance thermique à la chaleur doit être déterminée en soumettant les enveloppes ou parties d'enveloppes en matériaux non métalliques, dont dépend l'intégrité du mode de protection, à des essais comme définis dans le Tableau 17.

Tableau 17 – Essai d'endurance thermique

EPL	Température de service T_s	Condition d'essai	Condition d'essai alternative
Ga Gb Da Db Ma Mb	$T_s \leq 70\text{ °C}$	672 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température $T_s + 20 \pm 2\text{ K}$ (mais non inférieure à une température d'essai de 80 °C)	
	$70\text{ °C} < T_s \leq 75\text{ °C}$	672 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température $T_s + 20 \pm 2\text{ K}$	504 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(90 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 20 \pm 2\text{ K}$
	$T_s > 75\text{ °C}$	336 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(95 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 20 \pm 2\text{ K}$	504 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(90 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 20 \pm 2\text{ K}$

EPL	Température de service Ts	Condition d'essai	Condition d'essai alternative
Gc Dc	$T_s \leq 80\text{ °C}$	672 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température $T_s + 10 \pm 2\text{ K}$	
	$80\text{ °C} < T_s \leq 85\text{ °C}$	672 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température $T_s + 10 \pm 2\text{ K}$	504 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(90 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 10 \pm 2\text{ K}$
	$T_s > 85\text{ °C}$	336 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(95 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 10 \pm 2\text{ K}$	504 $^{+30}_0$ h à une humidité relative de $(90 \pm 5)\%$, avec une température de $(90 \pm 2)\text{ °C}$ suivie d'une période de 336 $^{+30}_0$ h à l'état sec avec une température $T_s + 10 \pm 2\text{ K}$
Ts est la température définie en 5.2 et ne doit pas inclure l'élévation citée en 26.7.2.			

À la fin de l'essai et conformément au Tableau 17, les enveloppes ou parties d'enveloppes en matériaux non métalliques qui ont été soumises à l'essai doivent cette fois être soumises à une température de $(20 \pm 5)\text{ °C}$ avec une humidité relative de $(50 \pm 10)\%$ pendant 24 $^{+48}_0$ h, cette période d'essai étant suivie de l'essai d'endurance thermique au froid (26.9).

NOTE 1 Les valeurs d'essai données dans le Tableau 17 incluent deux conditions d'essai. Les conditions indiquées dans la 2^e colonne du tableau sont celles utilisées dans les éditions précédentes de la présente norme et permettent aux résultats d'essai précédents de rester valables pour la présente édition. Les conditions indiquées dans la 3^e colonne du tableau ont été ajoutées pour permettre d'effectuer des essais aux conditions de température/humidité réalisées plus facilement, bien que la durée d'essai soit plus longue.

NOTE 2 Il est généralement admis que les matériaux en verre et en céramique ne sont pas altérés par l'essai d'endurance thermique à la chaleur, les essais pouvant par ailleurs ne pas être nécessaires.

NOTE 3 L'application d'un temps de réponse par pente spécifique entre les étapes des essais d'endurance thermique ne constitue pas une exigence de la présente norme. Cet essai n'est pas destiné à être un essai de choc thermique.

26.9 Endurance thermique au froid

L'endurance thermique au froid doit être déterminée en soumettant les enveloppes ou parties d'enveloppes en matériaux non métalliques, dont dépend le mode de protection, à un séjour de 24 h $^{+2}_0$ à une température ambiante correspondant à la température minimale de service diminuée selon 26.7.2.

NOTE Il est généralement admis que les matériaux en verre et en céramique ne sont pas altérés par l'essai d'endurance thermique au froid, les essais pouvant par ailleurs ne pas être nécessaires.

26.10 Résistance à la lumière UV

26.10.1 Généralités

Pour les matières plastiques, l'essai doit être effectué sur six éprouvettes de dimensions normalisées de (80 ± 2) mm $\times$ $(10 \pm 0,2)$ mm $\times$ $(4 \pm 0,2)$ mm conformément à l'ISO 179. Ces éprouvettes doivent être préparées dans des conditions identiques à celles de la fabrication de l'enveloppe concernée; ces conditions doivent être mentionnées dans le rapport d'essai de l'appareil.

Lorsqu'il n'est pas possible de préparer les échantillons d'essai conformément à l'ISO 179 du fait de la nature du matériau non métallique, un essai de remplacement est permis, ses justifications étant établies dans le rapport d'essai de l'appareil.

Pour les élastomères, l'essai doit être effectué sur six échantillons, normalisés lorsque la pratique le permet, tel que défini dans l'ISO 48, selon la méthode appliquée L, N, M ou H. Un essai de remplacement est permis, ses justifications étant établies dans le rapport d'essai de l'appareil.

Lorsqu'il n'est pas possible de préparer des échantillons d'essai, conformément à l'ISO 48, du fait de la nature des élastomères, ou si des profils spécifiques de joints en élastomère sont utilisés, le mesurage de la dureté, conformément à la méthode CN, CM, CH ou CL de l'ISO 48, doit être utilisé. Un essai de remplacement est permis, ses justifications étant établies dans le rapport d'essai de l'appareil.

NOTE Les essais réalisés sur des matières plastiques sont généralement destructeurs. Par conséquent, six éprouvettes ou échantillons non exposé(e)s sont généralement utilisé(e)s pour déterminer les propriétés initiales du matériau.

26.10.2 Exposition à la lumière

En général, l'essai doit être effectué conformément à l'ISO 4892-2 dans une enceinte d'exposition comportant une lampe au xénon et un système de filtres simulant la lumière solaire. Les échantillons doivent être exposés, sans cycle, en atmosphère sèche et à une température normalisée du noir de (65 ± 3) °C ou à une température du tableau noir de (55 ± 3) °C, sur une durée comprise entre 1 000 h et 1 025 h.

NOTE La valeur de 65 °C de la température normalisée du noir est choisie pour assurer la compatibilité avec les essais effectués sur un appareil conçu spécifiquement pour fonctionner conformément à l'ISO 4892-2. La valeur de 55 °C de la température du tableau noir est choisie pour assurer la compatibilité avec les résultats obtenus pour les éditions précédentes de l'IEC 60079-0. Selon l'ISO 4892-2, les deux conditions sont presque identiques, mais il existe généralement des différences mineures, trop petites pour être pertinentes en ce qui concerne l'objet de cet essai.

26.10.3 Critères d'acceptation

Pour les matières plastiques, le critère d'évaluation est la résistance à la flexion sous choc, conformément à l'ISO 179. La résistance à la flexion sous choc après l'exposition, dans le cas d'un choc sur la surface exposée, doit être d'au moins 50 % de la valeur correspondante mesurée sur les éprouvettes non exposées. Pour les matières plastiques dont la résistance à la flexion sous choc ne peut pas être déterminée avant l'exposition du fait qu'aucune rupture ne s'est produite, trois éprouvettes au plus, parmi les éprouvettes exposées, doivent pouvoir se rompre. Un critère d'acceptation de remplacement est permis, ses justifications étant établies dans le rapport d'essai de l'appareil.

Pour les élastomères, le critère d'évaluation est le mesurage de la dureté décrit dans l'ISO 48 avec la même méthode d'essai que celle choisie pour la préparation des échantillons. La dureté moyenne exprimée en DIDC, tel que spécifié dans l'ISO 48, sur la face exposée des 6 échantillons par suite de l'exposition, ne doit pas varier de plus de 20 % par rapport à la valeur correspondante des échantillons non exposés. Un critère d'acceptation de remplacement est permis, ses justifications étant établies dans le rapport d'essai de l'appareil.

26.11 Résistance aux agents chimiques de l'appareil du Groupe I

Les enveloppes non métalliques et parties non métalliques d'enveloppes doivent être soumises aux essais de résistance aux agents chimiques suivants:

- huiles et graisses;
- fluides hydrauliques pour applications minières.

Les essais correspondants doivent être effectués sur quatre échantillons d'enveloppe rendus étanches pour empêcher l'entrée des liquides d'essai à l'intérieur de l'enveloppe:

- deux échantillons doivent séjourner pendant (24 ± 2) h dans de l'huile IRM 902 selon la norme ASTM D5964, à une température de (50 ± 2) °C;
- les deux autres échantillons doivent séjourner pendant (24 ± 2) h dans un fluide hydraulique résistant au feu, destiné à une utilisation à des températures comprises entre -20 °C et $+60$ °C, contenant une solution aqueuse de polymères dans 35 % d'eau à une température de (50 ± 2) °C.

À la fin de l'essai, les échantillons d'enveloppe concernés doivent être retirés du bain de liquide, essuyés avec précaution, puis stockés pendant (24 ± 2) h dans l'atmosphère du laboratoire. Ensuite, chacun des échantillons d'enveloppe doit satisfaire aux essais d'enveloppes spécifiés en 26.4.

Si un ou plusieurs des échantillons d'enveloppe ne résistent pas à ces essais d'enveloppes après avoir été exposés à un ou plusieurs des agents chimiques, l'enveloppe doit être marquée du symbole «X», pour indiquer cette condition particulière d'utilisation conformément au point e) de 29.3, c'est-à-dire l'exclusion de l'exposition à des agents chimiques spécifiques pendant l'utilisation.

26.12 Continuité de terre

Le matériau à partir duquel l'enveloppe est construite peut être soumis à l'essai comme une enveloppe complète, une partie d'enveloppe, ou comme un échantillon du matériau à partir duquel l'enveloppe est construite, à condition que les dimensions critiques appropriées de l'échantillon soient les mêmes que celles de l'enveloppe.

L'entrée de câble doit être représentée par une éprouvette de diamètre (nominal) de 20 mm en laiton ($\text{CuZn}_{39}\text{Pb}_3$ ou $\text{CuZn}_{38}\text{Pb}_4$) portant un filetage métrique ISO avec une classe de tolérance 6g et un pas de 1,5 mm conformément à l'IEC 60423. La longueur de l'éprouvette doit permettre de s'assurer qu'au moins un filet entier reste libre à chaque extrémité lorsqu'elles sont assemblées comme représenté à la Figure 8.

Des plaques de terre complètes ou des parties de plaques de terre destinées à être utilisées avec l'enveloppe doivent être employées pour les besoins de cet essai. Un trou de passage doit être pratiqué dans la plaque de terre aux fins de l'essai et doit avoir un diamètre compris entre 22 mm et 23 mm. La méthode d'assemblage doit assurer que le filetage de la vis de l'éprouvette n'est pas en contact direct avec l'intérieur du trou de passage.

Les écrous de serrage doivent être en laiton ($\text{CuZn}_{39}\text{Pb}_3$ ou $\text{CuZn}_{38}\text{Pb}_4$) et doivent avoir un filetage métrique ISO avec une classe de tolérance 6H et un pas de 1,5 mm conformément à l'IEC 60423. L'épaisseur des écrous doit être de 3 mm (nominale) et la dimension le long des plats doit être au maximum de 27 mm.

Les composants sont assemblés comme représenté à la Figure 8. Le couple appliqué à chaque paire d'écrous à tour de rôle doit être de 10 Nm (± 10 %).


Le trou dans la paroi (ou partie de la paroi ou de l'échantillon d'essai) peut être un trou traversant lisse ou un trou taraudé ayant un taraudage compatible avec l'éprouvette.

Après que l'échantillon d'essai a été assemblé, il doit être soumis aux conditions pour l'essai d'endurance thermique à la chaleur comme décrit en 26.8.

Cela doit être suivi d'une période supplémentaire de 336^{+30}_0 h dans une étuve à air chaud à une température d'au moins 80 °C.

À l'issue du conditionnement, la résistance entre les plaques de terre ou les parties de plaques de terre doit être calculée en passant un courant continu de 10 A à 20 A entre les plaques de terre et en mesurant la chute de tension entre elles.

Le matériau non métallique qui a été soumis aux essais de cette façon est jugé satisfaisant si la résistance entre les plaques de terre ou parties de plaques de terre ne dépasse pas 5 mΩ.



Composants

- | | |
|--|--------------|
| 1 écrou | 5 éprouvette |
| 2 plaque de terre | |
| 3 paroi d'enveloppe (non métallique) | |
| 4 plaque de terre ou partie de plaque de terre | |

Figure 8 – Assemblage d'échantillon d'essai pour l'essai de continuité de terre

26.13 Vérification de la résistance de surface de parties d'enveloppes en matériaux non métalliques

La résistance de surface doit être soumise à l'essai sur les parties d'enveloppes si leurs dimensions le permettent ou sur une éprouvette constituée par une plaque rectangulaire de dimensions conformes aux indications de la Figure 9. L'éprouvette doit avoir une surface intacte et propre sur laquelle deux électrodes parallèles sont peintes à l'aide d'une peinture conductrice dont le solvant n'a aucun effet significatif sur la résistance de surface.

L'éprouvette doit être nettoyée à l'eau distillée puis à l'alcool isopropylique (ou au moyen de tout autre solvant pouvant être mélangé à l'eau et n'altérant pas le matériau de l'éprouvette ou les électrodes), puis de nouveau à l'eau distillée avant d'être séchée. Elle doit ensuite, sans avoir été touchée à main nue, être conditionnée pendant au moins 24 h à (23 ± 2) °C et avec une humidité relative de (50 ± 5) % ou de (30 ± 5) %, selon le cas (Voir 7.4.2 a)). L'essai doit être effectué dans les mêmes conditions ambiantes.

La tension continue appliquée pendant (65 ± 5) s entre les électrodes doit être de (500 ± 25) V en courant continu.