



IEC/TR 60083


Edition 6.0 2009-02

TECHNICAL REPORT

RAPPORT TECHNIQUE

Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC

Prises de courant pour usages domestiques et analogues normalisées par les pays membres de la CEI



IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC/TR 60083


Edition 6.0 2009-02

TECHNICAL REPORT

RAPPORT TECHNIQUE

Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC

Prises de courant pour usages domestiques et analogues normalisées par les pays membres de la CEI



INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XH

ICS 29.120.30

ISBN 2-8318-1032-0

CONTENTS

Foreword.....	4
Introduction.....	6
National systems used in	section
Argentina (information not available)	
Australia.....	AU
Austria.....	AT
Belarus (information not available)	
Belgium.....	BE
Bulgaria (information not available)	
Brazil	BR
Canada.....	CA
China.....	CN
Croatia (information not available)	
Czech Republic.....	CZ
Denmark.....	DK
Egypt (information not available)	
Finland.....	FI
France.....	FR
Germany.....	DE
Greece (information not available)	
Hungary (information not available)	
India...	IN
Indonesia (information not available)	
Iran (information not available)	
Ireland (information not available)	
Israel (information not available)	
Italy.....	IT
Japan.....	JP
Korea (Republic of).....	KR
Luxembourg (information not available)	
Malaysia.....	MY
Mexico.....	MX
Netherlands.....	NL
New Zealand.....	NZ
Norway.....	NO
Pakistan (information not available)	
Poland.....	PO
Portugal.....	PT
Romania (information not available)	
Russian Federation (information not available)	
Saudi Arabia	SA
Serbia and Montenegro	CS
Singapore.....	SG
Slovakia.....	SK
Slovenia (information not available)	
South Africa	ZA

Spain.....	ES
Sweden.....	SE
Switzerland.....	CH
Thailand (information not available)	
Turkey (information not available)	
Ukraine (information not available)	
United Kingdom.....	GB
United States of America.....	US

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLUGS AND SOCKET-OUTLETS FOR DOMESTIC AND SIMILAR GENERAL USE STANDARDIZED IN MEMBER COUNTRIES OF IEC

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 60083, which is a technical report, has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories.

The sixth edition cancels and replaces the fifth edition published in 2006 and constitutes a technical revision. It includes some replacements of the sheets concerning the following countries: BR, CN, CZ, DK, JP, NO, PT and ES. New sheets for IN and ZA have been added to those of the previous edition.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
23B/893/DTR	23B/913/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date1) indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

INTRODUCTION

This technical report shows the great variety of systems in use today. In order to reduce this variety in future, even though such a change may take many years, it is advised that the recommendations in IEC 60906-1 and IEC 60906-2 be followed:

"that any country in need of a new or a replacement system adopt this standard as its future National Standard".

The content of this report is based on the information submitted by the National Committees of IEC which are responsible for the accuracy of the information given. Any revision caused by amendments and additions as a consequence of further development of their National System(s) or introduction of a different system should be notified to the IEC Central Office.

For additional contributions or revisions of already submitted information, reference is made to Annex A which contains the instructions for submitting material to this technical report. National Committees are asked to follow the instructions precisely in order to obtain a uniform presentation in this report.

The IEC Central Office will maintain a register of the revised information received from National Committees.

This sixth edition includes the following modifications to the previous edition:

Brazil	replacement of all sheets
China	replacement of all sheets
Czech Republic	replacement of ÉSN by CSN in all sheets
India	new sheets (1 to 2)
Japan	replacement of all sheets
Norway	replacement of all sheets
Portugal	replacement of all sheets
South Africa	new sheets (1 to 5)
Spain	replacement of all sheets

PLUGS AND SOCKET-OUTLETS FOR DOMESTIC AND SIMILAR GENERAL USE STANDARDIZED IN MEMBER COUNTRIES OF IEC


1 Scope and object











The object of this technical report is to give general information about the systems of plugs and socket-outlets for household and similar purposes which are used in the IEC countries. The report only contains National Systems which are commonly used in homes and offices. It is therefore limited to systems for a.c. with a rated voltage above 50 V but not exceeding 440 V, intended for household and similar purposes, either indoors or outdoors.



The report only contains systems for which standard sheets have been published in a National Standard, which may be a National Standard of the country itself or any other IEC member country.








2 List of plugs and socket-outlets which are used in IEC member countries







The following sheets give the national systems used in IEC member countries.







IEC 60083	National system used in AUSTRALIA			AU 1 of AU 2
				Date: 2006-01-25
Number of poles	Rated values of accessories		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ \ominus	250	10	  	 
2P+ \ominus	250	10	  	 
<p>Portable socket-outlets for cords are specified in AS/NZS 3120. AS/NZS 3112 provides for a two pin 10A plug which has the same shape as the three pin 10A plug but no earth pin. A 10A plug is compatible with a 15A socket-outlet. A 15A plug is prevented from entering a 10A socket-outlet by the size of the earth pin.</p>				
<p>For reference and further information, see AU2</p>				



IEC 60083	National system used in AUSTRALIA			AU 2 of AU 2
				Date: 2006-01-25
Number of poles	Rated values of accessories		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ $\textcircled{+}$	250	15		
Reference of National Standard or Regulation: AS/NZS 3112				
Further information obtainable from:	Standards Australia Limited GPO Box 476 Sydney NSW 2001 Australia		Telephone: +61 2 8206 6000 Fax: +61 2 8206 6001 E-mail: mail@standards.org.au Website: www.standards.org.au	
Distribution and subscription from:	SAI Global Limited GPO Box 5420 Sydney NSW 2001 Australia		Telephone: +61 2 8206 6010 Fax: +61 2 8206 6020 E-mail: sales@sai-global.com Website: www.sai-global.com	

IEC 60083	National system used in AUSTRIA			AT1 of AT 5 Date: 2005-12-13
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	10/16 or 16 ~	  ÖNORM E 6622 part 1 Type A  ÖNORM E 6622 part 2 Type B  ÖNORM E 6622 part 4 ÖNORM E 6622 part 9 (shutter) ÖNORM E 6622 part 10 (for incorporating)	   ÖNORM E 6623
2P + T	250	10/16 or 16 ~	ÖNORM E 6622 part 8 Splashproof portable	ÖNORM E 6622 part 7 (splashproof, portable)
For reference and further information, see AT 5.				

IEC 60083	National system used in AUSTRIA			AT2 of AT 5 Date: 2005-12-13
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
	250	2,5 + 10/16 or 16 ~		 ÖNORM E 6623 part 3
2P + T		2,5 + 10/16 or 16 ~		 ÖNORM E 6623 part 3
	250	10/16 or 16 ~		 ÖNORM E 6623 part 3
Portable socket-outlet				
For reference and further information, see AT 5.				



IEC 60083	National system used in AUSTRIA			AT3 of AT 5 Date: 2005-12-13
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10/16 or 16 ~		 ÖNORM E 6624
2P	250	10/16 or 16 ~		ÖNORM E 6622 part 6 (splashproof, portable)
2P	250	2,5	 ÖNORM E 6622-11 (portable) ÖNORM E 6622-5 (adaptor)	
For reference and further information, see AT 5.				





IEC 60083	National system used in AUSTRIA			AT4 of AT 5 Date: 2005-12-13
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5		 EN 50075
				 ÖNORM E 6620
Plug of page 4 is compatible with socket-outlet of page 1				
For reference and further information, see AT 5.				

IEC 60083	National system used in AUSTRIA			AT 5 of AT 5 Date: 2005 - 12 - 13
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P+N+T	230/400	16	 ÖNORM E 6610	 ÖNORM E 6611
		25	ÖNORM E 6612	ÖNORM E 6613
Reference of National standard or Regulation: ÖVE-IG 31				
Further information obtainable from:	ÖEK Eschenbachgasse 9 A-1010 Wien		Telephone: + 43 1 587 63 73 Telefax: + 43 1 586 74 08	
Distribution and subscription from:	ÖEK Eschenbachgasse 9 A-1010 Wien		Telephone: + 43 1 587 63 73 Telefax: + 43 1 586 74 08	








IECNORM.COM: Click to view the full PDF or VCTR 60083-1:2009

IEC 60083	National system used in BELGIUM			BE 1 of BE 5 Date: 1994 - 03 - 09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16		 NBN C 61-112-1 VI
2P +	250	16	 BNB C 61-112-1 V Fixed and portable 1)	 NBN C 61-112-1 VII
1) The socket-outlets also accept plugs according to Standard Sheet VII, XVI and XVII of NBN C 61-112-1				
For reference and further information, see BE 5				


IEC 60083	National system used in BELGIUM			BE 2 of BE 5 Date: 1994 - 03 - 09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16		 NBN C 61-112-1 XVII
2P	250	2,5		 NBN C 61-112-1 XVI
For reference and further information, see BE 5				

IEC 60083	National system used in BELGIUM			BE 3 of BE 5 Date: 1994 - 03 - 09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	  NBN C 61-112-1 XXIII	 NBN C 61-112-1 XVI
2P	250	16	  NBN C 61-112-1 I	
For reference and further information, see BE 5				

IECNORM.COM: Click to view the full PDF of TR 60083/09

IEC 60083	National system used in BELGIUM			BE 4 of BE 5 Date: 1994 - 03 - 09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	415	16 32	  NBN C 61-112-1 XXI	  NBN C 61-112-1 XXII
3P +	415	16 32	  NBN C 61-112-1 XXI	  NBN C 61-112-1 XXII
For reference and further information, see BE 5				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National system used in Belgium			BE 5 of BE 5 Date: 1994-03-09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P + N + 	415	16 32	 NBN C 61 - 112 - 1 XXI	 NBN C 51 - 112 - 1 XXII

Reference of National Standard or Regulation:







NBN C 61 - 112 - 1




Plugs and socket-outlets for domestic and similar purposes.


Further information obtainable from:	Belgian Electrotechnical Committee Bld. Auguste Reyerslaan, 80 B - 1030 BRUXELLES / BRUSSEL	Telephone: +32 2 706 85 70 Telefax : +32 2 706 85 80 Telex:
Distribution and subscription from:	Institut Belge de Normalisation Avenue de la BRABANCONNE, 29 B - 1000 BRUXELLES / BRUSSEL	Telephone: +32 2 738 01 11 Telefax : +32 2 733 42 64 Telex:

IEC 60083	National system used in BRAZIL				BR 1 of BR 2
					Date: 2002-12-29
Number of poles	Rated values of accessories		Sketch designation		
	Voltage V	Current A	Socket-outlets		Plugs
2P +	250	10			 NBR 14136 Figure 7
2P	250	10			 NBR 14136 Figure 13
<p>A 10A socket-outlet shall not allow the insert of a 20A plug, and the socket-outlets with earthing contact shall allow the insert of 10A plugs with and without earthing pin. The dimension of the entry holes corresponding to pin diameter is: $\varnothing 4,3^{+0,2}_{-0}$ mm. Insulation sleeves on the pins are optional.</p> <p>The rated voltage 250V corresponding to the application from 100V up to 250V.</p> <p>For reference and further information, see page BR2</p>					

IEC 60083	National system used in BRAZIL				BR 2 of BR 2
					Date: 2002-12-29
Number of poles	Rated values of accessories		Sketch designation		
	Voltage V	Current A	Socket-outlets		Plugs
2P +	250	20			NBR 14136 Figure 8
2P	250	20			NBR 14136 Figure 14
Reference of National standard or Regulation : NBR 14136					
A 20A socket-outlet shall allow the insert of a 10A and 20A plug, and the socket-outlets with earthing contact shall allow the insert of 10A and 20A plugs with and without earthing pin. The dimension of the entry holes corresponding to pin diameter is: $\varnothing 5,0^{+0,2}_{-0}$ mm. Insulation sleeves on the pins are optional. The rated voltage 250V corresponding to the application from 100V up to 250V.					
Further information obtainable from:	Cobei Av. Paulista, 1439 - Cj.114 – 11°andar CEP 01311-200 - São Paulo - Brazil			Telephone: + 55 11 289-1544/0882 Fax: + 55 11 289-2179 Email:cobei@cobei.org.br	
Distribution and subscription from:	Cobei Av. Paulista, 1439 - Cj.114 – 11° andar CEP 01311-200 - São Paulo - Brazil			Telephone: + 55 11 289-1544/0882 Fax: + 55 11 289-2179 Email:cobei@cobei.org.br	









IEC 60083	National system used in CANADA			CA 1 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	125	15	  NEMA 1-15 R Fixed and Portable	  NEMA 1-15 P
2 P	250	15		  NEMA 2-15 P
				No socket-outlet configuration
NOTES:		1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Plug NEMA 1-15 P can be polarized or non-polarized 3) Plug NEMA 1-15 P also mates with socket-outlet NEMA 5-15 R (on page 2) 4) Plug NEMA 2-15 P mates with socket-outlet NEMA 6-15 R (on page 3)		
For reference and further information, see CA11				












IEC 60083	National system used in CANADA			CA 2 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	125	30	No socket-outlet configuration	 NEMA 1-30 P
2 P	250	30	 NEMA 2-30 R Fixed and Portable	 NEMA 2-30 P
NOTES:	1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Plug NEMA 1-30 P mates with socket-outlet NEMA 5-30 R (on page 5) 3) Socket-outlet NEMA 5-15 R also mates with plug NEMA 1-15 P (on page 1)			
For reference and further information, see CA11				











- NOTES:
- 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth
 - 2) Plug NEMA 1-30 P mates with socket-outlet NEMA 5-30 R (on page 5)
 - 3) Socket-outlet NEMA 5-15 R also mates with plug NEMA 1-15 P (on page 1)









For reference and further information, see CA11













IEC 60083	National system used in CANADA			CA 3 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + \oplus	250	15	 	
1P + N + \oplus	277 AC	15	 	
1P + N + \oplus	125	20	 	
1P + N + \oplus	125	20		
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Socket-outlet NEMA 6-15 R also mates with plug NEMA 2-15 R (on page 1) 3) Plug NEMA 5-20 P also mates with socket-outlet CSA 5-20 RA 				
For reference and further information, see CA11				

IEC 60083	National system used in CANADA			CA 4 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + \oplus	250	20	  CSA 6-20 R Fixed and Portable	  NEMA 6-20 P
2P + \oplus	250	20	  CSA 6-20 RA (Alternate) Fixed and Portable	
1P + N + \oplus	277 AC	20	  NEMA 7-20 R Fixed and Portable	  NEMA 7-20 P
2P + N	125 / 250	20	  NEMA 10-20 R Fixed and Portable	  NEMA 10-20 P
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Plug NEMA 6-20 P also mates with socket-outlet CSA 6-20 RA				
For reference and further information, see CA11				








IECNORM.COM: Click to view full page










IEC 60083	National system used in CANADA			CA 5 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N + \oplus	125	30	  NEMA 5-30 R Fixed and Portable	 NEMA 5-30 P
2P + \oplus	250	30	 NEMA 6-30 R Fixed and Portable	 NEMA 6-30 P
1P + N + \oplus	277 AC	30	 NEMA 7-30 R Fixed and Portable	 NEMA 7-30 P
2P + N	125 / 250	30	 NEMA 10-30 R Fixed and Portable	 NEMA 10-30 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Socket-outlet NEMA 5-30 R also mates with plug NEMA 1-30 P (on page 2) 				
For reference and further information, see CA11				











IEC 60083	National system used in CANADA			CA 6 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N + \ominus	125	50	 NEMA 5-50 R Fixed and Portable	 NEMA 5-50 P
2P + \ominus	250	50	 NEMA 6-50 R Fixed and Portable	 NEMA 6-50 P
1P + N + \ominus	277 AC	50	 NEMA 7-50 R Fixed and Portable	 NEMA 7-50 P
2P + N	125 / 250	50	 NEMA 10-50 R Fixed and Portable	 NEMA 10-50 P
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Earth				
For reference and further information, see CA11				






IEC 60083	National system used in CANADA			CA 7 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250 3 Phase	15	 	 
2P + N + \oplus	125 / 250	15	 	 
3P + \oplus	250 3 Phase	15	 	 
3P + N	120 / 208 3 Phase Y	15	 	 
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Plug NEMA 11-15 P also mates with socket-outlet NEMA 11-20 R (on page 8) 				
For reference and further information, see CA11				


IECNOPM.COM: Click to buy IEC TR 60083-109



IEC 60083	National system used in CANADA			CA 8 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	20	 NEMA 11-20 R Fixed and Portable	 NEMA 11-20 P
2P + N + \oplus	125 / 250	20	 NEMA 14-20 R Fixed and Portable	 NEMA 14-20 P
3P + \ominus	250 3 Phase	20	 NEMA 15-20 R Fixed and Portable	 NEMA 15-20 P
3P + N	120 / 208 3 Phase Y	20	 NEMA 18-20 R Fixed and Portable	 NEMA 18-20 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) Socket-outlet NEMA 11-20 R also mates with plug NEMA 11-15 P (on page 7) 				
For reference and further information, see CA11				

IEC 60083	National system used in CANADA			CA 9 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	30	  NEMA 11-30 R Fixed and Portable	 NEMA 11-30 P
2P + N + \ominus	125 / 250	30	  NEMA 14-30 R Fixed and Portable	
3P + \ominus	250 3 Phase	30	  NEMA 15-30 R Fixed and Portable	
3P + N	120 / 208 3 Phase Y	30	  NEMA 18-30 R Fixed and Portable	
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Earth				
For reference and further information, see CA11				


IEC 60083	National system used in CANADA			CA 10 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	50	  NEMA 11-50 R Fixed and Portable	 NEMA 11-50 P
2P + N + \ominus	125 / 250	50	  NEMA 14-50 R Fixed and Portable	 NEMA 14-50 P
3P + \ominus	250 3 Phase	50	  NEMA 15-50 R Fixed and Portable	 NEMA 15-50 P
3P + N	120 / 208 3 Phase Y	50	  NEMA 18-50 R Fixed and Portable	 NEMA 18-50 P
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Earth				
For reference and further information, see CA11				



IEC 60083	National system used in CANADA			CA 11 of CA 11
				Date: 2002-05 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + N + \oplus	125 / 250	60	 NEMA 14-60 R Fixed and Portable	 NEMA 14-60 P
3P + \oplus	250 3 Phase	60	 NEMA 15-60 R Fixed and Portable	 NEMA 15-60 P
3P + N	120 / 208 3 Phase Y	60	 NEMA 18-60 R Fixed and Portable	 NEMA 18-60 P
Reference of National standard or Regulation: CSA C22.2 No. 42				
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Earth 2) For dimensional requirements see standard publication NEMA WD6				
Further information obtainable from:	EEMAC 5800 Explorer Drive, Suite 200 Mississauga, ON, Canada L4W 5K9			Telephone: +905 602 8877 Fax: +905 602 5686 E-mail: info@electrofed.com
Distribution and subscription from:				Telephone: Fax: E-mail:



IEC 60083	National system used in CHINA			CN 1 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	6 ¹⁾		 <p>GB 1002 Fig.1²⁾</p>
1) For non-rewirable plugs only. 2) This 6 A plug is compatible with the 10 A socket-outlet of Fig.2				
For reference and further information, see CN 7				


	National system used in CHINA			CN 2 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10	 <p>GB 1002 Fig.2 Fixed and portable</p>	 <p>GB 1002 Fig.1</p>
For reference and further information, see CN 7				


IEC 60083	National system used in CHINA			CN 3 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	6 ¹⁾		 GB 1002 Fig.3 ²⁾
<p>1) For non-rewirable plugs only.</p> <p>2) This 6 A plug is compatible with the 10 A socket-outlet of Fig.4.</p> <p>For reference and further information, see CN 7</p>				





IEC 60083	National system used in CHINA			CN 4 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	10	 GB 1002 Fig.4 Fixed and portable	 GB 1002 Fig.3
For reference and further information, see CN 7				

IEC 60083	National system used in CHINA			CN 5 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	 GB 1002 Fig.4 Fixed and portable	 GB 1002 Fig.3
For reference and further information, see CN 7				





IEC 60083	National system used in CHINA			CN 6 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10	 GB 1002 Fig.5 Fixed and portable	
For reference and further information, see CN 7				




IEC 60083	National system used in CHINA			CN 7 of CN 7
				Date: 2007-12-10
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P +	440	16/ 25/ 32	 	
Reference of National Standard or Regulation: GB 1002, GB 1003				
Further information obtainable from:	GEARI 204 Xingang West Road Guangzhou, China		Telephone: +86-20-84451171 Telefax: +86-20-84451516 E-mail: cnapc@geari.com	
Distribution and subscription from:	SAC 9 Madian East Road, Haidian District Beijing, China		Telephone: +86-10-82262628 Telefax: +86-10-82260660 E-mail: webmaster_sac@sac.gov.cn	

IEC 60083	National system used in THE CZECH REPUBLIC		CZ 1 of CZ 3
			Date: 2002-06-06
Number of poles	Rated values of accessories		Sketch designation
	Voltage V	Current A	Socket-outlets
2P + \oplus	250	16	 ČSN 35 4516 (CEE 7 Standard sheet V) Fixed and portable
			 ČSN 35 4516 (CEE 7 Standard sheet VI)
			 ČSN 35 4516 (CEE 7 Standard sheet VII)
The socket-outlet accepts both plugs of CZ 1.			
For reference and further information, see CZ 3			





IECNORM.COM : Click to view the full size of IEC TR 60083-2009





IEC 60083	National system used in THE CZECH REPUBLIC			CZ 2 of CZ 3
				Date: 2002-06-06
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16		 ČSN 35 4516 (CEE 7 Standard sheet XVII)
2P	250	2,5		 ČSN 35 4516 (CEE 7 Standard sheet XVI)
The plugs of CZ 2 are compatible with socket-outlet of CZ 1.				
For reference and further information, see CZ 3				

IEC 60083	National system used in THE CZECH REPUBLIC			CZ 3 of CZ 3
				Date: 2002-06-06
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	  <p>ČSN 35 4516 Portable</p>	<p>ČSN 35 4516 (CEE 7 Standard sheet XVI)</p>
Reference of National standard or Regulation: ČSN 35 4516 (in conformity with safety requirements of IEC 60884-1 – see ČSN IEC 60884-1:2003).				
Further information obtainable from:	CZECH STANDARDS INSTITUTE Information division Biskupský dvur 5 110 02 Praha 1 Czech Republic		Telephone: + 42-2-21802111 Fax : + 42-2- 22328433 E-mail: ivana.novakova@csni.cz	
Distribution and subscription from:	CZECH STANDARDS INSTITUTE Hornomecholupská 40 102 04 Praha 10 Czech Republic		Telephone:+42-2-71961770 Fax : + 42-2-74866951 E-mail : odbyt@csni.cz	

IEC 60083	National system used in DENMARK			DK 1 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ E	250	10, 13 or 16	 SB 107-2-D1 DK 1-1a Fixed only	 
2P+E	250	15A	 SB 107-2-D1 DK 1-1b Fixed only 2) 3)	
1) The socket-outlets are only intended as part of switched socket-outlets or in double socket-outlets with the outlets individually switched. 2) Shutters are mandatory for socket-outlets with IPX0 protection. 3) The socket-outlets also accept plugs according to Standard Sheets DK 2-5a, DKA 2-1a, DKA 2-1b, EN 50 075 and CEE 7 Standard Sheets II, IV, VI, VII, XVI and XVII. The underlined types are for limited use only as they do not establish earth continuity				
For reference and further information, see DK 10.				




IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

IEC 60083	National system used in DENMARK			DK 2 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ E	250	10, 13 or 16	 <p>SB 107-2-D1 DK 1-3a Portable 1) 2) 3)</p>	 <p>SB 107-2-D1 DK 2-1a</p>
2P+E	250	13 or 16	 <p>SB 107-2-D1 DK 1-1c Portable and fixed 1) 4)</p>	 <p>SB 107-2-D1 C3b 16 A only</p>
1) The socket-outlets are also used for integration in adaptors and equipment. 2) Note 2 and 3 on page 1 applies. 3) The marking with N is optional 4) Shutters are mandatory for socket-outlets with IPX0 protection				
For reference and further information, see DK 10.				



IEC 60083	National system used in DENMARK			DK 3 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ E	250	10, 13 or 16	 SB 107-2-D1 DK 15a Fixed and portable 1)	 
2P+E	250	10, 13 or 16	 SB107-2-D1 DK 1-7a Portable only	





1) For Information Technology. Only plugs according to Standard Sheet DK 2-5a can enter.





For reference and further information, see DK 10.

IEC 60083	National system used in DENMARK			DK 4 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P+ N + E	250/440	16	  SB107-2-D1 DK 5-1a	 SB107-2-D1 DK 6-1a

For reference and further information, see DK 10.

IEC 60083	National system used in DENMARK			DK 5 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250	10, 13 or 16	 <p>SB 107-2-D1 DK 1-8a Fixed only 1) 2) 3)</p>	
2P	250	13 or 16	 <p>SB 107-2-D1 DK 1-8b Fixed only 1) 3)</p>	<p>SB 107-2-D1 DK 2-8a 4)</p>
1) For hospital use. Only plugs according to Standard Sheet DK 2-8a can enter. 2) The socket-outlets are only intended to be used as part of switched socket-outlets or in double socket-outlets with the outlets individually switched. 3) Shutters are mandatory for socket-outlets with IPX0 protection. 4) For hospital use only.				
For reference and further information, see DK 10.				

IEC 60083	National system used in DENMARK			DK 6 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250	10, 13 or 16	 <p>SB 107-2-D1 DK 1-8c Portable only 1)</p>	 <p>SB 107-2-D1 DK 2-8a</p>
2P	250	10, 13 or 16	 <p>SB 107-2-D1 DKA 1-1c Fixed only</p>	 <p>SB 107-2-D1 DKA 2-1b 16A only</p>
1) Note 1, 3 and 4 on pages 5 applies 2) The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which according to Standard Sheet DKA 1-1b. 3) Shutters are mandatory for socket-outlets with IPX0 protection. 4) The socket-outlets also accept plugs according to EN 50 075.				
For reference and further information, see DK 10.				





IEC 60083	National system used in DENMARK			DK 7 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250			
2P	250	13 or 16	 SB 107-2-D1 DKA 1-1b Fixed only 2) 3)	 SB 107-2-D1 DKA 2-1a

1) Note 1 on page 1 applies.

2) Socket-outlets according to this standard sheet shall not have a degree of protection higher than IPX0.

3) Shutters are mandatory.



For reference and further information, see DK 10.

IEC 60083	National system used in DENMARK			DK 8 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  SB 107-2-D1 DKA 2-1b	 EN 50075
2P	250	2,5	 SB 107-2-D1 DKA 1-4a For appliances	

1) Note 2 and 3 on page 7 applies.


2) Note 2 on page 7 applies.



For reference and further information, see DK 10.

IEC 60083	National system used in DENMARK			DK 9 of DK 10
				Date: 2008-08-29
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10, 13 or 16	  SB 107-2-D1 DKA 1-3a Portable only 1) 2)	 SB 107-2-D1 DKA 2-1a




1) The socket-outlets may be provided with a dummy hole for the earthing pin.
 2) Note 3 on page 1 applies. Earth continuity is never established.





For reference and further information, see DK 10.

IEC 60083	National system used in DENMARK				DK 10 of DK 10 Date: 2008-08-29
	Number of poles	Rated values of accesaries		Sketch designation	
		Voltage V	Current A	Socket-outlets	
2P and 2P+E	250	Combined 2.5 and 13 or 16		 <p>SB 107-2-D1 DK 1-9a Fixed only 1)</p>	
1) The socket-outlet shall not have a degree of protection higher than IPX0					
References of National Standard or Regulation: DS/IEC 60884-1 and Heavy Current Regulation 107-2-D1					
Further information obtainable from:	Danish Safety Technology Authority Nørregade 63 DK- 6700 Esbjerg			Phone: +45 33 73 20 00 Fax: +45 33 73 2099 E-mail: sik@sik.dk Homepage: www.sik.dk	
Distribution and subscription from:	Danish Safety Technology Authority Nørregade 63 DK- 6700 Esbjerg			Phone: +45 33 73 20 00 Fax: +45 33 73 2099 E-mail: sik@sik.dk Homepage: www.sik.dk	




IEC 60083	National system used in FINLAND			FI 1 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	 <p>SFS 5610 (CEE 7) Standard sheet I Fixed and portable</p>	 <p>SFS 5610 (CEE 7) Standard sheet II</p>
<p>Socket-outlets also accept plugs according to standard SFS 5610 (CEE Publication 7) Standard sheets IV, VI, XVI, XVII and plugs according to standard EN 50075.</p> <p>Note: Class 0 fixed socket-outlets will be replaced gradually.</p> <p>For reference and further information, see FI 6.</p>				

ENORM.COM: Click to view the full PDF of IEC TR 60083-2009



IEC 60083	National system used in FINLAND			FI 2 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	16	  SFS 5610 (CEE 7) Standard sheet III Fixed and portable	 SFS 5610 (CEE 7) Standard sheet IV
Socket-outlets also accept plugs according to standard SFS 5610 (CEE Publication 7) Standard sheets VII, XVI, XVII and plugs according to standard SFS-EN 50075.				
For reference and further information, see FI 6.				


IEC 60083	National system used in FINLAND			FI 3 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	16	  <p style="text-align: center;">SES 5615 Standard sheet IIIA (EMKO-TUI(23B-sec)001/90 Standard sheet IIIA) (For the supply of IT- equipment)</p>	  <p style="text-align: center;">SFS 5615 Standard sheet IVA et VII A (EMKO-TUI(23B-sec)001/90 Standard sheet IVA) (For the supply of IT- equipment)</p>
For reference and further information, see FI 6.				






IECNORM.COM : Click [here](#) to download the full PDF of IEC TR 60083-2-2009





IEC 60083	National system used in FINLAND			FI 4 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	  SFS 5610 Standard sheet XVIA (p)EN 50074 Standard sheet I	 SFS-EN 50075 Standard sheet I
For reference and further information, see FI 6.				

IECNORM.COM: Click to view the full size of IEC TR 60083:2009





IEC 60083	National system used in FINLAND			FI 5 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	16		 SFS 5610 (CEE 7) Standard sheet VII
2P	250	2,5		 SFS 5610 (CEE 7) Standard sheet XVI
1) Optional. Plugs shown above are compatible with socket-outlets according to standard SFS 5610 (CEE Publication 7) Standard sheets I and III.				
For reference and further information, see FI 6.				






IEC 60083	National system used in FINLAND			FI 6 of FI 6
				Date: 2002-07-17
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16		 <p>SFS 5610 (CEE 7) Standard sheet XVII</p>
<p>1) Optional.</p> <p>Plugs shown above are compatible with socket-outlets according to standard SFS 5610 (CEE Publication 7) Standard sheets I and III.</p> <p>Reference of National Standard or Regulation: SFS 5610, SFS 5615 and SFS-EN 50075</p>				
Further Information Obtainable from:	<p>SESKO P. O. Box 134 FIN-00211 HELSINKI</p>		<p>Telephone: +358 9 69631 Telefax: +358 9 677059 Email: finc@sesko.fi</p>	
Distribution and Subscription from:	<p>Finnish Standards Association SFS P. O. Box 116 FIN-00241 HELSINKI</p>		<p>Telephone: +358 9 1499331 Telefax: +358 9 1464914 Email: sales@sfs.fi</p>	




IEC 60083	National system used in France			FR 1 of FR4
				Date : 2005-08-31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2.5		 NF EN 50075 sheet 1
2P	250	6	 NF C 61-314 sheet VIII (1) portable	 NF C 61-314 sheet VI
2P	250	6		  NF C 61-314 sheet VII
(1) The socket-outlets also accept plugs according to European standard EN 50075				
For reference and further information, see page FR4				



IEC 60083	National system used in France			FR 2 of FR4
				Date : 2005-08-31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  NFC 61-314 sheet I A fixed and NIB portable (2)	 NFC 61-314 sheet IV
2P+ \oplus	250	16	  NFC 61-314 sheet I fixed and portable (3)	 NFC 61-314 sheet II
<p>(2) The socket-outlets also accept plugs according to Standard Sheet NFC 61-314 sheet VI, VII and European standard EN 50075</p> <p>(3) The socket-outlets also accept plugs according to Standard Sheet NFC 61-314 sheet IV, V, VI, VII and European standard EN 50075</p>				
For reference and further information, see page FR4				

IEC 60083	National system used in France			FR 3 of FR4
				Date : 2005-08-31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+	250	16	 NF C 61-314 sheet V	 NF C 61-314 sheet V
2P+	400	20	 NF C 61-315 sheet II fixed and portable	 NF C 61-315 sheet I
3P+	400	20	 NF C 61-315 sheet IV fixed and portable	 NF C 61-315 sheet III
For reference and further information, see page FR4				

IEC 60083	National system used in France			FR 4 of FR4
				Date : 2005-08-31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ 	400	32	  NF C 61-315 sheet VI fixed and portable	  NF C 61-315 sheet V
3P+ 	400	32	  NF C 61-315 sheet VIII fixed and portable	  NF C 61-315 sheet VII
Reference of National standard or Regulation				
Further information obtainable from:	UNION TECHNIQUE DE L'ELECTRICITE 33, Avenue du général Leclerc BP 23 F- 92262 - FONTENAY AUX ROSES CEDEX - FRANCE			Telephone : +33 1 40 93 62 00 Fax : +33 1 40 93 89 24 E-mail :
Distribution and subscription from:				Telephone : Fax : E-mail :






IEC 60083	National system used in GERMANY			DE 1 of DE 4 Date: 1993 - 06 - 25
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	16	  DIN 49440 parts 1, 5, 6 fixed and portable	   DIN 49441 part 1, types R1 and R2
2P + 	250	16	DIN 49440 part 3, splashproof portable only similar to part 1 1)	DIN 49440 part 2, splashproof types AR1 and AR2 similar to part 1 1)
1) Portable socket-outlets and plugs are compatible with the system above.				
For reference and further information, see DE 4				

IEC 60083	National system used in Germany			DE 2 of DE 4
	Rated values of accessories		Sketch designation	
Number of poles	Voltage V	Current A	Socket-outlets	Plugs
	2P	250	16	  <p>DIN 49406 Part 1 1 and 2 optional</p>
2P	250	2,5		  <p>DIN VDE 0620 Part 101/05.92</p>
For reference and further information, see page DE4				




IEC 60083	National system used in Germany			DE 3 of DE 4
	Rated values of accessories		Sketch designation	
Number of poles	Voltage V	Current A	Socket-outlets	Plugs
	2P	250	2,5	  DIN 49464
For reference and further information, see page DE4				

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009




IEC 60083	National system used in GERMANY			DE 4 of DE 4 Date: 1993 - 06 - 25
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P + N +	400	16		
3P + N +	400	25	DIN 49447 similar to socket-outlet above, but earthing contact turned by 90 degrees	DIN 49448 similar to plug above, but earthing pin turned by 90 degrees
Reference of National standard or Regulation: DIN VDE 0620-1				
Further information obtainable from:	DKE Referat K 542 Stresemannallee 15 D60595 Frankfurt		Telephone: + 49 696308-0 Fax: + 49 696312925 Telex: 669798 DKED	
Distribution and subscription from:	Beuth Verlag GmbH Burggrafenstraße 6 D10787 Berlin		Telephone: +49 30348001-0 Fax: +49 3034417093 Telex: 181683	


IEC 60083	National system used in INDIA			IN 1 of IN 2
				Date:
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E Plugs and Sockets	230 240 250	6, 10 and 16		 
2P Plugs	230 240 250	2,5 and 6	 	





IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National system used in INDIA			IN 2 of IN 2
				Date:
Number of poles	Rated values of accesaries		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T Sockets only	230 240 250	6, 10 and 16		
2P + T Sockets only	230 240 250	6, 10 and 16		
2P + T Sockets only	230 240 250	6, 10 and 16		


IECNORM.COM: Click to View the Full PDF of IEC TR 60083:2009





IEC 60083	National system used in ITALY			IT 1 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10	  CEI 23 - 50 P 10 (1)	 CEI 23 - 50 S 10
2P	250	2,5		 CEI EN 50075 S 1
1) Socket-outlet for class II equipment 2) Socket-outlets must be shuttered				
For reference and further information, see IT 7				









IEC 60083	National system used in ITALY			IT 2 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	10	  CEI 23 - 50 P 11 (1) FIXED AND PORTABLE	CEI 23 - 50 S 11
2P + T	250	10	  CEI 23 - 50 SPA 11	
1) The socket-outlet also accepts plugs according to Standard Sheets S 10, S 1 2) Socket-outlets must be shuttered				
For reference and further information, see IT 7				


IECNORM.COM : Click to view the full PDF of TR 60083:2009

IEC 60083	National system used in ITALY			IT 3 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	10		 CEI 23 - 50 SPB 11
For reference and further information, see IT 7				









IEC 60083	National system used in ITALY			IT 4 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	16	 <p>CEI 23 - 50 P 17 FIXED AND PORTABLE</p>	 <p>CEI 23 - 50 S 17</p>
2P + T	250	16	 <p>CEI 23 - 50 P 17/11 1) FIXED AND PORTABLE</p>	 <p>CEI 23 - 50 SPA 17</p>
<p>1) The socket-outlets also accept plugs according to Standard Sheets S 1, S 10, S 11, SPA 11, SPB 11</p> <p>2) Socket-outlets must be shuttered</p> <p>For reference and further information, see IT 7</p>				

IEC 60083	National system used in ITALY			IT 5 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	16		 CEI 23 - 50 SPB 17
2P	250	16		 CEI 23 - 50 S 16
For reference and further information, see IT 7				









IEC 60083	National system used in ITALY			IT 6 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	16	 	CEI 23 - 50 S 31 2)
2P	250	16	 CEI 23 - 50 P 30 1) FIXED AND PORTABLE	 CEI 23 - 50 S 32 3)
1) The socket-outlet also accepts plugs according to Standard Sheets S 10, S 1, S 11 2) Plugs with double earthing contact 3) Plugs for class II equipment 4) Socket-outlets must be shuttered				
For reference and further information, see IT 7				

IEC 60083	National system used in ITALY			IT 7 of IT 7 Date: 2002 - 06 - 11
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + T	250	16		 <p>CEI 23 - 50 S 30</p>
<p>Reference of National standard or Regulation: CEI EN 50075, CEI 23-50 (based on IEC 60884-1).</p>				
Further information obtainable from:	CEI Comitato Elettrotecnico Italiano Via Saccardo 9 20134 MILANO		Telephone: + 39 02 210061 Fax: + 39 02 21006210 E-mail: cei@ceiweb.it	
Distribution and subscription from:	CEI Comitato Elettrotecnico Italiano Via Saccardo 9 20134 MILANO		Telephone: + 39 02 210061 Fax: + 39 02 21006210 E-mail: cei@ceiweb.it	






IECNORM.COM: Click to view the full PDF of IEC TR 60083-009

IEC 60083	National system used in JAPAN			JP 1 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	125V	15A	 	 
2P	250V	15A	 	 
For reference and further information, see JP 17				









IECNORM.COM : Click to View the IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 2 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	125V	20A	 	 
2P	250V	20A	 	 
For reference and further information, see JP 17				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 3 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250V	30A	 	
2P	125V	15A	 	
For reference and further information, see JP 17				









IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 4 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	125V	20A	 	 
2P	250V	20A	 	 
For reference and further information, see JP 17				









IECNORM.COM : Click to view the draft of IEC TR 60083:2009

IEC 60083	National system used in JAPAN			JP 5 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	125V	15A	 	 
2P+E	250V	15A	 	 
For reference and further information, see JP 17				






IECNORM.COM : Click to View the content of IEC TR 60083/2009

IEC 60083	National system used in JAPAN			JP 6 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	125V	20A	 	 
2P+E	250V	20A	 	 
For reference and further information, see JP 17				







IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

IEC 60083	National system used in JAPAN			JP 7 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250V	30A	 	 
2P+E	250V	50A	 	 
For reference and further information, see JP 17				









IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

IEC 60083	National system used in JAPAN			JP 8 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	125V	20A	 	
2P+E	250V	20A	 	 
For reference and further information, see JP 17				









IECNORM.COM: Click to view the draft of IEC TR 60083:2009

IEC 60083	National system used in JAPAN			JP 9 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	125V	15A	 	
3P	250V	15A	 SECTION (A-B-C) 	 
For reference and further information, see JP 17				






IECNORM.COM : Click to view the full text of IEC TR 60083:2009

IEC 60083		National system used in JAPAN			JP 10 of JP 17 Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation		
	Voltage V	Current A	Socket-outlets	Plugs	
3P	250V	20A	 SECTION (A-B-C) 	 	
3P	250V	30A	 SECTION (A-B-C) 	 	
For reference and further information, see JP 17					





IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-2009

IEC 60083	National system used in JAPAN			JP 11 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P+E	250V	15A	 	 
3P+E	250V	20A	 	 
For reference and further information, see JP 17				







IECNORM.COM: Click to view the full text of IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 12 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P+E	250V	30A	 	
2P	125V	15A		
For reference and further information, see JP 17				





IECNORM.COM: Click to view the full text of IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 13 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250V	20A		
2P	250V	30A		
For reference and further information, see JP 17				





IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National system used in JAPAN			JP 14 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	125V	15A		 
2P+E	250V	15A		 
For reference and further information, see JP 17				



IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-109








IEC 60083	National system used in JAPAN			JP 15 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ E	250V	20A		
2P+E	250V	30A		
For reference and further information, see JP 17				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009





IEC 60083	National system used in JAPAN			JP 16 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250V	20A		
3P	250V	30A		
For reference and further information, see JP 17				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009









IEC 60083	National system used in JAPAN			JP 17 of JP 17
				Date: 2007.12.21
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P+E	250V	20A	 	
<hr/> <hr/> <hr/>				
Further information obtainable from:	Japanese Standard Association (JSA) 4-1-24 Akasaka, Minato-ku, Tokyo 107-8440 JAPAN		Telephone: +81(3) 3583 8005 Fax: +81(3) 3586 2014 E-mail: -	
Distribution and Subscription from:	Japan Electrical Wiring Devices and Equipment Industries Association (JEWA) Dai 11 Murakami Building 4F, 13-4 Nihonbashi Hisamatsu-cho, Chuo-ku, Tokyo 103-0005, JAPAN		Telephone: +81(3) 5641 1611 Fax: +81(3) 5640 1613 E-mail: jimukyoku@jewa.or.jp	

Number Of poles	National system used in KOREA (Republic of)			KR 1 of KR 6 Date : 2002-12-31
	Rated values of Accessory		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	125	15	 	 
2P	250	30 50	 	 
<p>The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which being constructed according to Standard sheet KSC 8305</p> <p>For reference and further information, see KSC 8305</p>				

IEC 60083	National system used in KOREA (Republic of)			KR 2 of KR 6 Date : 2002-12-31
Number Of poles	Rated values of Accessory		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P+	125	15	 	 
3P	250	15 20 30 50	 	 
<p>The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which being constructed according to Standard sheet KSC 8305</p>				
<p>For reference and further information, see KSC 8305</p>				





IEC 60083	National system used in KOREA (Republic of)			KR 3 of KR 6 Date : 2002-12-31
	Number Of poles	Rated values of Accessory		Sketch designations
		Voltage V	Current A	Socket-outlets
3P+	250	15 20 30 50		 
2P	250	3		 
<p>The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which being constructed according to Standard sheet KSC 8305</p>				
<p>For reference and further information, see KSC 8305</p>				



IECNORM.COM: Click to view the full PDF of IEC TR 60083/2009



IEC 60083	National system used in KOREA (Republic of)			KR 4 of KR 6 Date : 2002-12-31
Number Of poles	Rated values of Accessory		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	15	 	 
2P+ \ominus	250	15	 	 
<p>The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which being constructed according to Standard sheet KSC 8305</p>				
<p>For reference and further information, see KSC 8305</p>				










IECNORM.COM: Click to view the full PDF of TR 60083/2009

IEC 60083	National system used in KOREA (Republic of)			KR 5 of KR 6 Date : 2002-12-31
Number Of poles	Rated values of Accessory		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10 20		
2P+	250	10		
<p>The socket-outlets shall only be used in socket-outlets with two or more outlets, one of which being constructed according to Standard sheet KSC 8305</p> <p>For reference and further information, see KSC 8305</p>				



IEC 60083	National system used in KOREA (Republic of)			KR 6 of KR 6 Date : 2002-12-31
Number Of poles	Rated values of Accessory		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P+	250	20	 	 
<p>Note: For dimensional requirements see standard publication KSC 8305</p>				
Further Information Obtainable From:	Korean Agency for Technology and Standards(KATS) #2, Joong-ang-dong, Kwachun Kyung-gi-do, Korea		Telephone:+82-2-509-7331 Telefax : +82-2-507-1924 e-mail : elap@ats.go.kr homepage : www.ats.go.kr	
Distribution and Subscription From	Korean Standards Association (KSA) 13-31, Yoido-dong, Youngdungpo-gu, Seoul, Korea,150-010		Telephone:+82-2-6009-4860 Telefax : +82-2-6009-6009 Homepage : www.ksa.or.kr	

IEC 60083	National system used in Malaysia			MY1 of MY2 Date: 14 January, 2003
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ 	250V	13A		 MS 589 : Part 1
<i>EDISONM.COM: Click to view the full PDF of IEC TR 60083-2003</i>				MS 589 : Part 2
Reference of National Standard or Regulation :	MS 589 : Part 1, MS 589 : Part 2			
<ol style="list-style-type: none"> 1. Socket-outlet must be shuttered. 2. Plugs and socket outlets must be polarised. 3. Socket-outlets must be switched. 4. Plugs are for use with Class I or Class II equipment. 5. Plug phase and neutral pins must be sleeved to avoid inadvertent contact with live pins. 6. Plug used must be fused. 				










IEC 60083	National system used in Malaysia			MY2 of MY2 Date: 14 January, 2003
Number of poles	Rated values of accessories		3 Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+ 	250V	15A		 <i>MS 1577: 2003</i>
<i>Reference of National Standard or Regulation : MS 1577: 2003</i>				
<ol style="list-style-type: none"> 1. Socket-outlet must be shuttered. 2. Plug pins may be sleeved or unsleeved. 3. Socket-outlets must be switched. 4. Plugs and socket-outlets must be polarised. 5. Plugs are for use with Class I and Class II equipment. 				
Further information obtainable from:	Fadhilah Mohammad SIRIM QAS Sdn. Bhd. Building 4, SIRIM Complex, 1, Persiaran, Dato' Menteri 4 0000 SHAH ALAM, Selangor		Tel: +603-5544 6413 Fax: +603-5544 6484 E-mail: fadhilah@sirim.my	
Distribution and subscription from:	Nuriyati Hj. Abdul Rahman National Standards Development Section SIRIM Berhad – P.O Box 7035 40911 Shah Alam, Selangor		Tel: +603-5544 6361 Fax: +603-5510 6389 E-mail: nuriyati_abd.rahan @sirim.my	

IEC 60083	National System used in Mexico			MX 1 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	127	15 or 16	  A.1 Fixed and Portable	  A.1
2P	250	15	No socket-outlet configuration	 A.2
1P + N	127	20	No socket-outlet configuration	 A.84
2P	250	20	  A.3 Fixed and Portable	
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground 2) Plug A.1 can be polarized or non-polarized 3) Plug A.1 also mates with socket-outlet A.5 (on page 3) 4) Plug A.2 mates with socket-outlet A.9 (on page 3) 5) Plug A.84 also mates with socket-outlet A.6 (on page 4) 				
For reference and further information, see MX 11				

IECNORM.COM : Click to view the full PDF of IEC TR 60083-11-09









IEC 60083	National System used in Mexico			MX 2 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	127	30 or 32	No socket -outlet configuration	 A.85
2P	250	30 or 32	 A.4 Fixed and Portable	 A.4
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground 2) Plug A.85 also mates with socket-outlet A.7 (on page 5) 				
For reference and further information, see MX 11				

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009









IEC 60083	National System used in Mexico			MX 3 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N+	127	15 or 16	  A.5 Fixed and Portable	  A.5
2P +	250	15	  A.9 Fixed and Portable	  A.9
1P + N+	277	15	  A.13 Fixed and Portable	 A.13
NOTES:				
1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or) = Ground 2) Socket-outlet A.5 also mates with plug A.1 (on page 1) 3) Socket-outlet A.9 also mates with plug A.2 (on page 1) 4) Plug A.5 also mates with socket-outlet A.6 (on page 4) 5) Plug A.9 also mates with socket-outlet A.10 (on page 4)				
For reference and further information, see MX 11				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-3-109









IEC 60083	National System used in Mexico			MX 4 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N+	127	20	 	
2P +	250	20	 	
1P + N+	277	20	 	
2P + N	127/250	20	 	
NOTES:		1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or) = Ground 2) Socket-outlet A.6 also mates with Plug A.5 (on page 3) 3) Socket-outlet A.10 also mates with Plug A.9 (on page 3)		
For reference and further information, see MX 11				

IEC 60083	National System used in Mexico			MX 5 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N+	127	30 or 32	 A.7 Fixed and Portable	 A.7
2P +	250	30 or 32	 A.11 Fixed and Portable	 A.11
1P + N+	277	30 or 32	 A.15 Fixed and Portable	 A.15
2P + N	127/250	30 or 32	 A.18 Fixed and Portable	 A.18
NOTES: 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or) = Ground 2) Socket-outlet A.7 also mates with plug A.85 (on page 2)				
For reference and further information, see MX 11				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

IEC 60083	National System used in Mexico			MX 6 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N+	127	50	 <p>A.8 Fixed and Portable</p>	 <p>A.8</p>
2P +	250	50	 <p>A.12 Fixed and Portable</p>	 <p>A.12</p>
1P + N+	277	50	 <p>A.16 Fixed and Portable</p>	 <p>A.16</p>
2P + N	127/250	50	 <p>A.19 Fixed and Portable</p>	 <p>A.19</p>









NOTES: 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or) = Ground
 For reference and further information, see MX 11

IEC 60083	National System used in Mexico			MX 7 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250 3 Phase	15	 A.20 Fixed and Portable	 A.20
2P + N+ 	127/250	15	 A.24 Fixed and Portable	 A.24
3P + 	250 3 Phase	15	 A.29 Fixed and Portable	 A.29
3P + N	120/208 3 Phase Y	15	 A.34 Fixed and Portable	 A.34
NOTES: 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground 2) Plug A.20 also mates with socket-outlet A.21 (on page 8) For reference and further information, see MX 11				













IECNORM.COM: Click to view full paper IEC TR 60083-2009

IEC 60083	National System used in Mexico			MX 8 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	20	 A.21 Fixed and Portable	 A.21
2P + N + 	127/250	20	 A.25 Fixed and Portable	 A.25
3P + 	250 3 Phase	20	 A.30 Fixed and Portable	 A.30
3P + N	120/208 3 Phase Y	20	 A.35 Fixed and Portable	 A.35
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground 2) socket-outlet A.21 also mates with Plug A.20 (on page 7) 				
For reference and further information, see MX 11				

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009




IEC 60083	National System used in Mexico			MX 9 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	30 or 32	 A.22 Fixed and Portable	 A.22
2P + N + 	127/250	30 or 32	 A.26 Fixed and Portable	 A.26
3P + 	250 3 Phase	30 or 32	 A.31 Fixed and Portable	 A.31
3P + N	120/208 3 Phase Y	30 or 32	 A.36 Fixed and Portable	 A.36
NOTES: 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground For reference and further information, see MX 11				

IECNORM.COM Click to view the full part of IEC TR 60083:2009






IEC 60083	National System used in Mexico			MX 10 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	50	  A.23 Fixed and Portable	 A.23
2P + N + 	127/250	50	  A.27 Fixed and Portable	 A.27
3P + 	250 3 Phase	50	  A.32 Fixed and Portable	 A.32
3P + N	120/208 3 Phase Y	50	  A.37 Fixed and Portable	 A.37
NOTES: 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or ) = Ground For reference and further information, see MX 11				

IECNORM.COM Click to view the full PDF of IEC TR 60083:2009




IEC 60083	National System used in Mexico			MX 11 of 11
				Date: 2006-01-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + N+	127/250	60	 A.28 Fixed and Portable	 A.28
3P +	250 3 Phase	60	 A.33 Fixed and Portable	 A.33
3P + N	120/208 3 Phase Y	60	 A.38 Fixed and Portable	 A.38
NOTES: <ol style="list-style-type: none"> 1) X, Y, Z = Poles; B = W = N (Neutral); T = G (or) = Ground 2) For Wiring Dimensional Requirements, see standard publication NMX-J-163-ANCE 				
Further information obtainable from:	ANCE AV. LAZARO CARDENAS No. 869, FRACC. 3 ESQ. CON JUPITER, COL. NUEVA INDUSTRIAL VALLEJO, C.P. 07700, MEXICO, D.F. MEXICO			Telephone: +52 55 5747 4550 Fax: +52 55 5747 4560 E-mail:
Distribution and subscription from:				Telephone: Fax: E-mail:







IEC 60083	National system used in The Netherlands			NL 1 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	 NEN 1020, 4th edition (CEE 7) standard sheet I fixed and portable	  NEN 1020, 4th edition (CEE 7) standard sheet II


Socket-outlets also accept plugs according to NEN 1020, 4th edition (CEE publication 7) standard sheet IV, VII, XVI, CII and plugs according to EN 50075.


IEC 60083	National system used in The Netherlands			NL 2 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	 	  
<p>Socket-outlets also accept plugs according to NEN 1020, 4th edition (CEE publication 7) standard sheet XVI, XVII and plugs according to EN 50075.</p>				
For reference and further information, see NL 6				





IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009




IEC 60083	National system used in The Netherlands			NL 3 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5		  
NEN 1020, 4th edition (CEE 7) standard sheet XVI				
For reference and further information, see NL 6				



IEC 60083	National system used in The Netherlands			NL 4 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	   	 
The socket-outlet also accept plugs according to EN 50075.			NEN 1020, 4th edition portable 1) optional	NEN 1020, 4th edition (CEE 7) standard sheet XVII 1) and 2) optional
For reference and further information, see NL 6				




IEC 60083	National system used in The Netherlands			NL 5 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	 NEN 1020, 4th edition standard sheet CIII portable	 EN 50075
For reference and further information, see NL 6				




IEC 60083	National system used in The Netherlands			NL 6 of NL 6 Date: 1996 - 01 - 31
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	6		 <p>Optional</p>
Reference of National standard or Regulation: NEN 1020, 4th edition				
Further information obtainable from:	Netherlands Normalisatie-instituut Postbus 5059 2600 GB Delft		Telephone: + 31 15 2 690 390 Fax: + 31 15 2 690 190 Telex:	
Distribution and subscription from:	Netherlands Normalisatie-instituut Postbus 5059 2600 GB Delft		Telephone: + 31 15 2 690 390 Fax: + 31 15 2 690 190 Telex:	



IEC 60083	National system used in NEW ZEALAND			NZ 1 of NZ 2 Date: 1996 - 11 - 01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	10	 <p>Portable</p>	
2P +	250	10	 <p>Fixed</p>	
<p>Portable socket-outlets for cords are specified an AS/ZNS 3120. AS/NZS 3112 provides for a 2 pole 10 A plug. A 10 A plug is compatible with a 15 A socket-outlet. A 15 A plug is prevented from entering a 10 A socket-outlet by the size of the earth pin.</p>				
<p>For reference and further information, see NZ 2</p>				

IEC 60083	National system used in NEW ZEALAND			NZ 2 of NZ 2 Date: 1996 - 11 - 01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	15	  	
Portable and fixed				
Reference of National standard or Regulation:				AS/NZS 3112 Figures 2.1 and 3.5 AS/NZS 3120 Figure 1
Further information obtainable from:	Standards New Zealand Private Bag 2439 Wellington 6020 New Zealand		Telephone: + 64 4 498 5990 Fax: + 64 4 498 5994 Telex:	
Distribution and subscription from:	Standards New Zealand Private Bag 2439 Wellington 6020 New Zealand		Telephone: + 64 4 498 5990 Fax: + 64 4 498 5994 Telex:	



IEC 60083	National system used in Norway			NO 1 of NO 6
	Date :2007-12-19			
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	 <p>NEK 502:2005 Standard Sheet I Fixed and portable</p>	 <p>NEK 502:2005 Standard Sheet II</p>
For reference and further information, see NO 6				



IEC 60083	National system used in Norway			NO 2 of NO 6
				Date : 2007-12-19
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250	16	 <p>NEK 502:2005 Standard Sheet III Fixed and portable</p>	 <p>NEK 502:2005 Standard Sheet IV</p>  <p>NEK 502:2005 Standard Sheet VII</p>
For reference and further information, see NO 6				






IEC 60083	National system used in Norway			NO 3 of NO 6
	Date : 2007-12-19			
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250	16	 NEK 502:2005 Standard Sheet IIIa For power supply of special equipment Fixed and portable	 NEK 502:2005 Standard Sheet IVa
				
For reference and further information, see NO 6				



IEC 60083	National system used in Norway			NO 4 of NO 6
				Date : 2007-12-19
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P+E	250	25	 <p>NEK 502:2005 Standard Sheet X For power supply of cookers Fixed and portable</p>	 <p>NEK 502:2005 Standard Sheet XI For power supply of cookers</p>
For reference and further information, see NO 6				



IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009







IEC 60083	National system used in Norway			NO 5 of NO 6
	Date : 2007-12-19			
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5		 <p>NEK 502:2005 Standard Sheet XVI</p>
2P	250	16		 <p>NEK 502:2005 Standard Sheet XVII</p>
For reference and further information, see NO 6				







IEC 60083	National system used in Norway			NO 6 of NO 6
				Date : 2007-12-19
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2.5	 <p>NEK 502:2005 Standard Sheet XVIa Fixed and portable</p>	 <p>NEK EN 50075</p>
Reference of National standard or Regulation NEK 502:2005 (Based on CEE7)				
Further information obtainable from:	Norsk Elektroteknisk Komité Strandveien 18- Postboks 280 – NO- 1326 Lysaker Norway		Telephone :+47 67833100 Fax : +47 67833101 E-mail : nek@nek.no	
Distribution and subscription from:	Norsk Elektroteknisk Komité Strandveien 18- Postboks 280 – NO- 1326 Lysaker Norway		Telephone :+47 67833100 Fax : +47 67833101 E-mail : nek@nek.no	



IEC 60083	National system used in POLAND			PL 1 of PL 5 Date: 1994 - 11 - 28		
Number of poles	Rated values of accessories		Sketch designation			
	Voltage V	Current A	Socket-outlets	Plugs		
2P +	250	10 / 16	 	 		
			BN-88/3064-18 Fig. 2 Fixed and portable			
2P	250	10 / 16		 		
			BN-88/3064-20 Fig. 3			
1) The socket-outlet also accept plugs according to BN-88/3064-20 Fig. 3 and BN-88/3064-21 Fig. 1, 2, 3. 2) Plugs having 4 mm pins are marked with the rated current 6 or 10 A.						
For reference and further information, see PL 5						

IEC 60083	National system used in POLAND			PL 2 of PL 5 Date: 1994 - 11 - 28
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10 / 16		 BN-88/3064-20 Fig. 3
2P	250	2,5 or 10 / 16		 BN-88/3064-21 Fig. 1
For reference and further information, see PL 5				




IEC 60083	National system used in POLAND			PL 3 of PL 5 Date: 1994 - 11 - 28
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5 or 10 / 16		 <p>BN-88/3064-21 Fig. 1</p>
2P	250	10 / 16		 <p>BN-88/3064-21 Fig. 3</p>
For reference and further information, see PL 5				






IEC 60083	National system used in POLAND			PL 4 of PL 5 Date: 1994 - 11 - 28
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10 / 16	   <p>BN-88/3064-18 Fig. 1 Fixed and portable</p>	  <p>BN-88/3064-20 Fig. 1</p>
2P	250	2,5	  <p>BN-81/3064-30 Fixed and portable</p>	  <p>BN-88/3064-21 Fig. 2</p>
1) The socket-outlet also accept plugs according to BN-88/3064-20 Fig. 2, 3 and BN-88/3064-21 Fig. 1, 2, 3. 2) Only plug according to BN-88/3064-21 Fig. 2 can enter. 2) Plugs having 4 mm pins are marked with the rated current 6 or 10 A.				
For reference and further information, see PL 5				

IEC 60083	National system used in POLAND			PL 5 of PL 5 Date: 1994 - 11 - 28
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P +	380	25	  BN-88/3064-19 Fig. 1 Fixed and portable	  BN-88/3064-22 Fig. 1
3P + N +	380	25	  BN-88/3064-19 Fig. 2 Fixed and portable	  BN-88/3064-22 Fig. 2
Reference of National standard or Regulation:				
Further information obtainable from:	Osrodek Informacji Normalizacyjnej Documentacji ul. Elektoralna 2 00-139 Warszawa		i	Telephone: + 620-02-41 w. 354 Fax: 620-07-41 Telex:
Distribution and subscription from:	Wydawnictwo Normalizacyjne Alfa WERO Spolka z o.o. ul. Sienna 63 820 Warszawa		00-	Telephone: 620-70-23 Fax: 620-71-31 Telex:




IEC 60083	National system used in PORTUGAL			PT 1 of PT 6
				Date : 2007 - 12 - 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	 NP 1260 CEE 7 - Standard Sheet III Fixed and portable	 NP 1260 CEE 7 - Standard Sheet IV
1) The socket-outlet also accepts plugs according to European Standard EN 50075				
For reference and further information, see PT 6				




IECNORM.COM: Click to view the full PDF of TR 60083-2009

IEC 60083	National system used in PORTUGAL		PT 2 of PT 6	
			Date : 2007 - 12 - 07	
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	  NP 1260 CEE 7 - Standard Sheet V Fixed and portable	 NP 1260 CEE 7 - Standard Sheet VI
For reference and further information, see PT 6				







IEC 60083	National system used in PORTUGAL			PT 3 of PT 6
				Date : 2007 - 12 - 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  NP 1260 CEE 7 - Standard Sheet I Fixed and portable	 NP 1260 CEE 7 - Standard Sheet XVII   NP 1260 CEE 7 - Standard Sheet II
1) The socket-outlet also accepts plugs according to European Standard EN 50075				
For reference and further information, see PT 6				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-09







IEC 60083	National system used in PORTUGAL			PT 4 of PT 6
				Date : 2007 - 12 - 07
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5		 <p style="text-align: center;">Optional</p>    <p style="text-align: center;">NP 1260 CEE 7 - Standard Sheet XVI</p>
<p>1) The plugs are used for Class II equipment</p>				
For reference and further information, see PT 6				


IEC 60083	National system used in PORTUGAL			PT 5 of PT 6	
				Date : 2007 - 12 - 07	
Number of poles	Rated values of accessories		Sketch designation		
	Voltage V	Current A	Socket-outlets	Plugs	
2P	250	6	  	NP 1260 NF C 61-314 Standard Sheet VIII Portable only	NP 1260 NF C 61-314 Standard Sheet VI
For reference and further information, see PT 6					


IECNORM.COM: Click to view the full PDF of TR 60083/2009



IEC 60083	National system used in PORTUGAL			PT 6 of PT 6
	Date : 2007 - 12 - 07			
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P +	400	20	  NP 1260 NF C 61-315 Standard Sheet IV	 NP 1260 NF C 61-315 Standard Sheet III
3P +	400	32	  NP 1260 NF C 61-315 Standard Sheet VIII	 NP 1260 NF C 61-315 Standard Sheet VII
Reference of National standard or Regulation: NP 1260 (under revision)				
Further information obtainable from:	IPQ Rua António Gião, 2 2829-513 CAPARICA PORTUGAL		Telephone: + 351 21 294 81 00 Fax: + 351 21 294 81 01 E-mail: ipq@mail.ipq.pt	
Distribution and subscription from:			Telephone: Fax: E-mail:	

IECNORM.COM: Click to View the full PDF of IEC TR 60083-2009



IEC 60083	National system used in KINGDOM OF SAUDI ARABIA			SA 1 or SA 2 Date:
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	127	15	  Fixed	  Fig 1 P
1P+N+ $\frac{1}{\bar{E}}$	127	15	  Fixed	  Fig 2 P
1) L = Fused Live w = N (Neutral) E = G (or $\frac{1}{\bar{E}}$) = Earth 2) Socket-Outlet of Fig. 2 S also mates with Plug of Fig. 1 P 3) Socket-outlet for class II equipment 4) Increased protection by shutters for socket-outlets of SA1 and SA2				
For references and further information, see SA 2				










IEC 60083	National system used in KINGDOM OF SAUDI ARABIA			SA 2 of SA 2 Date:
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + $\frac{1}{\pm}$	220	13	 	
Reference of National standard or Regulation:				
SASO 2203:2003 SASO 2204:2003	220 V/13 A 127 V/15 A		Cancel and replace SASO 444:1985 "Plugs and Socket- Outlets for Household and Similar General Use"	
Further information obtainable from:	Saudi Arabian Standards Organization P.O. Box 3437, Riyadh 11471		Telephone: + 966 1 452 0192 Fax: + 966 1 452 0167 E-mail: al-gebreen@saso.org.sa	
Distribution and subscription from:	Saudi Arabian Standards Organization P.O. Box 3437, Riyadh 11471		Telephone: + 966 1 452 0000 Fax: + 966 1 452 0086 E-mail: saso@saso.org.sa	

IEC 60083	NATIONAL SYSTEM USED IN SERBIA AND MONTENEGRO			CS1 of CS3 Date: 2004-10-25
	Number of Poles	Rated Values of Accessories		
		Voltage V	Current A	Sketch Designation
2P + 		250	16	   <p>JUS N.E3.501 (CEE 7)</p> <p>JUS N.E3.552 (CEE 7)</p>

For reference and further information, see page CS3



IEC 60083	NATIONAL SYSTEM USED IN SERBIA AND MONTENEGRO			CS2 of CS3 Date: 2004-10-25
	Number of Poles	Rated Values of Accessories		
		Voltage V	Current A	Sketch Designation
2P	250	16		 <p>JUS N.E3.551 (CEE 7)</p>
2P	250	2,5		 <p>JUS N.E3.553 (CEE 7)</p>
For reference and further information, see page CS3				



IEC 60083	NATIONAL SYSTEM USED IN SERBIA AND MONTENEGRO			CS3 of CS3 Date: 2004-10-25
	Rated Values of Accessories		Sketch Designation	
Number of Poles	Voltage V	Current A	Socket-outlets	Plugs
3P + N +	400	16	 	 
				
Reference of National Standard or Regulation: see above				
Further information obtainable from:		ISSM Stevana Brakusa 2 11030 Belgrade	Telephone:+381 11 354 1421 Telefax: +381 11 354 1258	
Distribution and subscription from:		ISSM Stevana Brakusa 2 11030 Belgrade	Telephone:+381 11 354 1421 Telefax: +381 11 354 1258	



IEC 60083	National system used in Singapore			SG 1 of SG 2		
				Date : 11 August 2008		
Number of poles	Rated values of accessories		Sketch designation			
	Voltage V	Current A	Socket-outlets			
2P+ 	250	13	 <p>13A Switched Socket-outlet</p>	 <p>13A Fused Plug</p>		
				SS 145 Part 1		
Reference of National Standard or Regulation :			SS 145 : Part 1, SS 145 : Part 2			
<ol style="list-style-type: none"> 1. Socket-outlets must be shuttered. 2. Plugs and socket-outlets must be polarised. 3. Socket-outlets must be switched. 4. Plugs are for use with Class I and Class II equipment. 5. Plug phase and neutral pins must be sleeved to avoid inadvertent contact with live pins. 6. Plug used must be fused. 						
For reference and further information, see SG 2						



IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009






SS 145:Part 2







IEC 60083	National system used in Singapore			SG 2 of SG 2
				Date : 11 August 2008
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	
2P+ 	250	15	 15A Switched Socket-outlet	 15A Plug
Reference of National Standard or Regulation : SS 472				
1. Socket-outlets must be shuttered. 2. Plugs and socket-outlets must be polarised. 3. Socket-outlets must be switched. 4. Plugs are for use with Class I and Class II equipment. 5. Plug pins may be sleeved or unsleeved.				
Further information obtainable from:	SPRING Singapore Standardisation Department 2 Bukit Merah Central Singapore 159835		Telephone: +65 62791800 Fax: +65 62786990 E-mail: stn@spring.gov.sg Website: www.standards.org.sg	
Distribution and subscription from:	SNP Corporation Ltd 1 Kim Seng Promenade #18-01 Great World City East Tower Singapore 237994		Telephone: +65 68269691 Fax: +65 68203341 E-mail: singaporestandardseshop@snpcorp.com Website: singaporestandardseshop.sg	

IEC 60083	National system used in SLOVAKIA		SK 1 of SK 3 Date: 2003-12-12	
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	 STN 34 4516 (CEE 7 Standard Sheet V) Fixed and portable	 STN 35 4516 (CEE 7 Standard Sheet VII)
<p>The socket-outlet accepts both plugs of SK 1.</p> <p>For reference and further information, see SK 3.</p>				

IEC 60083	National system used in SLOVAKIA			SK 2 of SK 3 Date: 2003-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16		 <p>STN 34 4516 (CEE 7 Standard Sheet XVII)</p>
2P	250	2,5		 <p>STN 34 4516 (CEE 7 Standard Sheet XVI)</p>
<p>The plugs of SK 2 are compatible with socket-outlet of SK 1.</p> <p>For reference and further information, see SK 3.</p>				


IEC 60083	National system used in SLOVAKIA			SK 3 of SK 3
	Rated values of accessories		Sketch designation	
Number of poles	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	 <p>STN 34 4516 Portable</p>	 <p>STN 34 4516 (CEE 7 Standard Sheet XVI)</p>
<hr/>				
Further information obtainable from:		SEV/SUTN Karloveska 63 P.O.Box 246 SK – 840 00 Bratislava Slovakia	Telephone: +421 2 60294 468 Fax: +421 2 6541 1888 E-mail: sev@sutn.gov.sk	
Distribution and subscription from:		SLOVAK STANDARDS INSTITUTE Funds department Karloveska 63 P.O.Box 246 SK – 840 00 Bratislava Slovakia	Telephone: +421 2 6542 5055 Fax: +421 2 6542 8845	


IEC 60083	National system used in South Africa (ZA)			ZA1 of 5
				Date: 2007-12-1
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + \oplus	250	16	 	
2P + \oplus	250	16	 	
<p>1) The Socket outlet and plug complies with IEC 60906-1 2) The socket outlet also accepts plugs according to European Standard EN 50075</p>				
For reference and further information, see page ZA5				

IEC 60083	National system used in SOUTH AFRICA (ZA)			ZA2 of 5
				Date: 2007-12-1
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  SANS 164-2 2-5, 2-6	 SANS 164-2 2-7.
<p>3) The Socket outlet and plug complies with IEC 60906-1</p> <p>4) The socket outlet also accepts plugs according to European Standard EN 50075</p>				
2P + 	250	6	  SANS 164-3 3-1.	 SANS 164-3 3-2.
For reference and further information, see page ZA5				




IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

IEC 60083	National system used in South Africa (ZA)			ZA3 of 5
				Date: 2007-12-1
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + \oplus	250	16	<p>Dedicated System</p> <p>SANS 164-4 4-1-1</p> <p>SANS 164-4 4-1-2</p> <p>SANS 164-4 4-1-3</p>	<p>Dedicated System</p> <p>SANS 164-4 4-2-1</p> <p>SANS 164-4 4-2-2</p> <p>SANS 164-4 4-2-3</p>
<p>1) The plugs also engage in socket outlets according to SANS 164-1</p>				
<p>For reference and further information, see page ZA5</p>				






IEC 60083	National system used in South Africa (ZA)			ZA4 of 5
				Date: 2007-12-1
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	2,5	No 2.5A socket is specified.	 SANS 164-5 5-1
1) The plugs also engage in socket outlets according to SANS 164-2				
For reference and further information, see page ZA5				



IECNORM.COM: Click to view the full PDF of TR 60083:2009





IEC 60083	National system used in South Africa (ZA)			ZA5 of 5
				Date: 2007-12-1
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10 & 16	    	  
<p>1) The socket also accepts plugs according to European Standard EN 50075</p>				
Reference of National standard or Regulation		SANS 60884-1 SANS 164-0		
Further information obtainable from:		SABS Pretoria	Phone:+27124286666/6613 Fax:+27124286246 E-mail:breedws@sabs.co.za	



ECNORM.COM: Click to view the full PDF of ECTR 60083:2009




IEC 60083	National system used in SPAIN			ES 1 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	10	 <small>UNE 20315-1-2 ESC10a</small> <p>This figure is only allowed for portable accessories¹⁾</p>	 <small>UNE 20315-1-2 ESC10b</small>
<p><i>IECNORM.COM: Click to view the full PDF of TR 60083-2009</i></p> <p>1) This socket-outlet shall accept plugs according to EN 50075</p> <p>For reference and further information, see ES7</p>				

IEC 60083	National system used in SPAIN			ES 2 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	 <small>UNE 20315-1-2 C1a Fixed only ¹⁾ ²⁾ ³⁾ Class 0 Installations</small>	
<p style="text-align: center;"><i>IECNORM.COM: Click to view the full PDF of TR 60083:2009</i></p>				
1) To be installed following Spanish wiring rules 2) This socket-outlet shall accept plugs according to EN 50075 3) This socket-outlet is only to replace the existing ones. It is not allowed for new installations				
For reference and further information, see ES7				





IEC 60083	National system used in SPAIN			ES 3 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	16	  <p>UNE 20315-1-2 C2a Fixed and portable</p>	 <p>UNE 20315-1-2 C2b</p>
For reference and further information, see ES7				






IEC 60083	National system used in SPAIN			ES 4 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	10	  <p>UNE 20315-1-2 C3a Fixed and portable</p>	  <p>UNE 20315-1-2 C4</p>
For reference and further information, see ES7				





IEC 60083	National system used in SPAIN			ES 5 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16		 <p>Optional</p>  <p>UNE 20315-1-2 C6</p> <p>Plug for Class II appliances</p>
For reference and further information, see ES7				



IEC 60083	National system used in SPAIN			ES 6 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	25	  <p>UNE 20315-1-2 ESB25a Fixed only</p>	 <p>UNE 20315-1-2 ESB25b</p>

For reference and further information, see ES7



IEC 60083	National system used in SPAIN			ES 7 of ES 7
				Date : 2007-12-12
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + 	250	32	  <p>UNE 20315-1-2 ESB32a Fixed only</p>	  <p>UNE 20315-1-2 ESBC 10b</p>
Reference of National Standard or Regulation				
Further information obtainable from:	AENOR C/ Génova, 6 E – 28004 Madrid		Phone: +34 91 432 60 73	Fax: +34 91 310 45 96
Distribution and subscription from:			E-mail: norm.clciec@aenor.es	
			Phone:	
			Fax:	
			E-mail:	







IEC 60083	National system used in SWEDEN			SE 1 of SE 4 Date: 2002 - 04 - 18
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2	250	16	  SS 428 08 34 Standard Sheet I Fixed and portable	 SS 428 08 34 Standard Sheet II
2 + 	250	16	  SS 428 08 34 Standard Sheet III Fixed and portable	 SS 428 08 34 Standard Sheet IV
For reference and further information, see SE 4.				






IEC 60083	National system used in SWEDEN			SE 2 of SE 4 Date: 2002 - 04 - 18
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2 +	250	16	  <p>SS 428 08 34 Standard Sheet III A Fixed and portable</p>	 <p>SS 428 08 34 Standard Sheet IV A</p>
2 +	250	16		  <p>SS 428 08 34 Standard Sheet VII</p>
For reference and further information, see SE 4.				



IEC 60083	National system used in SWEDEN			SE 3 of SE 4 Date: 2002 - 04 - 18
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2 + 	250	16		 SS 428 08 34 Standard Sheet VII A
2	250	2,5		 SS 428 08 34 Standard Sheet XVI
For reference and further information, see SE 4.				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009



IEC 60083	National system used in SWEDEN			SE 4 of SE 4
				Date : 2005-09-09
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2	250	2,5	  SS 428 08 68, ed. 1, 1999 Standard Sheet I	 SS-EN 50075:1991 Standard Sheet I
2	250	16		 SS 428 08 34 Standard Sheet XVII
Reference of National standard or Regulation				
Further information obtainable from:	SEK Box 1284 SE-164 29 Kista SWEDEN		Telephone : +46 8 444 44 00 Fax : +46 8 444 44 30 E-mail : sek@sekom.se	
Distribution and subscription from:	SIS Förlag AB SE-118 80 Stockholm SWEDEN		Telephone: +46 8 555 52310 Fax : +46 8 555 52311 E-mail : sis.sales@sis.se	



IEC 60083	National system used in SWITZERLAND			CH1 of CH6		
				Date: 2002-03-05		
Number of poles	Rated values of accessories		Sketch designation			
	Voltage V	Current A	Socket-outlets	Plugs		
2P	250	2,5		 EN 50075		
Reference of National Standard or Regulation: SEV/ASE 1114						
2P	250	10	 	 		
 SEV/ASE 6533-1 Type 11 portable only			 SEV/ASE 6533-1 Type 11			
1) The socket-outlet also accepts plugs according to EN 50075						
For reference and further information, see CH6						



IEC 60083	National system used in SWITZERLAND			CH2 of CH6
				Date: 2002-03-05
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	10	  SEV/ASE 6534-1 Type 12 Fixed only in dry location 1)	 SEV/ASE 6534-2 Type 12
2P +	250	10	  SEV/ASE 6535 Type 13 Fixed and portable 2)	
1) The socket-outlet also accepts plugs according to EN 50075 and SEV/ASE Type 11 2) The socket-outlet accepts plugs according to EN 50075, SEV/ASE, Type 11 and Type 12				
For reference and further information, see CH6				

IEC 60083	National system used in SWITZERLAND			CH3 of CH6
				Date: 2002-03-05
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P + N + 	250 / 400	10	 SEV/ASE 6532-1 Type 15 Fixed and portable	 SEV/ASE 6532-2 Type 15
3) The socket-outlet also accepts plugs according to EN 50075, SEV/ASE Type 11 and Type 12				
For reference and further information, see CH6				




IECNORM.COM : Click to view the full PDF of EC TR 60083:2009


IEC 60083	National system used in SWITZERLAND			CH4 of CH6
				Date: 2002-03-05
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  SEV/ASE 5933-1 Type 21 portable only	SEV/ASE 5933-2 Type 21
1) The socket-outlet also accepts plugs according to EN 50075 and SEV/ASE Type 11				
For reference and further information, see CH6				


IEC 60083	National system used in SWITZERLAND			CH5 of CH6
				Date: 2002-03-05
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	 SEV/ASE 5934-1 Type 23 Fixed and portable	 SEV/ASE 5934-2 Type 23
1) The socket-outlet accepts plugs according to EN 50075, SEV/ASE, Type 11, Type 12 Type 21 and Type 23				
For reference and further information, see CH6				


IEC 60083	National system used in SWITZERLAND		CH6 of CH6	
			Date: 2002-03-05	
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P + N + 	250 / 400	16	 <p>SEV/ASE 5932-1 Type 25 Fixed and portable</p>	 <p>SEV/ASE 5932-1 Type 25</p>
Reference of National Standard or Regulation: SEV/ASE 1011				
3) The socket-outlet also accepts plugs according to EN 50075, SEV/ASE Type 11, Type 12, Type 15, Type 21 and Type 23				
Further information obtainable from:	Swiss Electrotechnical Committee Luppmenstrasse 1 CH-8320 Fehraltorf		Telephone: +41-1-956 11 80 Telefax: +41-1-956 11 90 E-mail: ces@electrosuisse.ch	
Distribution and subscription from:	Swiss Electrotechnical Committee Drucksachenverwaltung CH-8320 Fehraltorf		Telephone: +41-1-956 11 65 Telefax: +41-1-956 11 68 E-mail: info@electrosuisse.ch	





IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 1 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Fused plugs
2P +	220/250	13 (max)	 <p style="text-align: center;">BS. 1363 Fixed and Portable</p>	<p style="text-align: center;">BS. 1363</p>
Reference of National Standard or Regulation: BS 1363, S.I. 1768				
1 Socket-outlet must be shuttered. 2 For use in ring and radial circuits. 3 Mandatory for use in domestic installations. 4 Plugs and socket-outlets must be polarised. 5 Socket-outlets may be switched or unswitched. 6 Plugs are for use with Class I or Class II equipment. 7 Plug phase and neutral pins must be sleeved to avoid inadvertent contact with live pins.				
For reference and further information, see GB 6				

IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 2 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	220/250	2	  	 
<p style="text-align: center;">BS.546 Fixed and portable</p>				
Reference of National Standard or Regulation: BS 546, S.I. 1768				
1 Plug pins may be sleeved or unsleeved. 2 This standard sheet covers fused and unfused plugs to BS 546. 3 Socket-outlets may be switched or unswitched. 4 Plugs and socket-outlets must be polarised. 5 Plugs are for use with Class I and Class II equipment.				
For reference and further information, see GB 6				



IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 3 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	220/250	5	 	 BS. 546
Reference of National Standard or Regulation: BS 546, S.I. 1768				
1 Plug pins may be sleeved or unsleeved. 2 This standard sheet covers fused and unfused plugs to BS 546. 3 Socket-outlets may be switched or unswitched. 4 Plugs and socket-outlets must be polarised. 5 Plugs are for use with Class I and Class II equipment.				
For reference and further information, see GB 6				














IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 4 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	220/250	15	 	 BS. 546
Reference of National Standard or Regulation: BS 546, S.I.1768				
1 Plug pins may be sleeved or unsleeved. 2 This standard sheet covers fused and unfused plugs to BS 546. 3 Socket-outlets may be switched or unswitched. 4 Plugs and socket-outlets must be polarised. 5 Plugs are for use with Class I and Class II equipment.				
For reference and further information, see GB 6				




IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 5 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	220/250	30	   <p style="text-align: center;">BS. 546 Fixed and portable</p>	 <p style="text-align: center;">BS. 546</p>
Reference of National Standard or Regulation: BS 546, S.I. 1768				
1 Plug pins may be sleeved or unsleeved. 2 This standard sheet covers fused and unfused plugs to BS 546. 3 Socket-outlets may be switched or unswitched. 4 Plugs and socket-outlets must be polarised. 5 Plugs are for use with Class I and Class II equipment.				
For reference and further information, see GB 6				

ECNORM.COM: Click to view the full PDF of IEC TR 60083-2009











IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 6 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	220/250	0.2	 <p>BS 4573 2 Fixed only</p>	 <p>BS 4573 1</p>
Reference of National Standard or Regulation: BS 4573, S.I. 1768				
<p>1 Socket-outlet must be shuttered and must incorporate a current-limiting device.</p> <p>2 Socket-outlet for shavers only.</p>				
Further Information Obtainable From:		BSI Customer Services 389 Chiswick High Road London W4 4AL United Kingdom	Telephone: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001 E-mail: info@bsi-global.com Website: www.bsi-global.com	
Distribution and Subscription From:		BSI Customer Services 389 Chiswick High Road London W4 4AL United Kingdom	Telephone: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001 E-mail: orders@bsi-global.com Website: www.bsi-global.com	




















IEC 60083	National system used in United Kingdom of Great Britain and Northern Ireland			GB 7 of GB 7
				Date: 2002-06-03
Number of poles	Rated Values of Accessories		Sketch Designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	220/250	2.5	See: BS EN 61558-2-3	 <p>BS EN 50075</p>
Reference of National Standard or Regulation: BS EN 50075, S.I. 1768				
1. Allowed on appliances intended for use through a Shaver Supply Unit complying with BS EN 61558-2-3 2. Forbidden for general use in domestic installations.				
For reference and further information, see GB 6				

IEC 60083	National system used in United States of America			US 1 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	125	15	 	 NEMA 1-15 P
2 P	250	15		 NEMA 2-15 P
1P + N	125	20		 NEMA 1-20 P
2 P	250	20	 	 NEMA 2-20 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) Plug NEMA 1-15 P can be polarized or non-polarized 3) Plug NEMA 1-15 P also mates with socket-outlet NEMA 5-15 R (on page 3) 4) Plug NEMA 2-15 P mates with socket-outlet NEMA 6-15 R (on page 3) 5) Plug NEMA 1-20 P also mates with socket-outlet NEMA 5-20 R (on page 4) 				
For reference and further information, see US 11				















IEC 60083	National system used in United States of America			US 2 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N	125	30	No socket-outlet configuration	 NEMA 1-30 P
2 P	250	30	  NEMA 2-30 R Fixed and Portable	NEMA 2-30 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) Plug NEMA 1-30 P mates with socket-outlet NEMA 5-30 R (on page 5) 				
For reference and further information, see US 11				


IECNORM.COM: Click to view the complete TR 60083:2009

IEC 60083	National system used in United States of America			US 3 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N + \oplus	125	15	  NEMA 5-15 R Fixed and Portable	  NEMA 5-15 P
2P + \oplus	250	15	  NEMA 6-15 R Fixed and Portable	  NEMA 6-15 P
1P + N + \oplus	277 AC	15	  NEMA 7-15 R Fixed and Portable	  NEMA 7-15 P
IECNORM.COM: Click to view IEC 60083-2009				
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) Socket-outlet NEMA 5-15 R also mates with plug NEMA 1-15 P (on page 1) 3) Socket-outlet NEMA 6-15 R also mates with plug NEMA 2-15 P (on page 1) 4) Plug NEMA 5-15 P also mates with socket-outlet NEMA 5-20 R (on page 4) 5) Plug NEMA 6-15 P also mates with socket-outlet NEMA 6-20 R (on page 4)				
For reference and further information, see US 11				


IEC 60083	National system used in United States of America				US 4 of US 11
					Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation		
	Voltage V	Current A	Socket-outlets	Plugs	
1P + N + \oplus	125	20	  NEMA 5-20 R Fixed and Portable	  NEMA 5-20 P	
2P + \oplus	250	20	  NEMA 6-20 R Fixed and Portable	  NEMA 6-20 P	
1P + N + \oplus	277 AC	20	  NEMA 7-20 R Fixed and Portable	  NEMA 7-20 P	
2P + N	125 / 250	20	  NEMA 10-20 R Fixed and Portable	  NEMA 10-20 P	
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) Socket-outlet NEMA 5-20 R also mates with plug NEMA 5-15 P (on page3) 3) Socket-outlet NEMA 6-20 R also mates with plug NEMA 6-20 P (on page3) 					
For reference and further information, see US 11					

IECNORM.COM: Click here to full view

IEC 60083	National system used in United States of America			US 5 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N + \oplus	125	30	  NEMA 5-30 R Fixed and Portable	  NEMA 5-30 P
2P + \oplus	250	30	  NEMA 6-30 R Fixed and Portable	  NEMA 6-30 P
1P + N + \oplus	277 AC	30	  NEMA 7-30 R Fixed and Portable	  NEMA 7-30 P
2P + N	125 / 250	30	  NEMA 10-30 R Fixed and Portable	  NEMA 10-30 P
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) Socket-outlet NEMA 5-30 R also mates with plug NEMA 1-30 P (on page 1)				
For reference and further information, see US 11				



IEC 60083	National system used in United States of America			US 6 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
1P + N + \oplus	125	50	 <p>NEMA 5-50 R Fixed and Portable</p>	 <p>NEMA 5-50 P</p>
2P + \oplus	250	50	 <p>NEMA 6-50 R Fixed and Portable</p>	 <p>NEMA 6-50 P</p>
1P + N + \oplus	277 AC	50	 <p>NEMA 7-50 R Fixed and Portable</p>	 <p>NEMA 7-50 P</p>
2P + N	125 / 250	50	 <p>NEMA 10-50 R Fixed and Portable</p>	 <p>NEMA 10-50 P</p>
<p>NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground</p>				
<p>For reference and further information, see US 11</p>				
















IECNORM.COM: Click to Download

IEC 60083	National system used in United States of America			US 7 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250 3 Phase	15	 NEMA 11-15 R Fixed and Portable	 NEMA 11-15 P
2P + N + \ominus	125 / 250	15	 NEMA 14-15 R Fixed and Portable	 NEMA 14-15 P
3P + \ominus	250 3 Phase	15	 NEMA 15-15 R Fixed and Portable	 NEMA 15-15 P
3P + N	120 / 208 3 Phase Y	15	 NEMA 18-15 R Fixed and Portable	 NEMA 18-15 P
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Ground 2) Plug NEMA 11-15 P also mates with socket-outlet NEMA 11-20 R (on page 8)				
For reference and further information, see US 11				

IEC 60083	National system used in United States of America			US 8 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	20	 NEMA 11-20 R Fixed and Portable	 NEMA 11-20 P
2P + N + \ominus	125 / 250	20	 NEMA 14-20 R Fixed and Portable	 NEMA 14-20 P
3P + \ominus	250 3 Phase	20	 NEMA 15-20 R Fixed and Portable	 NEMA 15-20 P
3P + N	120 / 208 3 Phase Y	20	 NEMA 18-20 R Fixed and Portable	 NEMA 18-20 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Ground 2) Socket-outlet NEMA 11-20 R also mates with plug NEMA 11-15 P (on page 7) 				
For reference and further information, see US 11				

















IECNORM.COM: Click & Download








IEC 60083	National system used in United States of America			US 9 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	30	  NEMA 11-30 R Fixed and Portable	  NEMA 11-30 P
2P + N + \ominus	125 / 250	30	  NEMA 14-30 R Fixed and Portable	  NEMA 14-30 P
3P + \ominus	250 3 Phase	30	  NEMA 15-30 R Fixed and Portable	  NEMA 15-30 P
3P + N	120 / 208 3 Phase Y	30	  NEMA 18-30 R Fixed and Portable	  NEMA 18-30 P
<p>NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \ominus) = Ground</p> <p>For reference and further information, see US 11</p>				



IECNORM.COM: Click & Download

IEC 60083	National system used in United States of America			US 10 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
3P	250 3 Phase	50	  NEMA 11-50 R Fixed and Portable	  NEMA 11-50 P
2P + N + \oplus	125 / 250	50	  NEMA 14-50 R Fixed and Portable	  NEMA 14-50 P
3P + \ominus	250 3 Phase	50	  NEMA 15-50 R Fixed and Portable	  NEMA 15-50 P
3P + N	120 / 208 3 Phase Y	50	  NEMA 18-50 R Fixed and Portable	  NEMA 18-50 P
<p>NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground</p> <p>For reference and further information, see US11</p>				



IEC 60083	National system used in United States of America			US 11 of US 11
				Date: 1993-04-01
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P + N + \oplus	125 / 250	60	  NEMA 14-60 R Fixed and Portable	
3P + \oplus	250 3 Phase	60	  NEMA 15-60 R Fixed and Portable	
3P + N	120 / 208 3 Phase Y	60	  NEMA 18-60 R Fixed and Portable	
Reference of National standard or Regulation:				
NOTES: 1) X, Y, Z = Poles; W = N (Neutral); G (or \oplus) = Ground 2) For Wiring Dimensional Requirements, see standard publication NEMA WD6				
Further information obtainable from:	NEMA 2101 L STREET, N.W. SUITE 300 WASHINGTON, D.C. 20037 USA		Telephone:+1 202 457 84 00 Fax:+1 202 457 84 68 E-mail:	
Distribution and subscription from:			Telephone: Fax: E-mail:	

Annex A (informative)

Instructions for additional contributions and revisions

CONTENTS

	Page
Instructions	II
Examples of completed forms	V
Forms	VII

General

The contents of the information forms is the responsibility of the National Committees of the countries in question. The instructions on the following pages should be adhered to.

Please note that the information supplied by the National Committees will be directly included in the published document and will not be editorially modified or redrawn. It is therefore important that the submission be prepared to the highest possible standard.

IECNORM.COM: Click to [www.iecnorm.com](#)


INSTRUCTIONS







The information forms are given on pages III and IV with the references used in the instructions and as blank forms on pages VII and VIII. The font used is Arial 10 and this font is recommended for use in form compilation.




The presentation of a given system may require more than one page; in this case the form on page III is used for the first page(s) and the form on page IV for the last page.

Kindly observe that the margins as well as the top and bottom spaces are specified as 25 mm from the edge of the paper. It is very important to observe this so that holes in the file can be provided as the information is printed on both sides of the paper.

- (1) Name of the country.
 - (2) Two letter country code (see page IX) followed by page number, e.g. DK 1 of DK 6.
 - (3) Date, i.e. YYYY-MM-DD, e.g. 2002-03-15.
 - (4) Number of poles. Specified according to IEC 60884-1, 6.1, table 1, but using the symbol for protective earth,
i.e. 2P+ 
 - (5) Use number(s) only, e.g. 125, 250, 250/440, etc.
 - (6) Use number(s) only, e.g. 10, 16, etc.
 - (7) and
 - (8) Show end and side views and essential features to recognise the system. Dimensions should not be included.
Insulating sleeves to be shown in black.
Line thickness for outline 0,5 mm
Line thickness for centres and shading 0,25 mm
Give the following information below each sketch Standard designation
(Number of standard sheet)
Fixed, portable or fixed and portable
 - (9) This space can be used for additional information, see examples on pages V and VI.
 - (10) Reference to last page, e.g. DK 6.
 - (11) Reference number(s), e.g. IEC 60906-1.
- NOTE – List all standards included in the sheets.
- (12) As for (9).
 - (13) Name and address of office for information on the listed standards.
 - (14) Telephone, fax numbers and e-mail addresses for (13).
 - (15) Name and office for distribution and subscription of listed standards.
 - (16) Telephone, fax numbers and e-mail addresses for (15).

IEC 60083	National system used in (1)			(2)
	Date : (3)			
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
(4)	(5)	(6)	(7)	(8)
				
Reference of National standard or Regulation (11)				
(12)				
Further information obtainable from:	(13)		Telephone : Fax : (14) E-mail :	
Distribution and subscription from:	(15)		Telephone : Fax : (16) E-mail :	

IEC 60083	National system used in (country)			XX1 of XX2
				Date : 2001-05-27
Number of poles	Rated values of accessories		Sketch designation	
	Voltage V	Current A	Socket-outlets	Plugs
2P +	250	16	  <p style="text-align: center;">IEC 906-1 1-1, 1-2, 1-3 Fixed and portable</p>	 <p style="text-align: center;">IEC 906-1 2-1</p>
			  <p style="text-align: center;">IEC 906-1 3-1, 3-2 Fixed and portable</p>	 <p style="text-align: center;">IEC 906-1 4-1</p>
1) The socket-outlets also accept plugs according to Standard Sheet 4-1. 2) The socket-outlets also accept plugs according to European Standard EN 50075.				
For reference and further information, see page XX2.				

IEC 60083	National system used in (country)			XX1 of XX2
				Date : 2001-05-27
Number of poles	Rated values of accessories		Sketch designations	
	Voltage V	Current A	Socket-outlets	Plugs
2P	250	16	  IEC 906-1 A1-1, A1-2, A1-3 Fixed and portable	 IEC 906-1 A2-1
Reference of National standard or Regulation: (National Standard)				
1) Plugs and socket-outlets are compatible with the system on page 1 and suitable for Class 0 equipment.				
Further information obtainable from:	IEC 3, rue de Varembé P.O. Box 131 1211 Geneva 20 Switzerland		Phone : +41 22 734 0150 Fax : +41 22 733 3843 E-mail :	
Distribution and subscription from:	IEC 3, rue de Varembé P.O. Box 131 1211 Geneva 20 Switzerland		Phone : +41 22 734 0150 Fax : +41 22 733 3843 E-mail :	

Two letter codes for names of countries according to ISO 3166-1

Australia	AU	AT	Austria
Austria	AT	AU	Australia
Belarus	BY	BE	Belgium
Belgium	BE	BG	Bulgaria
Bulgaria	BG	BY	Belarus
Canada	CA	CA	Canada
China	CN	CH	Switzerland
Croatia	Hr	CN	China
Czech Republic	CZ	CZ	Czech Republic
Denmark	DK	DE	Germany
Egypt	EG	DK	Denmark
Finland	FI	EG	Egypt
France	FR	ES	Spain
Germany	DE	FI	Finland
Greece	GR	FR	France
Hungary	HU	GB	United Kingdom
India	IN	GR	Greece
Indonesia	ID	HR	Croatia
Ireland	IE	Hu	Hungary
Israel	IL	ID	Indonesia
Italy	IT	IE	Ireland
Japan	JP	IL	Israel
Korea (Rep. Of)	KR	IN	India
Luxembourg	LU	IT	Italy
Malaysia	MY	JP	Japan
Mexico	MX	KR	Korea (Rep. of)
Netherlands	NL	LU	Luxembourg
New Zealand	NZ	MX	Mexico
Norway	NO	MY	Malaysia
Pakistan	PK	NL	Netherlands
Poland	PL	NO	Norway
Portugal	PT	NZ	New Zealand
Romania	RO	PK	Pakistan
Russia	RU	PL	Poland
Singapore	SG	PT	Portugal
Slovakia	SK	RO	Romania
Slovenia	SI	RU	Russia
South Africa	ZA	SE	Sweden
Spain	ES	SG	Singapore
Sweden	SE	SI	Slovenia
Switzerland	CH	SK	Slovenia
Thailand	TH	TH	Thailand
Turkey	TR	TR	Turkey
Ukraine	UA	UA	Ukraine
United Kingdom	GB	US	United states
United States	US	YU	Yugoslavia
Yugoslavia	YU	ZA	South Africa

SOMMAIRE

Avant-propos.....	196
Introduction.....	198
Systèmes nationaux utilisés en	section
Argentine (information non disponible)	
Australie.....	AU
Autriche.....	AT
Biélorussie (information non disponible)	
Belgique.....	BE
Bulgarie (information non disponible)	
Brésil	BR
Canada.....	CA
Chine.....	CN
Croatie (information non disponible)	
République Tchèque.....	CZ
Danemark.....	DK
Egypte (information non disponible)	
Finlande.....	FI
France.....	FR
Allemagne.....	DE
Grèce (information non disponible)	
Hongrie (information non disponible)	
Inde.....	IN
Indonésie (information non disponible)	
Iran (information non disponible)	
Irlande (information non disponible)	
Israël (information non disponible)	
Italie.....	IT
Japon.....	JP
Corée (République de)	KR
Luxembourg (information non disponible)	
Malaisie.....	MY
Mexico	MX
Pays-Bas.....	NL
Nouvelle Zélande.....	NZ
Norvège.....	NO
Pakistan (information non disponible)	
Pologne.....	PO
Portugal.....	PT
Roumanie (information non disponible)	
Fédération Russe (information non disponible)	
Arabie Saoudite	SA
Serbie et Monténégro	CS
Singapour.....	SG
Slovaquie.....	SK
Slovénie (information non disponible)	
Afrique du Sud.....	ZA

Espagne.....	ES
Suède.....	SE
Suisse.....	CH
Thaïlande (information non disponible)	
Turquie (information non disponible)	
Ukraine (information non disponible)	
Royaume Uni.....	GB
Etats Unis.....	US

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

PRISES DE COURANT POUR USAGES DOMESTIQUES ET ANALOGUES NORMALISEES PAR LES PAYS MEMBRES DE LA CEI

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (CEI) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de la CEI). La CEI a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, la CEI – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques et des Guides (ci-après dénommés "Publication(s) de la CEI"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec la CEI, participent également aux travaux. La CEI collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de la CEI concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de la CEI intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de la CEI se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de la CEI. Tous les efforts raisonnables sont entrepris afin que la CEI s'assure de l'exactitude du contenu technique de ses publications; la CEI ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de la CEI s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de la CEI dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de la CEI et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) La CEI n'a prévu aucune procédure de marquage valant indication d'approbation et n'engage pas sa responsabilité pour les équipements déclarés conformes à une de ses Publications.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à la CEI, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de la CEI pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de la CEI ou de toute autre Publication de la CEI, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de la CEI peuvent faire l'objet de droits de propriété intellectuelle ou de droits analogues. La CEI ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de propriété et de ne pas avoir signalé leur existence.

La tâche principale des comités d'études de la CEI est l'élaboration des Normes internationales. Toutefois, un comité d'études peut proposer la publication d'un rapport technique lorsqu'il a réuni des données de nature différente de celles qui sont normalement publiées comme Normes internationales, cela pouvant comprendre, par exemple, des informations sur l'état de la technique.

La CEI 60083, qui est un rapport technique, a été établie par le sous-comité 23B: Prises de courant et interrupteurs, du comité d'études 23 de la CEI: Petit appareillage.

Cette sixième édition annule et remplace la cinquième édition parue en 2006, dont elle constitue une révision technique. Elle inclut des remplacements de feuilles concernant les pays suivants: BR, CN, CZ, DK, JP, NO, PT et ES. De nouvelles feuilles pour IN et ZA ont été ajoutées à celles de l'édition précédente.

Le texte de ce rapport technique est issu des documents suivants:

Projet d'enquête	Rapport de vote
23B/893/DTR	23B/913/RVC

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de ce rapport technique.

Cette publication a été rédigée selon les Directives ISO/CEI, Partie 2.

Le comité a décidé que le contenu de cette publication ne sera pas modifié avant la date de maintenance¹⁾ indiquée sur le site web de la CEI sous "http://webstore.iec.ch" dans les données relatives à la publication recherchée. A cette date, la publication sera

- reconduite;
- supprimée;
- remplacée par une édition révisée, ou
- amendée.

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

INTRODUCTION

Le présent rapport technique montre la grande diversité de systèmes actuellement utilisés. A l'avenir pour réduire cette diversité, même si un tel changement prendra de nombreuses années, il est conseillé de suivre les recommandations de la CEI 60906-1 et de la CEI 60906-2:

"que tout pays ayant besoin d'un système nouveau ou de remplacement adopte cette norme comme sa future norme nationale."

Le contenu de ce rapport est fondé sur les renseignements fournis par les Comités nationaux de la CEI qui sont responsables de l'exactitude des renseignements donnés. Toute révision due à des amendements ou des additions conséquentes d'un développement ultérieur de leur(s) système(s) national (nationaux) ou de l'introduction d'un système différent devrait être notifiée au Bureau Central de la CEI.

Pour les contributions additionnelles ou les révisions des informations déjà soumises, il est fait référence à l'Annexe A qui contient les instructions en vue de faire des propositions afin de modifier ce rapport technique. Il est demandé aux Comité nationaux de suivre ces instructions avec précision de façon à obtenir une présentation uniforme du rapport.

Le Bureau Central de la CEI tiendra un registre des informations révisées reçues des Comités nationaux.

Cette sixième édition inclut les modifications suivantes à l'édition précédente:

Brésil	remplacement de toutes les feuilles
Chine	remplacement de toutes les feuilles
République Tchèque	remplacement de ESN par CSN dans toutes les feuilles
Inde	nouvelles feuilles (de 1 à 2)
Japon	remplacement de toutes les feuilles
Norvège	remplacement de toutes les feuilles
Portugal	remplacement de toutes les feuilles
Afrique du Sud	nouvelles feuilles (de 1 à 5)
Espagne	remplacement de toutes les feuilles

PRISES DE COURANT POUR USAGES DOMESTIQUES ET ANALOGUES NORMALISEES PAR LES PAYS MEMBRES DE LA CEI

1 Domaine d'application et objet









Ce rapport technique a pour objet de donner des informations générales sur les systèmes de fiches et de prises pour usage domestique et analogue utilisés par les pays membres de la CEI. Ce rapport ne mentionne que les systèmes nationaux utilisés couramment dans les bureaux et dans les logements. Il est donc limité aux systèmes en courant alternatif de tensions assignées supérieures à 50 V mais ne dépassant pas 440 V, prévus pour des usages domestiques et analogues à l'intérieur ou à l'extérieur.

Ce rapport ne contient que les systèmes dont les feuilles de normes ont été publiées dans une norme nationale, qui peut être une norme nationale du pays lui-même ou d'un autre pays de la CEI.







2 Liste des fiches et des prises qui sont utilisées dans les pays membres de la CEI




Les feuilles suivantes spécifient les systèmes nationaux utilisés par les pays membres de la CEI.



IECNORM.COM: Click to view the full PDF content




CEI 60083	Système national utilisé en AUSTRALIE			AU 1 de AU 2
				Date: 2006-01-25
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+ \ominus	250	10	 	 
2P+ \ominus	250	10	 	 
<p>Les socles mobiles sont spécifiés dans la spécification AS/NZS 3120. AS/NZS 3112 définit une fiche 10A 10 A à deux broches qui a le même contour que la fiche 10 A à trois broches mais sans broche de comterre. Une fiche 10 A est compatible avec un socle 15 A. Une fiche 15 A ne peut pénétrer dans un size socle 10 A à la dimension de la broche de terre.</p>				
<p>Pour la référence et plus d'informations, voir AU2</p>				




CEI 60083	Système national utilisé en AUSTRALIE			AU 2 de AU 2
				Date: 2006-01-25
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+	250	15		
Référence de la norme nationale ou du règlement: AS/NZS 3112				
Informations supplémentaires auprès de:	Standards Australia Limited GPO Box 476 Sydney NSW 2001 Australia		Téléphone: +61 2 8206 6000 Fax: +61 2 8206 6001 E-mail: mail@standards.org.au Website: www.standards.org.au	
Diffusion et souscription auprès de:	SAI Global Limited GPO Box 5420 Sydney NSW 2001 Australia		Téléphone: +61 2 8206 6010 Fax: +61 2 8206 6020 E-mail: sales@sai-global.com Website: www.sai-global.com	




CEI 60083	Système national utilisé en AUTRICHE			AT1 de AT 5 Date: 2005-12-13
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	10/16 ou 16 ~	   <p>ÖNORM E 6622 partie 1 Type A ÖNORM E 6622 partie 2 Type B ÖNORM E 6622 partie 4</p> <p>ÖNORM E 6622 partie 9 (avec obturateur) ÖNORM E 6622 partie 10 (pour intégration dans les appareils)</p>	   <p>ÖNORM E 6623</p>
2P + T	250	10/16 ou 16 ~	ÖNORM E 6622 part 8 (protégé contre les projections d'eau, mobile)	ÖNORM E 6622 part 7 (protégé contre les projections d'eau, mobile)
Pour la référence et plus d'informations, voir AT 5.				

CEI 60083	Système national utilisé en AUTRICHE			AT2 de AT 5 Date: 2005-12-13
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
250	2,5 + 10/16 ou 16 ~			ÖNORM E 6623 partie 3
2P + T	2,5 + 10/16 ou 16 ~			ÖNORM E 6623 partie 3
250	10/16 ou 16 ~			ÖNORM E 6623 partie 3
Socle mobile				
Pour la référence et plus d'informations, voir AT 5.				


CEI 60083	Système national utilisé en AUTRICHE			AT3 de AT 5 Date: 2005-12-13
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	10/16 ou 16 ~		 ÖNORM E 6624
2P	250	10/16 ou 16 ~		ÖNORM E 6622 partie 6 (protégé contre les projections d'eau, mobile)
2P	250	2,5	 ÖNORM E 6622-11 (mobile) ÖNORM E 6622-5 (adaptateur)	
Pour la référence et plus d'informations, voir AT 5.				

CEI 60083	Système national utilisé en AUTRICHE			AT4 de AT 5 Date: 2005-12-13
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5		 EN 50075
			 ÖNORM E 6620	 ÖNORM E 6620
La fiche de la page 4 est compatible avec le socle de la page 1.				
Pour la référence et plus d'informations, voir AT 5.				




CEI 60083	Système national utilisé en AUTRICHE			AT 5 de AT 5 Date: 2005 - 12 - 13
Nombres de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P+N+T	230/400	16	 	 ÖNORM E 6610
		25	ÖNORM E 6612	ÖNORM E 6613
Référence de la norme nationale ou du règlement: ÖVE-IG 31				
Informations supplémentaires auprès de:	ÖEK Eschenbachgasse 9 A-1010 Wien		Téléphone: + 43 1 587 63 73 Telefax: + 43 1 586 74 08	
Diffusion et souscription auprès de:	ÖEK Eschenbachgasse 9 A-1010 Wien		Téléphone: + 43 1 587 63 73 Telefax: + 43 1 586 74 08	

CEI 60083	Système national utilisé en Belgique			BE 1 de BE 5 Date: 1994-03-09
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	16	 	 NBN C 61-112-1 VI
2P +	250	16	 BNB C 61-112-1 V Fixe et mobile 1)	 NBN C 61-112-1 VII
1) Les socles acceptent aussi les fiches conformes aux feuilles de norme VII, XVI et XVII de la NBN C 61-112-1				
Pour la référence et plus d'informations, voir BE 5				


IECNORM.COM: Click to view the full PDF of EC TR 60083/2009

CEI 60083	Système national utilisé en Belgique			BE 2 de BE 5 Date: 1994-03-09
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16		 NBN C 61-112-1 XVII
2P	250	2,5		 NBN C 61-112-1 XVI
Pour la référence et plus d'informations, voir BE 5				

IEC/NORM.COM: Click to view the full PDF of IEC TR 60083-2009



CEI 60083	Système national utilisé en Belgique			BE 3 de BE 5 Date: 1994-03-09
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5	  NBN C 61-112-1 XXIII	 NBN C 61-112-1 XVI
2P	250	16	 NBN C 61-112-1 I	
Pour la référence et plus d'informations, voir BE 5				










CEI 60083	Système national utilisé en Belgique		BE 4 de BE 5 Date: 1994-03-09	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	415	16 32		
			NBN C 61-112-1 XXI	NBN C 61-112-1 XXII
3P +	415	16 32		
			NBN C 61-112-1 XXI	NBN C 61-112-1 XXII
Pour la référence et plus d'informations, voir BE 5				






CEI 60083	Système National utilisé en Belgique			BE 5 de BE 5 Date: 1994-03-09
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
3P + N + 	415	16 32	 	NBN C 61 - 112 - 1 XXI NBN C 51 - 112 - 1 XXII
Référence de la norme nationale ou du règlement:				
NBN C 61 - 112 - 1				
Prises de courant pour usages domestiques et analogues.				
Informations supplémentaires auprès de:	Comité Electrotechnique Belge Bld. Auguste Reyerslaan, 80 B - 1030 BRUXELLES / BRUSSEL		Téléphone: +32 2 706 85 70 Télécopie: +32 2 706 85 80 Telex:	
Diffusion et souscription auprès de:	Institut Belge de Normalisation Avenue de la BRABANCONNE, 29 B - 1000 BRUXELLES / BRUSSEL		Téléphone: +32 2 738 01 11 Télécopie: +32 2 733 42 64 Telex:	

IFC/NORM.COM : Click to view full PDF or ECTR 60083:2009

CEI 60083	Système national utilisé au BRESIL				BR 1 de BR 2
					Date: 2002-12-29
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas		
	Tension V	Courant A	Socles		Fiches
2P +	250	10	 	 NBR 14136 Figures 1, 3, 5 Fixe et mobile	
2P	250	10	 	 NBR 14136 Figures 9, 11 Mobile	
<p>Un socle 10A ne doit pas permettre l'insertion d'une fiche 20A, et les socles avec contact de terre doivent permettre l'insertion de fiches 10A avec et sans broche de terre. La dimension des trous d'entrée correspondant au diamètre de la broche est: $\varnothing 4,3^{+0,2}_{-0}$ mm. Des gaines isolantes sur les broches sont optionnelles.</p> <p>La tension nominale 250V correspond à l'application de 100V à 250V.</p> <p>Pour la référence et plus d'informations, voir BR2</p>					

CEI 60083	Système national utilisé au BRESIL				BR 2 de BR 2
					Date: 2002-12-29
Nombre de pôles	Valeurs assignées de l'appareillage	Désignation des schémas		Tension V	
	Tension V	Courant A			
2P +	250	20	 NBR 14136 Figures 2, 4, 6 Fixe et mobile	NBR 14136 Figure 8	
2P	250	20	 NBR 14136 Figures 10, 12 Mobile	NBR 14136 Figure 14	
Référence de la norme nationale ou Règlement: NBR 14136					
Un socle 20A doit permettre l'insertion d'une fiche 10A et 20A, et les socles avec contact de terre doivent permettre l'insertion de fiches 10A et 20A avec et sans broche de terre. La dimension des trous d'entrées correspondant au diamètre de la broche est: $\varnothing 5,0^{+0,2}_{-0}$ mm. Des gaines isolantes sur les broches sont optionnelles.					
La tension nominale 250V correspond à l'application de 100V à 250V.					
Informations supplémentaires auprès de:	Cobei Av. Paulista, 1439 - Cj.114 – 11° andar CEP 01311-200 - São Paulo - BRESIL		Téléphone: + 55 11 289-1544/0882 Fax: + 55 11 289-2179 Email:cobei@cobei.org.br		
Diffusion et souscription auprès de:	Cobei Av. Paulista, 1439 - Cj.114 – 11° andar CEP 01311-200 - São Paulo - BRESIL		Téléphone: + 55 11 289-1544/0882 Fax: + 55 11 289-2179 Email:cobei@cobei.org.br		

CEI 60083	Système National utilisé au CANADA			CA 1 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	125	15	  NEMA 1-15 R Fixe et Mobile	 NEMA 1-15 P
2 P	250	15	  Pas de configuration de socle	 NEMA 2-15 P
2 P	250	20	  NEMA 2-20 R Fixe et Mobile	 NEMA 2-20 P
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or \oplus) = Terre 2) La fiche NEMA 1-15 P peut être polarisée ou non- polarisée 3) La fiche NEMA 1-15 P peut aussi s'insérer dans un socle NEMA 5-15 R (page 2) 4) La fiche NEMA 2-15 P s'insérer dans un socle NEMA 6-15 R (page 3) 				
Pour la référence et plus d'informations, voir CA11				

CEI 60083	Système National utilisé au CANADA			CA 2 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	125	15	Pas de configuration de socle	 NEMA 1-30 P
2 P	250	15	 NEMA 2-30 R Fixe et Mobile	 NEMA 2-30 P
1P + N	125	15	 NEMA 5-15 R Fixe et Mobile	 NEMA 5-15 P
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (ou ) = Terre 2) La fiche NEMA 1-30 P s'insérer dans un socle NEMA 5-30 R (page 5) 3) Le socle NEMA 5-15 R reçoit aussi la fiche NEMA 1-15 P (page 1) 				
Pour la référence et plus d'informations, voir CA11				














CEI 60083	Système National utilisé au CANADA			CA 3 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	15	 NEMA 6-15 R Fixe et Mobile	 NEMA 6-15 P
1P + N +	277 AC	15	 NEMA 7-15 R Fixe et Mobile	 NEMA 7-15 P
1P + N +	125	20	 CSA 5-20 R Fixe et Mobile	 NEMA 5-20 P
1P + N +	125	20	 CSA 5-20 RA (Alternative) Fixe et Mobile	
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or) = Terre 2) Le socle NEMA 6-15 R reçoit aussi la fiche NEMA 2-15 P (page 1) 3) La fiche NEMA 5-20 P peut aussi s'insérer dans un socle CSA 5-20 RA 				
Pour la référence et plus d'informations, voir CA11				

CEI 60083	Système National utilisé au CANADA			CA 4 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	20	<p>CSA 6-20 R Fixe et Mobile</p>	<p>NEMA 6-20 P</p>
2P +	250	20	<p>CSA 6-20 RA (Alternative) Fixe et Mobile</p>	
1P + N +	277 AC	20	<p>NEMA 7-20 R Fixe et Mobile</p>	<p>NEMA 7-20 P</p>
2P + N	125 / 250	20	<p>NEMA 10-20 R Fixe et Mobile</p>	<p>NEMA 10-20 P</p>
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or) = Terre 2) La fiche NEMA 6-20 P peut aussi s'insérer dans un socle CSA 6-20 RA 				
<p>Pour la référence et plus d'informations, voir CA11</p>				















IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

CEI 60083	Système National utilisé au CANADA			CA 5 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	125	30	 NEMA 5-30 R Fixe et Mobile	 NEMA 5-30 P
2P	250	30	 NEMA 6-30 R Fixe et Mobile	 NEMA 6-30 P
1P + N	277 AC	30	 NEMA 7-30 R Fixe et Mobile	 NEMA 7-30 P
2P + N	125 / 250	30	 NEMA 10-30 R Fixe et Mobile	 NEMA 10-30 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or) = Terre 2) Le socle NEMA 5-30 R reçoit aussi la fiche NEMA 1-30 P (Page 2) 				
Pour la référence et plus d'informations, voir CA11				















CEI 60083	Système National utilisé au CANADA			CA 6 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	125	50	 NEMA 5-50 R Fixe et Mobile	 NEMA 5-50 P
2P	250	50	 NEMA 6-50 R Fixe et Mobile	 NEMA 6-50 P
1P + N	277 AC	50	 NEMA 7-50 R Fixe et Mobile	 NEMA 7-50 P
2P + N	125 / 250	50	 NEMA 10-50 R Fixe et Mobile	 NEMA 10-50 P
NOTES: 1) X, Y, Z = Pôles; W = N (Neutre); G (or) = Terre				
Pour la référence et plus d'informations, voir CA11				

CEI 60083	Système National utilisé au CANADA			CA 7 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250 Triphasé	15	 	 
2P + N 	125 / 250	15	 	 
3P 	250 Triphasé	15	 	 
3P + N	120 / 208 Triphasé Y	15	 	 
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or ) = Terre 2) La fiche NEMA 11-15 P s'insère aussi dans un socle NEMA 11-20 R (page 8) 				
Pour la référence et plus d'informations, voir CA11				

IECNORM.COM : Click to view the full size of IEC TR 60083:2009

CEI 60083	Système National utilisé au CANADA			CA 8 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250 Triphasé	20	  NEMA 11-20 R Fixe et Mobile	  NEMA 11-20 P
2P + N + 	125 / 250	20	  NEMA 14-20 R Fixe et Mobile	  NEMA 14-20 P
3P + 	250 Triphasé	20	  NEMA 15-20 R Fixe et Mobile	  NEMA 15-20 P
3P + N	120 / 208 Triphasé Y	20	  NEMA 18-20 R Fixe et Mobile	  NEMA 18-20 P
<p>NOTES:</p> <ol style="list-style-type: none"> 1) X, Y, Z = Pôles; W = N (Neutre); G (or ) = Terre 2) Le socle NEMA 11-20 R reçoit aussi la fiche NEMA 11-15 P (page 7) 				
<p>Pour la référence et plus d'informations, voir CA11</p>				









IFC/NORM.COM : Click to view the full version

CEI 60083	Système National utilisé au CANADA			CA 9 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250 Triphasé	30	  NEMA 11-30 R Fixe et Mobile	  NEMA 11-30 P
2P + N 	125 / 250	30	  NEMA 14-30 R Fixe et Mobile	  NEMA 14-30 P
3P 	250 Triphasé	30	  NEMA 15-30 R Fixe et Mobile	  NEMA 15-30 P
3P + N	120 / 208 Triphasé Y	30	  NEMA 18-30 R Fixe et Mobile	  NEMA 18-30 P
<p>NOTES: 1) X, Y, Z = Pôles; W = N (Neutre); G (or ) = Terre</p> <p>Pour la référence et plus d'informations, voir CA11</p>				



IECNORM.COM : Click to view the full version

CEI 60083	Système National utilisé au CANADA			CA 10 de CA 11
				Date: 2002-05-07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250 Triphasé	50	 	
2P + N + \oplus	125 / 250	50	 	
3P + \oplus	250 Triphasé	50	 	
3P + N	120 / 208 Triphasé Y	50	 	
NOTES: 1) X, Y, Z = Pôles; W = N (Neutre); G (or \oplus) = Terre				
Pour la référence et plus d'informations, voir CA11				



IFCNORM.COM : Click to view the full size of IEC TR 60083-2009


CEI 60083	Système National utilisé au CANADA			CA 11 de CA 11
				Date: 2002-05 07
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Socles
2P + N	125 / 250	60	  NEMA 14-60 R Fixe et Mobile	 NEMA 14-60 P
3P +	250 Triphasé	60	  NEMA 15-60 R Fixe et Mobile	 NEMA 15-60 P
3P + N 	120 / 208 Triphasé Y	60	  NEMA 18-60 R Fixe et Mobile	 NEMA 18-60 P
Référence de la norme nationale ou du règlement: CSA C22.2 No. 42				
NOTES: 1) X, Y, Z = Pôles; W = N (Neutre); G (or) = Terre 2) Pour des conditions dimensionnelles voir la publication NEMA WD6				
Informations supplémentaires auprès de:		EEMAC 5800 Explorer Drive, Suite 200 Mississauga, ON, Canada L4W 5K9	Téléphone: +905 602 8877 Télécopieur: +905 602 5686 E-mail: info@electrofed.com	
Diffusion et souscription auprès de:			Téléphone: Télécopieur: E-mail:	



IEC/NORM.COM : Click to visit the official IEC/Norms website



CEI 60083	Système national utilisé en CHINE			CN 1 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	6 ¹⁾		 GB 1002 Fig.1 ²⁾
<p>1) Pour des fiches non démontables seulement.</p> <p>2) Cette fiche 6 A est compatible avec le socle 10 A de la Fig.2</p> <p>Pour la référence et plus d'informations, voir CN 7</p>				

IECNORM.COM: Click to view the full PDF of TR 60083:2009


CEI 60083	Système national utilisé en CHINE			CN 2 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	10	 GB 1002 Fig.2 Fixe et mobile	 GB 1002 Fig.1
Pour la référence et plus d'informations, voir CN 7				







CEI 60083	Système national utilisé en CHINE			CN 3 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P +	250	6 ¹⁾		
<p>1) Pour des fiches non démontables seulement.</p> <p>2) Cette fiche 6 A est compatible avec le socle 10 de la Fig.4.</p> <p>Pour la référence et plus d'informations, voir CN 7</p>				




CEI 60083	Système national utilisé en CHINE			CN 4 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P +	250	10	 GB 1002 Fig.4 Fixe et mobile	 GB 1002 Fig.3
Pour la référence et plus d'informations, voir CN 7				



CEI 60083	Système national utilisé en CHINE			CN 5 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P +	250	16		 GB 1002 Fig.3
<p>Pour la référence et plus d'informations, voir CN 7</p>				






CEI 60083	Système national utilisé en CHINE			CN 6 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P	250	10	 GB 1002 Fig.5 Fixe et mobile	
Pour la référence et plus d'informations, voir CN 7				

CEI 60083	Système national utilisé en CHINE			CN 7 de CN 7
				Date: 2007-12-10
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
3P +	440	16 / 25 / 32	 GB 1003 Fig.2	 GB 1003 Fig.1
Référence de la norme nationale ou Règlement: GB 1002, GB 1003				
Informations supplémentaires auprès de:	GEARI 204 Xingang West Road Guangzhou, CHINE		Téléphone: +86-20-84451171 Telefax: +86-20-84451516 E-mail: cnapc@geari.com	
Distribution et souscription auprès de:	SAC 9 Madian East Road, Haidian District Beijing, CHINE		Téléphone: +86-10-82262628 Telefax: +86-10-82260660 E-mail: webmaster_sac@sac.gov.cn	





CEI 60083	Système National utilisé dans la REPUBLIQUE TCHEQUE		CZ 1 de CZ 3
	Date: 2002-06-06		
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas
	Tension V	Courant A	Socles Fiches
2P + \oplus	250	16	 <p style="text-align: center;"> ČSN 35 4516 (CEE 7 Feuille de norme V) Fixe et mobile </p> <p style="text-align: center;">  ČSN 35 4516 (CEE 7 Feuille de norme VI) </p> <p style="text-align: center;">  ČSN 35 4516 (CEE 7 Feuille de norme VII) </p>
Le socle accepte les deux fiches de CZ 1.			
Pour la référence et plus d'informations, voir CZ 3			

CEI 60083	Système National utilisé dans la REPUBLIQUE TCHEQUE			CZ 2 de CZ 3
				Date: 2002-06-06
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16		 <p>ČSN 35 4516 (CEE 7 Feuille de norme XVII)</p>
2P	250	2,5		 <p>ČSN 35 4516 (CEE 7 Feuille de norme XVI)</p>
<p>Les fiches de CZ 2 sont compatibles avec le socle de CZ 1.</p> <p>Pour la référence et plus d'informations, voir CZ 3</p>				

CEI 60083	Système National utilisé dans la REPUBLIQUE TCHEQUE			CZ 3 de CZ 3
				Date: 2002-06-06
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5	  ČSN 35 4516 Mobile	 ČSN 35 4516 (CEE 7 Feuille de norme XVI)
Référence de la norme nationale ou du règlement: ČSN 35 4516 (conformément aux prescriptions de sécurité de la CEI 60884-1 – voir ČSN CEI 60884-1:2003)				
Informations supplémentaires auprès de:	CZECH STANDARDS INSTITUTE Information division Biskupský dvur 5 110 02 Praha 1 Czech Republic		Téléphone : + 42-2-21802111 Fax : + 42-2-22802311 E-mail: ivana.novakova@csni.cz	
Diffusion et souscription auprès de:	CZECH STANDARDS INSTITUTE Hornomecholupská 40 102 04 Praha 10 Czech Republic		Téléphone: + 42-2-71961770 Fax : + 42-2-74866951 E-mail : odbyt@csni.cz	

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 1 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250	10, 13 ou 16	<p>SB 107-2-D1 DK 1-1a Seulement fixe</p>	<p>SB 107-2-D1 DK 2-1a</p>
2P+E	250	15A	<p>SB 107-2-D1 DK 1-1b Seulement fixe 2) 3)</p>	
<p>1) Les socles sont seulement considérés comme partie de socles de prises de courant avec interrupteurs ou de socles à deux voies avec les socles avec interrupteur individuel.</p> <p>2) Les obturateurs sont obligatoires pour les socles avec protection IPXO.</p> <p>3) Les socles acceptent aussi les fiches conformes aux Feuilles de normes DK 2-5a, DKA 2-1a, DKA 2-1b, EN 50 075 et aux Feuilles de normes CEE 7 II, IV, VI, VII, XVI et XVII. Les types soulignés sont seulement pour usage limité car ils n'établissent pas la continuité de terre.</p>				
<p>Pour la référence et plus d'informations, voir DK 10.</p>				






IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 2 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+ E	250	10, 13 ou 16	 SB 107-2-D1 DK 1-3a Portable 1) 2) 3)	 SB 107-2-D1 DK 2-1a
2P+E	250	13 ou 16	 SB 107-2-D1 DK 1-1c Fixe et Portable 1) 4)	 SB 107-2-D1 C3b 16 A seulement

IECNORM.COM : Click to view the full PDF of IEC TR 60083:2009






1) Les socles sont utilisés aussi pour l'intégration dans les adaptateurs et les matériaux.
2) Les notes 2 et 3 de la page 1 s'appliquent.
3) Le marquage avec N est optionnel.
2) Les obturateurs sont obligatoires pour les socles avec protection IPXO.

Pour la référence et plus d'informations, voir DK 10.

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 3 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250	10, 13 ou 16	  SB 107-2-D1 DK 15a Fixe et Portable 1)	  SB 107-2-D1 DK 2-5a
2P+E	250	10, 13 or 16	  SB107-2-D1 DK 1-7a Portable seulement	







1) Pour informatique. Seulement les fiches conformes à la Feuille de normes DK 2-5a peuvent entrer.

For reference and further information, see DK 10.





CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 4 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
3P+ N + E	250/440	16	   	  
			SB107-2-D1 DK 5-1a	SB107-2-D1 DK 6-1a
Pour la référence et plus d'informations, voir DK 10.				







CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 5 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250	10, 13 ou 16	<p>SB 107-2-D1 DK 1-8a Fixe seulement 1) 2) 3)</p>	<p>SB 107-2-D1 DK 2-8a 4)</p>
2P	250	13 ou 16	<p>SB 107-2-D1 DK 1-8b Fixe seulement 1) 3)</p>	
1) Pour usage hospitalier. Seulement les fiches conformes à la Feuille de normes DK 2-8a peuvent entrer. 2) Les sodes sont seulement considérés comme partie de sodes de prises de courant avec interrupteurs ou de sodes à deux voies avec les sodes avec interrupteur individuel. 3) Les obturateurs sont obligatoires pour les sodes avec protection IPXO. 4) Pour usage hospitalier. seulement				
Pour la référence et plus d'informations, voir DK 10.				

IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 6 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250	10, 13 ou 16	  SB 107-2-D1 DK 1-8c <i>Portable seulement</i> 1)	 SB 107-2-D1 DK 2-8a
2P	250	10, 13 ou 16	  SB 107-2-D1 DKA 1-1c <i>Fixe seulement</i> 2) 3) 4)	 SB 107-2-D1 DKA 2-1b <i>16A seulement</i>
1) Les notes 1 et 3 de la page 4 s'appliquent. 2) Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs sorties, une desquelles conforme à la Feuille de normes DKA 1-1b. 3) Les obturateurs sont obligatoires pour les socles avec protection IPXO. 4) Les socles acceptent aussi les fiches conformes à la EN 50 075.				
Pour la référence et plus d'informations, voir DK 10.				

IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009



CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 7 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250			
2P	250	13 ou 16	 	SB 107-2-D1 DKA 2-1a
1) La note 1 de la page 1 s'applique. 2) Les socles conformes à cette Feuille de normes ne doivent pas avoir un degré de protection supérieur à IPX0. 3) Les obturateurs sont obligatoires.				
Pour la référence et plus d'informations, voir DK 10.				

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 8 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16	  SB 107-2-D1 DKA 2-1b	  EN 50075
2P	250	2,5	  SB 107-2-D1 DKA 1-4a Pour appareils d'utilisation 2)	

1) Les notes 2 et 3 de la page 6 s'appliquent

2) La note 2 de la page 6 s'applique.


Pour la référence et plus d'informations, voir DK 10.





CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 9 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	10, 13 ou 16	 SB 107-2-D1 DKA 1-3a Portable seulement 1) 2)	 SB 107-2-D1 DKA 2-1a

1) Les socles peuvent être munis d'un faux trou pour la broche de terre.




2) La note 3 de la page 1 s'applique. La continuité de terre n'est jamais établie.



Pour la référence et plus d'informations, voir DK 10.

CEI 60083	SYSTEME NATIONAL UTILISE EN DENMARK			DK 10 de DK 10
				Date: 2008-08-29
Nombre de Pôles	Valeur assignée de l'appareillage			Désignations des schémas
	Tension V	Courant A	Socles	Fiches
2P et 2P+E	250	Associé 2.5 et 13 ou 16	 <p>SB 107-2-D1 DK 1-9a Fixe seulement 1)</p>	
1) Les socles ne doivent pas avoir un degré de protection supérieur à IPX0				
Références de la norme nationale ou du Règlement: DS/IEC 60884-1 et Heavy Current Regulation 107-2-D1				
Informations supplémentaires auprès de:	Danish Safety Technology Authority Nørregade 63 DK- 6700 Esbjerg		Téléphone: +45 33 73 20 00 Fax: +45 33 73 2099 E-mail: sik@sik.dk Homepage: www.sik.dk	
Distribution et souscription auprès de:	Danish Safety Technology Authority Nørregade 63 DK- 6700 Esbjerg		Téléphone: +45 33 73 20 00 Fax: +45 33 73 2099 E-mail: sik@sik.dk Homepage: www.sik.dk	

CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 1 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16	   <p>SFS 5610 (CEE 7) Feuille de norme I Fixe et mobile</p>	 <p>SFS 5610 (CEE 7) Feuille de norme II</p>
<p>Les socles acceptent aussi les fiches conformes à la norme SFS 5610 (CEE Publication 7) Feuilles de norme IV, VII, XVI, XVII et les fiches conformes à la norme EN 50075.</p> <p>Note: Les socles fixes classe 0 seront graduellement remplacés.</p> <p>Pour la référence et plus d'informations, voir FI 6.</p>				




IECNORM.COM: Click to view the full PDF of ECTR 60083/2009

CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 2 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	16	   <p style="text-align: center;">SFS 5610 (CEE 7) Feuille de norme III Fixe et mobile</p>	<p style="text-align: center;">SFS 5610 (CEE 7) Feuille de norme IV</p>
<p>Les socles acceptent aussi les fiches conformes à la norme SFS 5610 (CEE Publication 7) Feuilles de norme VII, XVI, XVII et les fiches conformes à la norme SFS-EN 50075.</p> <p>Pour la référence et plus d'informations, voir FI 6.</p>				




CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 3 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + 	250	16	  SFS 5615 Feuille de norme IIIA (EMKO-TUI(23B-sec)001/90 Feuille de norme IIIA) (Pour l'alimentation de matériel IT)	SFS 5615 Feuille de norme IVA et VII A (EMKO-TUI(23B-sec)001/90 Feuille de norme IVA) (Pour l'alimentation de matériel IT)

Pour la référence et plus d'informations, voir FI 6.


IECNORM.COM : Click to view the full PDF of ECTR 60083:2009






CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 4 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5	 	 SFS-EN 50075 Feuille de norme I
<p>Pour la référence et plus d'informations, voir FI 6.</p>				

IECNORM.COM Click to view the full page of IEC TR 60083:2009






CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 5 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage	Désignations des schémas		
	Tension V	Courant A	Socles	Fiches
2P + 	250	16		 SFS 5610 (CEE 7) Feuille de norme VII
2P	250	2,5		 SFS 5610 (CEE 7) Feuille de norme XVI
1) Optionnel.				
Les fiches montrées ci-dessus sont compatibles avec les socles conformes à la norme SFS 5610 (CEE Publication 7) Feuilles de norme I et III.				
Pour la référence et plus d'informations, voir FI 6.				

IECNORM.COM : Click to view the full PDF of TR 60083-2009




CEI 60083	SYSTEME NATIONAL UTILISE EN FINLANDE			FI 6 de FI 6
				Date: 2002-07-17
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16		 <p style="text-align: center;">SFS 5610 (CEE 7) Feuille de norme XVII</p>
<p>1) Optionnel.</p> <p>Les fiches montrées ci-dessus sont compatibles avec les socles conformes à la norme SFS 5610 (CEE Publication 7) Feuilles de norme I et III.</p>				
Références de la norme nationale ou du règlement: SFS 5610, SFS 5615 et SFS-EN 50075				
Informations supplémentaires auprès de:	SESKO P. O. Box 134 FIN-00211 HELSINKI		Téléphone: +358 9 69631 Télécax: +358 9 677059 Email: finc@sesko.fi	
Diffusion et souscription auprès de:	Finnish Standards Association SFS P. O. Box 116 FIN-00241 HELSINKI		Téléphone: +358 9 1499331 Télécax: +358 9 1464914 Email: sales@sfs.fi	

CEI 60083	Système national utilisé en France			FR 1 de FR4
				Date : 2005-08-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P	250	2.5		 NF EN 50075 Feuille de norme 1
2P	250	6	 NF C 61-314 Feuille de norme VIII (1) portable	  NF C 61-314 Feuille de norme VI
2P	250	6		  NF C 61-314 Feuille de norme VII
(1) Les socles acceptent aussi les fiches conformes à la norme européenne EN 50075.				
Pour la référence et plus d'informations , voir FR4				




IECNORM.COM: Click to view the norm IEC TR 60083-2009

CEI 60083	Système national utilisé en France			FR 2 de FR4
				Date : 2005-08-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P	250	16	  NF C 61-314 Feuille de norme IV	  NF C 61-314 Feuille de norme IIIA fixe et NIB portable (2)
2P+ \oplus	250	16	  NF C 61-314 Feuille de norme I Fixe et portable (3)	  NF C 61-314 Feuille de norme II
(2) Les socles acceptent aussi les fiches conformes à la Feuille de norme NF C 61-314 VI, VII et à la norme européenne EN 50075				
(3) Les socles acceptent aussi les fiches conformes à la Feuille de norme NF C 61-314 IV, V, VI, VII et à la norme européenne EN 50075				
Pour la référence et plus d'informations, voir FR4				

FCNORM.COM: Click to visit the website

CEI 60083	Système national utilisé en France			FR 3 de FR4
				Date : 2005-08-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A		Tension V
2P+	250	16		 NF C 61-314 Feuille de norme V
2P+	400	20	 NF C 61-315 Feuille de norme II Fixe et portable	 NF C 61-315 Feuille de norme I
3P+	400	20	 NF C 61-315 Feuille de norme IV Fixe et portable	 NF C 61-315 Feuille de norme III
Pour la référence et plus d'informations, voir FR4				





IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-2009


CEI 60083	Système national utilisé en France			FR 4 de FR4
				Date : 2005-08-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+	400	32	  NF C 61-315 Feuille de norme VI Fixe et portable	  NF C 61-315 Feuille de norme V
3P+	400	32	  NF C 61-315 Feuille de norme VIII Fixe et portable	  NF C 61-315 Feuille de norme VII
Référence de la norme nationale ou règlement				
Informations supplémentaires auprès de:	UNION TECHNIQUE DE L'ELECTRICITE 33, Avenue du général Leclerc - BP 23 F-92262 - FONTENAY AUX ROSES CEDEX - FRANCE		Téléphone : +33 1 40 93 62 00 Fax : +33 1 40 93 89 24 E-mail :	
Distribution et souscription auprès de:			Téléphone : Fax : E-mail :	



IECNPBM.COM: Click to view the PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé en ALLEMAGNE			DE 1 de DE 4 Date: 1993 - 06 - 25
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	16	 DIN 49440 parties 1, 5, 6 fixe et mobile	 DIN 49441 partie 1, types R1 et R2
2P +	250	16	DIN 49440 partie 3, protégé contre les projections d'eau, seul le type mobile est similaire à la partie 1 1)	DIN 49440 partie 2, protégé contre les projections d'eau, types AR1 et AR2 sont similaires à la partie 1 1)
1) Les socles et fiches mobiles sont compatibles avec le système ci-dessus.				
Pour la référence et plus d'informations, voir DE 4				




IFC/NORM.COM : Click to view the full PDF or ECTR 60083-7-09





CEI 60083	Système national utilisé en ALLEMAGNE			DE 2 de DE 4 Date: 1993 - 06 - 25
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16		  <p>DIN 49406 partie 1, 1 et 2 optionnels</p>
2P	250	2,5		  <p>DIN VDE 0620 partie 101 / 05.92</p>
Les fiches de la page 2 sont compatibles avec les socles de la page 1.				
Pour la référence et plus d'informations, voir DE 4				






CEI 60083	Système national utilisé en Allemagne			DE 3 de DE 4
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5		  <p>DIN 49464</p>
Pour la référence et plus d'informations, voir DE4				






IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

CEI 60083	Système national utilisé en ALLEMAGNE			DE 4 de DE 4 Date: 1993 - 06 - 25
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P + N +	400	16	  DIN 49445	 DIN 49446
3P + N +	400	25	DIN 49447 similaire au socle ci-dessus, mais avec contact de terre tourné de 90 degrés	DIN 49448 similaire à la fiche ci-dessus, mais avec contact de terre tourné de 90 degrés
Référence de la norme nationale ou du règlement: DIN VDE 0620-1				
Informations supplémentaires auprès de:	DKE Referat K 542 Stresemannallee 15 D60595 Frankfurt		Téléphone: + 49 696308-0 Fax: + 49 696312925 Télex: 669798 DKED	
Diffusion et souscription auprès de:	Beuth Verlag GmbH Burggrafenstraße 6 D10787 Berlin		Téléphone: +49 30348001-0 Fax: +49 3034417093 Télex: 181683	





CEI 60083	SYSTEME NATIONAL UTILISE EN INDIA			IN 1 de IN 2
				Date:
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E Socles et Fiches	230 240 250	6, 10 et 16	 	 
2P Fishes	230 240 250	2,5 et 6		


IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-109

CEI 60083	SYSTEME NATIONAL UTILISE EN INDIA			IN 1 de IN 2
				Date:
Nombre de Pôles	Valeur assignée de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P+T Socles seulement	230 240 250	6, 10 et 16		
2P+T Socles seulement	230 240 250	6, 10 et 16		
2P+T Socles seulement	230 240 250	6, 10 et 16		

CEI 60083	Système National utilisé en ITALIE			IT 1 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	10	 	
2P	250	2,5		 
1) Socle mobile pour équipement classe II 2) Le socle doit être muni d'obturateurs				
Pour la référence et plus d'informations, voir IT 7				

IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009




CEI 60083	Système National utilisé en ITALIE			IT 2 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	10	 	 CEI 23 - 50 S 11
2P + T	250	10		 CEI 23 - 50 SPA 11
1) Les socles acceptent aussi les fiches conformes aux feuilles de norme S 1, S 10 2) Le socle doit être muni d'obturateurs				
Pour la référence et plus d'informations, voir IT 7				

CEI 60083	Système National utilisé en ITALIE			IT 3 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	10		 <p>CEI 23 - 50 SPB 11</p>
2P + T	250	10		
Pour la référence et plus d'informations, voir IT 7				




IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009


CEI 60083	Système National utilisé en ITALIE			IT 4 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	16	 CEI 23 - 50 P 17 FIXE ET MOBILE	 CEI 23 - 50 S 17
2P + T	250	16	 CEI 23 - 50 P 17/11 1) FIXE ET MOBILE	 CEI 23 - 50 SPA 17
1) Les socles acceptent aussi les fiches conformes aux feuilles de norme S 1, S 10, S11, SPA 11, SPB 11 2) Le socle doit être muni d'obturateurs				
Pour la référence et plus d'informations, voir IT 7				

IECNORM.COM: Click to view the full PDF of ED TR 60083:2009









CEI 60083	Système National utilisé en ITALIE			IT 5 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	16		  CEI 23 - 50 SPB 17
2P	250	16		  CEI 23 - 50 S 16
Pour la référence et plus d'informations, voir IT 7				

IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009









CEI 60083	Système National utilisé en ITALIE			IT 6 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	16		 CEI 23 - 50 S 31 2)
2P	250	16	 CEI 23 - 50 P 30 1) FIXE ET MOBILE	 CEI 23 - 50 S 32 3)
1) Les socles acceptent aussi les fiches conformes aux feuilles de norme S 1, S 10, S11, 2) Fiche avec double contact de terre 3) Fiche pour équipement classe II 4) Le socle doit être muni d'obturateurs				
Pour la référence et plus d'informations, voir IT 7				

CEI 60083	Système National utilisé en ITALIE			IT 7 de IT 7 Date: 2002 - 05 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignations des schémas	
	Tension V	Courant A	Socles	Fiches
2P + T	250	16		 CEI 23 - 50 S 30
Référence de la Norme Nationale ou du Règlement: CEI EN 50075, CEI 23 - 50 (réalisée sur la CEI 60884-1).				
Information supplémentaires auprès de:	CEI Comitato Elettrotecnico Italiano Via Saccardo 9 20134 MILANO		Téléphone: + 39 02 210061 Fax: + 39 02 21006210 E-mail: cei@ceiweb.it	
Diffusion et souscription auprès de:	CEI Comitato Elettrotecnico Italiano Via Saccardo 9 20134 MILANO		Téléphone: + 39 02 210061 Fax: + 39 02 21006210 E-mail: cei@ceiweb.it	







IFCNORM.COM: Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 1 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	125V	15A	 	 
2P	250V	15A	 	 
Pour la référence et plus d'informations, voir JP 17				







IECNORM.COM : Click to View the Sample of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 2 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	125V	20A	 	 
2P	250V	20A	 	 
Pour la référence et plus d'informations, voir JP 17				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 3 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250V	30A	 	 
2P	125V	15A	 	
Pour la référence et plus d'informations, voir JP 17				









IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 4 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	125V	20A	 	
2P	250V	20A	 	 
<p>Pour la référence et plus d'informations, voir JP 17</p>				









IECNORM.COM : Click to view the IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 5 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	125V	15A	 	 
2P+E	250V	15A	 	 
Pour la référence et plus d'informations, voir JP 17				








IECNORM.COM: Click to View the Content of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 6 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	125V	20A	 	 
2P+E	250V	20A	 	 
Pour la référence et plus d'informations, voir JP 17				






IECNORM.COM: Click to view the full PDF of IEC TR 60083:2009

CEI 60083	Système national utilisé au JAPON			JP 7 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	250V	30A	 	 
2P+E	250V	50A	 	 
Pour la référence et plus d'informations, voir JP 17				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 8 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	125V	20A	 	 
2P+E	250V	20A	 	 
Pour la référence et plus d'informations, voir JP 17				









IECNORM.COM : Click to view the IEC TR 60083:2009

CEI 60083	Système national utilisé au JAPON			JP 9 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	125V	15A	 	
3P	250V	15A	 SECTION (A-B-C) 	 
Pour la référence et plus d'informations, voir JP 17				








IECNORM.COM : Click to view the full text of IEC TR 60083:2009

CEI 60083	Système national utilisé au JAPON			JP 10 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250V	20A	 <p>SECTION (A-B-C)</p> 	 
3P	250V	30A	 <p>SECTION (A-B-C)</p> 	 
Pour la référence et plus d'informations, voir JP 17				






IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-2009

CEI 60083	Système national utilisé au JAPON			JP 11 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P+E	250V	15A	 	 
3P+E	250V	20A	 	 
Pour la référence et plus d'informations, voir JP 17				







IECNORM.COM: Click to view the full text of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 12 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P+E	250V	30A	 	 
2P	125V	15A		 
Pour la référence et plus d'informations, voir JP 17				





IECNORM.COM: Click to view the full text of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 13 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250V	20A	 	
2P	250V	30A		
Pour la référence et plus d'informations, voir JP 17				




IECNORM.COM : Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé au JAPON			JP 14 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+E	125V	15A	 	
2P+E	250V	15A	 	
Pour la référence et plus d'informations, voir JP 17				




IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-109









CEI 60083	Système national utilisé au JAPON			JP 15 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+ E	250V	20A		
2P+E	250V	30A		
Pour la référence et plus d'informations, voir JP 17				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009









CEI 60083	Système national utilisé au JAPON			JP 16 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250V	20A		
3P	250V	30A		
Pour la référence et plus d'informations, voir JP 17				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-2009









CEI 60083	Système national utilisé au JAPON			JP 17 de JP 17
				Date: 2007.12.21
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P+E	250V	20A	 	
<p style="text-align: center;"><i>IEC/NORM.COM: Click to view the full PDF of IEC TR 60083-2009</i></p>				
Informations supplémentaires auprès de:		Japanese Standard Association (JSA) 4-1-24 Akasaka, Minato-ku, Tokyo 107-8440 JAPON		Téléphone: +81(3) 3583 8005 Fax: +81(3) 3586 2014 E-mail: -
Distribution et souscription auprès de:		Japan Electrical Wiring Devices and Equipment Industries Association (JEWA) Dai 11 Murakami Building 4F, 13-4 Nihonbashi Hisamatsu-cho, Chuo-ku, Tokyo 103-0005, JAPON		Téléphone: +81(3) 5641 1611 Fax: +81(3) 5640 1613 E-mail: jimukyoku@jewa.or.jp

CEI 60083	Système national utilisé en COREE (République de)			KR 1 de KR 6 Date : 2002-12-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	125	15	 	 
2P	250	30 50	 	 
<p>Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs sorties, une desquelles construite conformément à la Feuille de norme KSC 8305</p>				
<p>Pour la référence et plus d'informations, voir KSC 8305</p>				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009





CEI 60083	Système national utilisé en COREE (République de)			KR 2 de KR 6 Date : 2002-12-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+	125	15	 	 
3P	250	15 20 30 50	 	 
<p>Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs une desquelles construite conformément à la Feuille de norme KSC 8305</p>				
<p>Pour la référence et plus d'informations, voir KSC 8305</p>				

IECNORM.COM: Click & View the full PDF of IEC TR 60083-2009





CEI 60083	Système national utilisé en COREE (République de)			KR 3 de KR 6 Date : 2002-12-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P+	250	15 20 30 50	 	 
2P	250	3	 	 
<p>Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs une desquelles construite conformément à la Feuille de norme KSC 8305</p>				
<p>Pour la référence et plus d'informations, voir KSC 8305</p>				



IECNORM.COM: Click & View the full PDF of IEC TR 60083-2009

CEI 60083	Système national utilisé en COREE (République de)			KR 4 de KR 6 Date : 2002-12-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	15	 	 
2P+ \ominus	250	15	 	 
<p>Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs une desquelles construite conformément à la Feuille de norme KSC 8305</p>				
<p>Pour la référence et plus d'informations, voir KSC 8305</p>				



CEI 60083	Système national utilisé en COREE (République de)			KR 5 de KR 6 Date : 2002-12-31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	10 20		
2P+ 	250	10		
<p>Les socles doivent être utilisés seulement dans des socles avec deux ou plusieurs une desquelles construite conformément à la Feuille de norme KSC 8305</p>				
<p>Pour la référence et plus d'informations, voir KSC 8305</p>				









IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009



CEI 60083	Système national utilisé en COREE (République de)			KR 6 de KR 6 Date : 2002-12-31	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas		
	Tension V	Courant A	Socles	Fiches	
2P+	250	20	 	 	
<p>Note: Pour les prescriptions dimensionnelles voir la norme KSC 8305</p>					
Informations supplémentaires auprès de:	Korean Agency for Technology and Standards(KATS) #2, Joong-ang-dong, Kwachun, Kyung-gi-do, Korea		Téléphone:+82-2-509-7331 Télécax : +82-2-507-1924 e-mail : elap@ats.go.kr homepage : www.ats.go.kr		
Diffusion et souscription auprès de:	Korean Standards Association (KSA) 13-31, Yido-dong, Youngdungpo-gu, Seoul, Korea,150-010		Téléphone:+82-2-6009-4860 Télécax: +82-2-6009-6009 Homepage : www.ksa.or.kr		









CEI 60083	Système national utilisé en Malaisie			MY1 de MY2
				Date : 14 janvier 2003
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+ 	250V	13A	 MS 589 : Partie 2	 FICHE AVEC FUSIBLE 13 A MS 589 : Partie 1
Référence de la norme nationale ou du règlement:		MS 589 : Partie 1, MS 589 : Partie 2		
1. Les socles doivent être munis d'obturateurs. 2. Les fiches et les socles doivent être polarisés. 3. Les socles doivent être avec interrupteur. 4. Les fiches sont pour usage avec matériel de Classe I ou Classe II. 5. La phase des fiches et les broches neutres doivent être pourvues de gaines isolantes pour éviter un contact par inadvertance avec les broches sous tension. 6. Les fiches utilisés doivent être avec fusible.				

IEC/NORM.COM: Click to view the full PDF or ECTR 60083-2009

CEI 60083	Système national utilisé en Malaisie			MY2 de MY2
				Date : 14 janvier 2003
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P+ 	250V	15A	 MS 1577: 2003	 FICHE 15 a
Référence de la norme nationale ou du règlement:		MS 1577: 2003		
1. Les socles doivent être munis d'obturateurs 2. Les broches de la fiche peuvent être avec ou sans gaine isolante. 3. Les socles doivent être avec interrupteur. 4. Les fiches et les socles doivent être polarisés. 5. Les fiches sont pour usage avec matériel de Classe I ou Classe II.				
Informations supplémentaires auprès de:	Fadhilah Mohammad SIRIM QAS Sdn. Bhd. Building 4, SIRIM Complex, 1, Persiaran, Dato' Menteri 4 0000 SHAH ALAM, Selangor		Tél: +603-5544 6413 Fax: +603-5544 6484 E-mail: fadhilah@sirim.my	
Diffusion et souscription auprès de:	Nuriyati Hj. Abdul Rahman National Standards Development Section SIRIM Berhad – P.O Box 7035 40911 Shah Alam, Selangor		Tél: +603-5544 6361 Fax: +603-5510 6389 E-mail: nuriyati_abd.rahaman@sirim.my	

CEI 60083	Système National utilisé au Mexique			MX 1 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	127	15 ou 16	 A.1 Fixe et Mobile	 A.1
2P	250	15	 A.2	 A.2
1P + N	127	20	 A.84	 A.84
2P	250	20	 A.3 Fixe et Mobile	 A.3
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou ) = Terre 2) La fiche A.1 peut être polarisée ou non polarisée 3) La fiche A.1 peut aussi s'insérer dans le socle A.5 (à la page 3) 4) La fiche A.2 peut s'insérer dans le socle A.9 (à la page 3) 5) La fiche A.84 peut aussi s'insérer dans le socle A.6 (à la page 4) 				
Pour la référence et plus d'informations, voir MX 11				

CEI 60083	Système national utilisé au Mexique			MX 2 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N	127	30 ou 32	Pas de configuration de socle	 A.85
2P	250	30 ou 32	 A.4 Fixe et Mobile	 A.4
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou ) = Terre 2) La fiche A.85 peut aussi s'insérer dans le socle A.7 (à la page 5) 				
Pour la référence et plus d'informations, voir MX 11				

CEI 60083	Système National utilisé au Mexique			MX 3 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N+	127	15 ou 16	 A.5 Fixe et Mobile	 
2P +	250	15	 A.9 Fixe et Mobile	 
1P + N+	277	15	 A.13 Fixe et Mobile	 
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre 2) Le socle A.5 reçoit aussi la fiche A.1 (à la page 1) 3) Le socle A.9 reçoit aussi la fiche A.2 (à la page 1) 4) La fiche A.5 peut aussi s'insérer dans le socle A.6 (à la page 4) 5) La fiche A.9 peut aussi s'insérer dans le socle A.10 (à la page 4) 				
Pour la référence et plus d'informations, voir MX 11				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-3-109









CEI 60083	Système National utilisé au Mexique			MX 4 de 11
	Valeurs assignées de l'appareillage		Désignation des schémas	
Nombre de pôles	Tension V	Courant A	Socles	Fiches
1P + N+	127	20		 A.6 Fixe et Mobile
2P +	250	20		 A.10 Fixe et Mobile
1P + N+	277	20		 A.14 Fixe et Mobile
2P + N	127/250	20		 A.17 Fixe et Mobile
NOTES:		1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre 2) Le socle A.6 reçoit aussi la fiche A.5 (à la page 3) 3) Le socle A.10 reçoit aussi la fiche A.9 (à la page 3)		
Pour la référence et plus d'informations, voir MX 11				

CEI 60083	Système National utilisé au Mexique			MX 5 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N+ ⊕	127	30 ou 32	 A.7 Fixe et Mobile	 A.7
2P + ⊕	250	30 ou 32	 A.11 Fixe et Mobile	 A.11
1P + N+ ⊕	277	30 ou 32	 A.15 Fixe et Mobile	 A.15
2P + N	127/250	30 ou 32	 A.18 Fixe et Mobile	 A.18
NOTES: <ul style="list-style-type: none"> 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou ⊕) = Terre 2) Le socle A.7 reçoit aussi la fiche A.85 (à la page 2) 				
Pour la référence et plus d'informations, voir MX 11				














IECNORM.COM: Click to view the full PDF of IEC TR 60083-2009

CEI 60083	Système National utilisé au Mexique			MX 6 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
1P + N+	127	50	 A.8 Fixe et Mobile	 A.8
2P +	250	50	 A.12 Fixe et Mobile	 A.12
1P + N+	277	50	 A.16 Fixe et Mobile	 A.16
2P + N	127/250	50	 A.19 Fixe et Mobile	 A.19

NOTES: 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre
Pour la référence et plus d'informations, voir MX 11

CEI 60083	Système National utilisé au Mexique			MX 7 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250 3 Phases	15	 A.20 Fixe et Mobile	 A.20
2P + N+ 	127/250	15	 A.24 Fixe et Mobile	 A.24
3P + 	250 3 Phases	15	 A.29 Fixe et Mobile	 A.29
3P + N	120/208 3 Phases Y	15	 A.34 Fixe et Mobile	 A.34
NOTES: 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou ) = Terre 2) La fiche A.20 peut aussi s'insérer dans le socle A.21 (à la page 8) Pour la référence et plus d'informations, voir MX 11				

IECNORM.COM: Click to view full PDF

CEI 60083	Système National utilisé au Mexique			MX 8 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
3P	250 3 Phases	20	  A.21 Fixe et Mobile	  A.21
2P + N + 	127/250	20	  A.25 Fixe et Mobile	  A.25
3P + 	250 3 Phases	20	  A.30 Fixe et Mobile	  A.30
3P + N	120/208 3 Phases Y	20	  A.35 Fixe et Mobile	  A.35
NOTES: 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou ) = Terre 2) Le socle A.21 reçoit aussi la fiche A.20 (à la page 7)				
Pour la référence et plus d'informations, voir MX 11				

IECNORM.COM : Click to print the PDF or ECR









CEI 60083	Système National utilisé au Mexique			MX 9 de 11
	Valeurs assignées de l'appareillage		Désignation des schémas	
Nombre de pôles	Tension V	Courant A	Socles	Fiches
3P	250 3 Phases	30 ou 32	<p>A.22 Fixe et Mobile</p>	<p>A.22</p>
2P + N +	127/250	30 ou 32	<p>A.26 Fixe et Mobile</p>	<p>A.26</p>
3P +	250 3 Phases	30 ou 32	<p>A.31 Fixe et Mobile</p>	<p>A.31</p>
3P + N	120/208 3 Phases Y	30 ou 32	<p>A.36 Fixe et Mobile</p>	<p>A.36</p>


NOTES: 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre
Pour la référence et plus d'informations, voir MX 11





IECNORM.COM Click to view full PDF of IEC TR 60083-2009

CEI 60083	Système National utilisé au Mexique			MX 10 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Plugs
3P	250 3 Phases	50	<p>A.23 Fixe et Mobile</p>	<p>A.23</p>
2P + N +	127/250	50	<p>A.27 Fixe et Mobile</p>	<p>A.27</p>
3P +	250 3 Phases	50	<p>A.32 Fixe et Mobile</p>	<p>A.32</p>
3P + N	120/208 3 Phases Y	50	<p>A.37 Fixe et Mobile</p>	<p>A.37</p>
<p>NOTES: 1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre Pour la référence et plus d'informations, voir MX 11</p>				





IECNORM.COM Click to view the full PDF of IEC TR 60083:2009




CEI 60083	Système National utilisé au Mexique			MX 11 de 11
				Date: 2006-01-12
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P + N+	127/250	60	  A.28 Fixe et Mobile	  A.28
3P +	250 3 Phases	60	  A.33 Fixe et Mobile	  A.33
3P + N	120/208 3 Phases Y	60	  A.38 Fixe et Mobile	  A.38
NOTES:		1) X, Y, Z = Pôles; B = W = N (Neutre); T = G (ou) = Terre 2) Pour les prescriptions dimensionnelles, voir la publication NMX-J-163-ANCE		
Informations supplémentaires auprès de:		ANCE AV. LAZARO CARDENAS No. 869, FRACC. 3 ESQ. CON JUPITER, COL. NUEVA INDUSTRIAL VALLEJO, C.P. 07700, MEXICO, D.F. MEXICO		Téléphone: +52 55 5747 4550 Fax: +52 55 5747 4560 E-mail:
Diffusion et souscription auprès de:				Téléphone: Fax: E-mail:







CEI 60083	Système national utilisé aux Pays-Bas		NL 1 de NL 6 Date: 1996 - 01 - 31	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16	 	 
Les socles acceptent aussi les fiches conformes aux normes NEN 1020, 4ème édition (CEE publication 7) feuilles de norme I fixe et mobile		NEN 1020, 4ème édition (CEE 7) feuille de norme I fixe et mobile		NEN 1020, 4ème édition (CEE 7) feuille de norme II
Pour la référence et plus d'informations, voir NL 6				




IECNORM.COM: Click to view sample PDF of IEC TR 60083:2009

CEI 60083	Système national utilisé aux Pays-Bas		NL 2 de NL 6 Date: 1996 - 01 - 31	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	16	 NEN 1020, 4ème édition (CEE 7) feuille de norme III fixe et mobile	   NEN 1020, 4ème édition (CEE 7) feuilles de norme IV et VII
Les socles acceptent aussi les fiches conformes aux normes NEN 1020, 4ème édition (CEE publication 7) feuilles de norme XVI, XVII et les fiches conformes à la EN 50075.				
Pour la référence et plus d'informations, voir NL 6				





CEI 60083	Système national utilisé aux Pays-Bas			NL 3 de NL 6 Date: 1996 - 01 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	2,5		 
NEN 1020, 4ème édition (CEE 7) feuille de norme XVI				
Pour la référence et plus d'informations, voir NL 6				

CEI 60083	Système national utilisé aux Pays-Bas		NL 4 de NL 6 Date: 1996 - 01 - 31	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	16	   <p>NEN 1020, 4ème édition mobile 1) optionnel</p>	 <p>NEN 1020, 4ème édition (CEE 7) feuille de norme XVII 1) et 2) optionnel</p>
Le socle accepte aussi les fiches conformes à la EN 50075.				
Pour la référence et plus d'informations, voir NL 6				

IECNORM.COM: Click to view the full PDF of IEC TR 60083-2-109

CEI 60083	Système national utilisé aux Pays-Bas			NL 5 de NL 6 Date: 1996 - 01 - 31	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas		
	Tension V	Courant A	Socles	Fiches	
2P	250	2,5	  	NEN 1020, 4ème édition feuille de norme CIII mobile	EN 50075
Pour la référence et plus d'informations, voir NL 6					

CEI 60083	Système national utilisé aux Pays-Bas			NL 6 de NL 6 Date: 1996 - 01 - 31
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P	250	6		 NEN 1020, 4ème édition feuille de norme CII
Référence de la norme nationale ou du règlement: NEN 1020, 4ème édition				
Informations supplémentaires auprès de:	Netherlands Normalisatie-instituut Postbus 5059 2600 GB Delft	Téléphone: + 31 15 2 690 390 Fax: + 31 15 2 690 190		
Diffusion et souscription auprès de:	Netherlands Normalisatie-instituut Postbus 5059 2600 GB Delft	Téléphone: + 31 15 2 690 390 Fax: + 31 15 2 690 190		

CEI 60083	Système national utilisé en NOUVELLE ZELANDE		NZ 1 de NZ 2 Date: 1996 - 11 - 01	
Nombre de pôles	Valeurs assignées de l'appareillage		Désignation des schémas	
	Tension V	Courant A	Socles	Fiches
2P +	250	10	 Mobile	
2P +	250	10	 Fixe	
<p>Les socles mobiles sont spécifiés dans la spécification AS/ZNS 3120.</p> <p>AS/NZS 3112 définit une fiche 10 A à deux broches.</p> <p>Une fiche 10 A est compatible avec un socle 15 A. Une fiche 15 A ne peut pénétrer dans un socle 10 A à la dimension de la broche de terre.</p>				
<p>Pour la référence et plus d'informations, voir NZ 2</p>				