

---

---

**Information technology — Generic  
coding of moving pictures and  
associated audio information —**

**Part 4:  
Conformance testing**

**AMENDMENT 1:  
MPEG-2 IPMP conformance testing**

*Technologies de l'information — Codage générique des images  
animées et des informations sonores associées —*

*Partie 4: Essais de conformité*

*AMENDEMENT 1: Essais de conformité MPEG-2 IPMP*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

IECNORM.COM : Click to view the full PDF of ISO/IEC 13818-4:2004/Amd 1:2005

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC 13818-4:2004 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia Information*.



# Information technology — Generic coding of moving pictures and associated audio information —

## Part 4: Conformance testing

### AMENDMENT 1: MPEG-2 IPMP conformance testing

*Add the following clauses at the end of Audio section:*

#### 2.6 Conformance for MPEG-2 IPMP

##### 2.6.1 Introduction

In this document, the additional text to ISO/IEC 13818-4:2004 is specified for the conformance test of ISO/IEC 13818-1:2000/Amd.2 & 13818-11 MPEG-2 IPMP. In this clause, except where stated otherwise, the following terms are used for practical purposes:

The term 'content stream' or 'system stream' means ISO/IEC 13818-1:2000 system bitstream possibly with multiplexed ISO/IEC 13818-2:2000 visual streams and ISO/IEC 13818-3:1998 audio streams.

The term 'IPMP bitstream' means an MPEG-2 system stream with information of IPMP protection, including IPMP Descriptor, IPMP Stream, IPMP Tool List.

The term 'IPMP Information' means "IPMP Control Information" in PSI, "IPMP Descriptor" in PMT, and IPMP Stream that come from IPMP bitstream.

The term 'IPMP Data' means these IPMP data extended from IPMP\_Data\_BaseClass or other specific IPMP data to assist IPMP protection, these IPMP Data can be carried in either IPMP Descriptor, IPMP Stream, or IPMP Messages.

The term "IPMP Message" means the IPMP messages passed between terminal and IPMP tools via a non-normative messaging interface.

The term 'IPMP terminal' means a MPEG-2 terminal with IPMP Extension capability as specified in 13818-1:2000/Amd.2 & 13818-11 MPEG-2 IPMP.

If any statement stated in this sub-clause accidentally contradicts a statement or requirement defined in 13818-1:2000/Amd.2 & 13818-11 MPEG-2 IPMP, the text of 13818-1:2000/Amd.2 & 13818-11 MPEG-2 IPMP prevails.

The following subclauses specify the normative tests for verifying compliance of IPMP bitstream, IPMP Data and IPMP Message. Those normative tests make use of test suites and the reference software decoders specified in ISO/IEC 13818-5:2002/Amd.4 with source code available in electronic format.

## 2.6.2 Specification of test IPMP bitstreams

### 2.6.2.1 Conformance Requirements

IPMP information contained in PSI of MPEG-2 system stream shall comply with the specifications in 5 and 6 of ISO/IEC 13818-1:2000/Amd.2 & ISO/IEC 13818-11 (MPEG-2 IPMP).

### 2.6.2.2 Tolerance

There is no tolerance for IPMP Bitstream syntax checking. The diagnosis is pass or fail.

### 2.6.2.3 Terminal conformance

Each compliant IPMP terminal shall be able to parse and process all compliant IPMP bitstreams. As the implementation of IPMP terminals differs from each other depending on the implementers, the bit-wise comparison of the terminal output with a reference output may not work. The judgment should be done from the total behavior of the terminal.

### 2.6.2.4 Tool conformance

Not applicable.

### 2.6.2.5 Test IPMP Bitstream

#### 2.6.2.5.1 #IPMPBS1

BitStream: MPEG-2 TS stream with PAT, PMT, one MPEG-2 visual stream, and one MPEG-1 Layer 2 audio stream and IPMP information.

Specification: The IPMP information includes:

- Tool List in PSI: containing one IPMP Tool ID.
- IPMP Descriptor in PMT. Specifying one IPMP Tool therein is to be loaded before MPEG-2 video decoder (control point is set before decode buffer).

Purpose:

- Verify that the IPMP terminal handles IPMP Tool List, makes sure the required tool is present.
- Verify that the IPMP terminal handles IPMP Descriptor, and launches the IPMP Tool according to information given in the IPMP Descriptor.

#### 2.6.2.5.2 #IPMPBS2

BitStream: MPEG-2 TS stream with PAT, PMT, one MPEG-2 visual stream, and one MPEG-1 Layer 2 audio stream and IPMP information.

Specification: The IPMP information includes:

- Tool List: containing two IPMP Tool IDs.
- Two IPMP Descriptors in PMT: the IPMP Tools specified therein are to be loaded before MPEG-2 video render and before MPEG-1 Layer 2 audio decoder, respectively. (The control point is set accordingly).

Purpose:

- Verify that the IPMP terminal handles IPMP Tool List, makes sure the required tools are present.
- Verify that the IPMP terminal handles IPMP Descriptors, and launches the specified IPMP Tools according to information given in the IPMP Descriptors.

**2.6.2.5.3 #IPMPBS3**

**BitStream:** MPEG-2 TS stream with PAT, PMT, one MPEG-2 visual stream, and one MPEG-1 Layer 2 audio stream and IPMP information.

**Specification:** The IPMP information includes:

- Tool List: containing one IPMP Tool ID.
- Tool Container: carrying a tool that is specified by the Tool List.
- IPMP Descriptor in PMT: the IPMP Tool specified therein is to be loaded before MPEG-2 video decoder (the control point is set before decode buffer).

**Purpose:**

- Verify that the IPMP terminal handles IPMP Tool Container, makes sure the carried tool can be assembled and launched correctly.
- Verify that the IPMP terminal handles IPMP Descriptor, and launches the specified IPMP Tools according to information given in the IPMP Descriptor.

**2.6.2.5.4 #IPMPBS4**

**BitStream:** MPEG-2 TS stream with PAT, PMT, one MPEG-2 visual stream, and one MPEG-1 Layer 2 audio stream and IPMP information.

**Specification:** The IPMP information includes:

- Tool List: containing one IPMP Tool IDs.
- Rights Container: containing the rights information about the content.
- IPMP Descriptor: the IPMP Tool specified therein is a rights management tool, to be loaded at a global scope (control point=0).

**Purpose:**

- Verify that the IPMP terminal handles IPMP Rights Container, make sure the rights is either processed by the terminal, or delivered to the Rights Management Tool to process.
- Verify that the IPMP terminal handles IPMP Descriptor, and launches the specified IPMP Tools according to information given in the IPMP Descriptor.

**2.6.2.5.5 #IPMPBS5**

**BitStream:** MPEG-2 TS stream with PAT, PMT, one MPEG-2 visual stream, and one MPEG-1 Layer 2 audio stream and IPMP information.

**Specification:** The IPMP information includes:

- Tool List: containing two IPMP Tool IDs.
- Two IPMP Descriptors in PMT: the IPMP Tools specified therein are to be loaded before MPEG-2 video render and before MPEG-1 Layer 2 audio decoder, respectively. (The control point is set accordingly).
- IPMP Stream: It carries IPMP\_StreamDataUpdate to be delivered to the above mentioned two IPMP Tools.

Purpose:

- Verify that the IPMP terminal handles IPMP Tool List, makes sure the required tools are present.
- Verify that the IPMP terminal handles IPMP Descriptors, and launches the specified IPMP Tools according to information given in the IPMP Descriptors.
- Verify that the IPMP terminal is able to parse the IPMP Stream, and deliver the IPMP\_StreamDataUpdate to its designated IPMP Tool at the specified time.

**2.6.2.5.6 Summary**

The above bitstreams cover IPMP features that extend from MPEG-2 TS system (other IPMP features, e.g., messages, are discussed in next section). Table AMD1-1 summarize the above streams.

**Table AMD1-1 — Summary of IPMP bitstreams**

Name	Elem Streams	IPMP Descriptors	Tool List	Tool Container	Rights Container
IPMPBS1.ts	Video: 1 Audio: 1	Video: 1 Audio: n/a	One Tool ID is specified	n.a.	n.a.
IPMPBS2.ts	Video: 1 Audio: 1	Video: 1 Audio: 1	Two Tool IDs are specified	n.a.	n.a.
IPMPBS3.ts	Video: 1 Audio: 1	Video: 1 Audio: n.a.	One Tool ID is specified	One Tool is carried	n.a.
IPMPBS4.ts	Video: 1 Audio: 1	Video: n.a. Audio: n.a.	One Tool ID is specified	n.a.	Rights data is carried
IPMPBS5.ts	Video: 1 Audio: 1 IPMP Stream: 1	Video: 1 Audio: 1	Two Tool IDs are specified	n.a.	n.a.

**2.6.3 Specification of test IPMP data**

**2.6.3.1 Conformance Requirements**

IPMP Data shall comply with the specifications in ISO/IEC 13818-1:2000/Amd.2 & ISO/IEC 13818-11 (MPEG-2 IPMP).

**2.6.3.2 Tolerance**

There is no tolerance for IPMP Data syntax checking. The diagnosis is pass or fail.

**2.6.3.3 Terminal conformance**

Some IPMP data is meant to be carried in messages passed between terminal and IPMP Tool, some IPMP data is meant to be carried in IPMP bitstream, while some of them can be carried in both messages between terminal and IPMP Tool, as well as IPMP bitstream.

Hence a compliant IPMP terminal is not required to be able to parse all IPMP data. The IPMP Data that a compliant IPMP terminal should be able to parse and process is marked as “TM”.

Some IPMP data does not require an output, the judgment should be done from the total behavior of the terminal.

#### 2.6.3.4 Tool conformance

Some IPMP data does not require an output; the judgment should be done from the overall behavior of the IPMP Tool.

#### 2.6.3.5 Test IPMP Data

IPMP Data	Terminal/Tool Conformance	Specification and purpose
<b>Mutual Authentication Related IPMP Data</b>		
AlgorithmDescriptor	TM/TO	This class is for specifying an identifier of an authentication related algorithm
AuthCodes	TM/TO	Authentication codes for IPMP_MutualAuthentication messages
BaseAuthenticationDescriptor	TM/TO	The base for authentication descriptors
Certificate	TM/TO	A generic certificate
DateClass	TM/TO	Contains the audit date of IPMP tool in question, in Universal Time, Co-ordinated (UTC) and Modified Julian Date (MJD)
KeyDescriptor	TM/TO	This class is for specifying a cryptographic algorithm and a key conforming to the algorithm
IPMP_InitAuthentication	TM/TO	Message that initiates a mutual authentication process
IPMP_MutualAuthentication	TM/TO	Messages exchanged during mutual authentication process
TrustSecurityMetadata	TM/TO	Message carrying metadata for the verification of trust between two tools
<b>IPMP Tool Connection and Disconnection</b>		
IPMP_GetTools	TM/TO	This message is sent by a Tool to the Terminal to find all the tools, instantiated or not, that are available on the terminal
IPMP_GetToolsResponse	TM/TO	This message is sent by the Terminal to a Tool in reply of an IPMP_GetTools request

IPMP_ToolParamCapabilitiesQuery	TM/TO	This message allows a terminal to query a tool as for support for a specific parametric description
IPMP_ToolParamCapabilitiesResponse	TM/TO	This message is the response to the above parametric capabilities query and simply returns a boolean value as to whether or not the parametric description is supported by the tool
IPMP_ConnectTool	TM/TO	This message allows a tool to request the Terminal to create a connection to a tool identified in the toolDescriptor
IPMP_DisconnectTool	TM/TO	This message allows a tool to disconnect a tool it has previously connected at a control point

**IPMP Tool Notification**

IPMP_AddToolNotificationListener	TM/TO	This message is sent from a Tool to the Terminal to request notification of certain events
IPMP_RemoveToolNotificationListener	TM/TO	This message is sent from a Tool to the Terminal to request stop notification of certain events There are five event types defined by the standard, plus a number of user defined events
IPMP_NotifyToolEvent	TM/TO	This message notifies an IPMP Tool of an event for which it had previously registered as a listener

**IPMP Processing**

IPMP_Data_BaseClass	TM/TO	This class is used to carry IPMP data in the bitstream or from one Tool to another
IPMP_ByteArray	TM/TO	This class stores an array of bytes of known size, and converts it into binary format
IPMP_CanProcess	TM/TO	Sent from a Tool to the Terminal to allow or refuse content processing
IPMP_OpaqueData	TM/TO	This class is used for carriage of opaque data
IPMP_KeyData	TO	This message carries key and synchronization information for decryption Tools
IPMP_RightsData	TM/TO	The IPMP_RightsData contains rights information and can be carried in either the IPMP_Descriptor or IPMP_Message's forming an IPMP Stream
IPMP_SelectiveDecryptionInit	TO	This message initialize a decryptor Tool
IPMP_AudioWatermarkingInit	TO	Delivers to an audio watermarking tool all the information about the characteristics of audio content

IPMP_SendAudioWatermark	TM/TO	An audio watermarking tool that has been required to perform payload extraction will construct this IPMP data
IPMP_VideoWatermarkingInit	TO	This message delivers to a watermarking tool all the information about the characteristics of the video content, the type of action to be performed on it, and possibly other related proprietary data required by the watermarking tool
IPMP_SendVideoWatermark	TM/TO	A video watermarking tool that has been required to perform payload extraction will construct this IPMP data

**User Interaction**

DTArray	TM/TO	Carries text to be displayed to the user
QTArray	TM/TO	Carries a prompt to be displayed to the user
RTArray	TM/TO	Carries an user's answer
OptionArray	TM/TO	Carries an option that may be selected by the user
IPMP_UserQuery	TM/TO	Used to query the user for information
IPMP_UserQueryResponse	TM/TO	Carries an user's answer to an IPMP_UserQuery

**From the bitstream**

IPMP_Descriptor	TM/TO	The IPMP_Descriptor carries IPMP information for one or more IPMP Tool instances
IPMP_DescriptorUpdate	TM	This class conveys a list of new or updated IPMP_Descriptor's
IPMP_Message	TM	Class to convey time-varying IPMP information for associated IPMP Tool instances
IPMP_ParametricDescription	TM/TO	Using a parametric description, it is possible to describe what type of IPMP Tool is required in order to be able to play the content, instead of using fixed Tool IDs
IPMP_Tool	TM	This class identifies one IPMP Tool that is required by the Terminal to consume the content
IPMP_ToolListDescriptor	TM	This message conveys the list of IPMP tools required to access the content associated with the IOD in which it is described

**IPMP Terminal to Terminal**

IPMP_RequestContent	TM	One IPMP Terminal requests a content from the other IPMP terminal.
---------------------	----	--