



REV. A	ADD CADMIUM WARNING NOTICE, UPDATE REFERENCES FOR PLATING AND PASSIVATION, AND GENERAL EDITORIAL REVISION.	FEDERAL SUPPLY CLASS 5315														
AS20253	NOTICE  THE INITIAL SAE PUBLICATION OF THIS DOCUMENT WAS TAKEN DIRECTLY FROM U.S. MILITARY STANDARD MS20253E, NOTICE 2. THIS SAE STANDARD MAY RETAIN THE SAME PART NUMBERS ESTABLISHED BY THE ORIGINAL MILITARY DOCUMENT.  ANY REQUIREMENTS ASSOCIATED WITH QUALIFIED PRODUCTS LISTS (QPL) MAY CONTINUE TO BE MANDATORY FOR DOD CONTRACTS. REQUIREMENTS RELATING TO QPLS HAVE NOT BEEN ADOPTED BY THE SAE FOR THIS STANDARD AND ARE NOT PART OF THIS SAE DOCUMENT.															
<p>SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."</p> <p>SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.</p>																
SAENORM.COM : Click to view the full PDF of as20253a																
 <p>FIGURE 1 - PIN</p> <p>TABLE 1 - DASH NUMBERS AND ØF</p> <table border="1" data-bbox="726 1066 1003 1298"> <thead> <tr> <th>DASH NO.</th> <th>ØF</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>.061-.063</td> </tr> <tr> <td>2</td> <td>.088-.090</td> </tr> <tr> <td>3</td> <td>.116-.118</td> </tr> <tr> <td>4</td> <td>.178-.180</td> </tr> <tr> <td>5</td> <td>.128-.130</td> </tr> </tbody> </table> <div data-bbox="563 1679 1150 1774" style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <p>SAE values your input. To provide feedback on this Technical Report, please visit  <a href="http://www.sae.org/technical/standards/AS20253A">http://www.sae.org/technical/standards/AS20253A</a></p> </div> <div data-bbox="1183 1636 1493 1795" style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <p>THIRD ANGLE PROJECTION</p>  </div>	DASH NO.	ØF	1	.061-.063	2	.088-.090	3	.116-.118	4	.178-.180	5	.128-.130	<p>ISSUED 2000-08 REAFFIRMED 2012-11 REVISED 2014-01</p> <p>CUSTODIAN: E-25</p> <p>PROCUREMENT SPECIFICATION: NONE</p> <table border="1" data-bbox="230 1795 1530 1981"> <tr> <td data-bbox="230 1795 579 1981" style="text-align: center;">  <p><b>AEROSPACE STANDARD</b></p> <p>(R) PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600</p> </td><td data-bbox="579 1795 1166 1981" style="text-align: center;"> <p><b>AS20253</b></p> <p>SHEET 1 OF 2</p> </td><td data-bbox="1166 1795 1530 1981" style="text-align: center;"> <p><b>REV. A</b></p> </td></tr> </table>	 <p><b>AEROSPACE STANDARD</b></p> <p>(R) PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600</p>	<p><b>AS20253</b></p> <p>SHEET 1 OF 2</p>	<p><b>REV. A</b></p>
DASH NO.	ØF															
1	.061-.063															
2	.088-.090															
3	.116-.118															
4	.178-.180															
5	.128-.130															
 <p><b>AEROSPACE STANDARD</b></p> <p>(R) PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600</p>	<p><b>AS20253</b></p> <p>SHEET 1 OF 2</p>	<p><b>REV. A</b></p>														