


AS4679
REV. A




LOCATION OF IDENTIFICATION

FIGURE 1 - WASHER

TABLE 1 - DIMENSIONS AND WEIGHTS

BASIC NO. AS4679 /5/ /11/ SIZE AND THICKNESS CODE	(NOMINAL TUBE SIZE)	A	D +.020/- .005	T		LB/EA MAX ALUM	LB/EA MAX STEEL, CRES
				ALUMINUM	STEEL, CRES		
20-16	20	1.578	2.313	.013-.019	.016	.0040	.0111
20-32	20	1.578	2.313	.028-.036	.032	.0080	.0222
20-90	20	1.578	2.313	.083-.097	.090	.0225	.0623
24-16	24	1.828	2.562	.013-.019	.016	.0045	.0125
24-32	24	1.828	2.562	.028-.036	.032	.0090	.0249
24-90	24	1.828	2.562	.083-.097	.090	.0253	.0702
28-16	28	2.140	2.875	.013-.019	.016	.0051	.0143
28-32	28	2.140	2.875	.028-.036	.032	.0103	.0285
28-90	28	2.140	2.875	.083-.097	.090	.0289	.0802

SAE Tec Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.



CUSTODIAN: SAE G-3/G-3B PROCUREMENT SPECIFICATION: NONE /4/

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space
INTERNATIONAL
400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE STANDARD
WASHER, FLAT, SHORT FLARELESS

AS4679
SHEET 1 OF 2

REV. A

ISSUED 1992-07-14 REVISED 1993-01-21 (A)